

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 1 of 21

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

SRS Violin ATF VI

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

gear oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH
Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
P501 Dispose of contents/container to local/regional/national/international regulations.

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.
For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Relevant ingredients**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified			40 - < 45 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified			1 - < 3 %



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 2 of 21

	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich			1 - < 3 %
	800-172-4		01-2119969520-35	
	Aquatic Chronic 2; H411			
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified			1 - < 3 %
	265-169-7	649-474-00-6	01-2119471299-27	
	Asp. Tox. 1; H304			
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol			0.1 - < 0.2 %
	620-540-6		01-2119510877-33	
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410			
124-28-7	N,N-Dimethyl-n-octadecylamine			0.1 - < 0.2 %
	204-694-8		01-2119486676-20	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410			
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine			< 0.1 %
	939-485-7		01-2119974116-35	
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410			
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol			< 0.1 %
	202-414-9		01-2119777867-13	
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H373 H400 H410			
91-20-3	naphthalene*			< 0.1 %
	202-049-5	601-052-00-2		
	Carc. 2, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H351 H302 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	40 - < 45 %	
	inhalation: LC50 = > 5,53 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	1 - < 3 %	
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg			
398141-87-2	800-172-4	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	1 - < 3 %	
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg			
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 3 %	
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg			
1218787-32-6	620-540-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0.1 - < 0.2 %	
	oral: LD50 = 1200 mg/kg Aquatic Acute 1; H400: M=10			
124-28-7	204-694-8	N,N-Dimethyl-n-octadecylamine	0.1 - < 0.2 %	
	oral: LD50 = 1015 mg/kg Aquatic Acute 1; H400: M=10			
218141-16-3	939-485-7	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	< 0.1 %	
	oral: LD50 = 300 - 2000 mg/kg Aquatic Acute 1; H400: M=100			

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 3 of 21

95-38-5	202-414-9	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	< 0.1 %
		oral: LD50 = ca. 1265 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
91-20-3	202-049-5	naphthalene*	< 0.1 %
		oral: ATE = 500 mg/kg	

Further Information

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

*Substance for which a community occupational exposure limit value applies in the European Union.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO₂) Sulphur dioxide (SO₂) Nitrogen oxides (NO_x)

5.3. Advice for firefighters

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 4 of 21

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up**For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 5 of 21

substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limit values**

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
91-20-3	Naphtalene	10	50		TWA (8 h)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified			
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³	
Worker DNEL, long-term	inhalation	local	5,58 mg/m ³	
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³	
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day	
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified			
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³	
Worker DNEL, long-term	inhalation	local	5,58 mg/m ³	
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³	
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day	
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich			
Worker DNEL, long-term	inhalation	systemic	24,7 mg/m ³	
Worker DNEL, long-term	dermal	systemic	350 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	4,35 mg/m ³	
Consumer DNEL, long-term	dermal	systemic	125 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	2,5 mg/kg bw/day	
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified			
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³	
Worker DNEL, long-term	inhalation	local	5,58 mg/m ³	
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³	
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day	



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 6 of 21

1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol		
Worker DNEL, long-term	dermal	systemic	0,42 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,522 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,15 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,15 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	2,96 mg/m ³
124-28-7	N,N-Dimethyl-n-octadecylamine		
Worker DNEL, long-term	inhalation	systemic	1 mg/m ³
Worker DNEL, acute	inhalation	systemic	1 mg/m ³
Worker DNEL, long-term	inhalation	local	1 mg/m ³
Worker DNEL, acute	inhalation	local	1 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,5 mg/kg bw/day
Consumer DNEL,	oral		0,5 mg/kg bw/day
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine		
Worker DNEL, long-term	inhalation	systemic	4,9 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,7 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,74 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,25 mg/kg bw/day
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol		
Worker DNEL, long-term	inhalation	systemic	0,46 mg/m ³
Worker DNEL, acute	inhalation	systemic	14 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,06 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	2 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	
Freshwater		0,0024 mg/l
Freshwater (intermittent releases)		0,024 mg/l
Marine water		0,00033 mg/l
Freshwater sediment		0,433 mg/kg
Marine sediment		0,0596 mg/kg
Secondary poisoning		111,11 mg/kg

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 7 of 21

Micro-organisms in sewage treatment plants (STP)	100 mg/l
Soil	0,0853 mg/kg
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified
Secondary poisoning	9,33 mg/kg
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol
Freshwater	0,000214 mg/l
Freshwater (intermittent releases)	0,00087 mg/l
Marine water	0,000021 mg/l
Freshwater sediment	1,692 mg/kg
Marine sediment	0,169 mg/kg
Secondary poisoning	2 mg/kg
Micro-organisms in sewage treatment plants (STP)	1,5 mg/l
Soil	5 mg/kg
124-28-7	N,N-Dimethyl-n-octadecylamine
Freshwater	0,00026 mg/l
Freshwater (intermittent releases)	0,00026 mg/l
Marine water	0,00003 mg/l
Freshwater sediment	1,25 mg/kg
Marine sediment	0,125 mg/kg
Micro-organisms in sewage treatment plants (STP)	0,13 mg/l
Soil	1 mg/kg
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine
Freshwater	0,00084 mg/l
Freshwater (intermittent releases)	0,000827 mg/l
Marine water	0,000084 mg/l
Freshwater sediment	3,19 mg/kg
Marine sediment	0,32 mg/kg
Micro-organisms in sewage treatment plants (STP)	1,3 mg/l
Soil	1,59 mg/kg
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol
Freshwater	0 mg/l
Freshwater (intermittent releases)	0 mg/l
Marine water	0 mg/l
Freshwater sediment	0,376 mg/kg
Marine sediment	0,038 mg/kg
Micro-organisms in sewage treatment plants (STP)	0,27 mg/l
Soil	0,075 mg/kg

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil)

Limit value (TLV-TWA) = 5 mg/ m³ - Source: ACGIHLimit value (TLV-STEL) = 10 mg/ m³ - Source: ACGIH

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 8 of 21

STEL: short-term exposure limits
 TLV: Threshold Limiting Value
 TWA: time weighted average
 ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- aerosol or mist formation
- Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	red, clear
Odour:	characteristic

Test method

Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range:	No information available.
Flammability:	No information available.
Lower explosion limits:	No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 9 of 21

Upper explosion limits:	No information available.
Flash point:	208 °C COC
Auto-ignition temperature:	No information available.
Decomposition temperature:	No information available.
pH-Value:	No information available.
Viscosity / kinematic: (at 40 °C)	27,62 mm ² /s DIN EN ISO 3104
Water solubility:	No information available.
Solubility in other solvents	No information available.
Partition coefficient n-octanol/water:	No information available.
Vapour pressure: (at 20 °C)	No information available.
Vapour pressure: (at 50 °C)	No information available.
Density (at 15 °C):	0,8454 g/cm ³ DIN 51757
Bulk density:	No information available.
Relative vapour density:	No information available.
Particle characteristics:	No information available.

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

none

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

No information available.

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

No information available.

Sublimation point:

No information available.

Softening point:

No information available.

Pour point:

-51 °C ISO 3016

Viscosity / dynamic:

No information available.

Flow time:

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 10 of 21

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified				
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402
	inhalation (4 h) dust/mist	LC50 > 5,53 mg/l	Rat	ECHA Dossier	OECD Guideline 403
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified				
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 >2000 mg/kg	Rabbit.	ECHA Dossier	
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol				
	oral	LD50 1200 mg/kg	Rat	ECHA Dossier	OECD Guideline 425
124-28-7	N,N-Dimethyl-n-octadecylamine				
	oral	LD50 1015 mg/kg	Rat	ECHA Dossier	OECD Guideline 401

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 11 of 21

218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine				
	oral	LD50 300 - 2000 mg/kg	Rat	ECHA Dossier	OECD Guideline 423
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol				
	oral	LD50 ca. 1265 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
91-20-3	naphthalene*				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications

Results: negative / positive; Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Results: negative Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Results: negative / positive; Literature information: REACH Dossier; In vitro mutagenicity/genotoxicity In vivo mutagenicity/genotoxicity; Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test); Results: negative ; Literature information: REACH Dossier; Reproductive toxicity: Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Exposure time: 28d; Species: Rat ; Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Exposure time: 28d; Species: Rat; Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier

Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative Literature information: REACH Dossier; Carcinogenicity: Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse.; Result: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m. Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL > 1000 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL >= 2000 mg/kg; Literature information: REACH Dossier

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity:

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: negative Literature information: REACH Dossier

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich

In-vitro mutagenicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Result:

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 12 of 21

negative; Literature information: REACH Dossier; Reproductive toxicity: Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Species: Rat; Results: NOAEL = 175 (systemic) /600 mg/kg; Literature information: REACH Dossier

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative (READ ACROSS)

Literature information: REACH Dossier

Reproductive toxicity/ Developmental toxicity/teratogenicity:

Method: - OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Species: Rat

Results: NOAEL (P0) = 75 mg/kg; NOAEL (F1) = 75 mg/kg

Reproductive toxicity:

Method: OECD Guideline 443 (Extended One-Generation Reproductive Toxicity Study)

Species: Rat

Result: NOAEL (P0) >= 150 mg/kg; NOAEL (F1) >= 150 mg/kg

Literature information: REACH Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rat

Results: NOEL (Maternal toxicity, fetus) > 150 mg/kg; Literature information: REACH Dossier

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rabbit

Results: NOAEL (Maternal toxicity, fetus) > 150 mg/kg; Literature information: REACH Dossier

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rabbit

Results: NOAEL (fetus) >= 60 mg/kg; Literature information: REACH Dossier

N,N-Dimethyl-n-octadecylamine:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative (READ ACROSS)

Literature information: REACH Dossier

In vivo mutagenicity/genotoxicity:

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Species: Mouse.

Results: negative

Literature information: REACH Dossier

Reproductive toxicity:

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 13 of 21

Species: Rat
Results: NOEL (P0, F1) = 50 mg/kg (READ ACROSS 84649-84-3)
Literature information: REACH Dossier

Developmental toxicity/teratogenicity/Reproductive toxicity:
Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Species: Rat (READ ACROSS)
Results: NOAEL = 40 mg/kg bw/day (Maternal toxicity); NOAEL = 100 mg/kg bw/day (fetuses); NOAEL = 200 mg/kg bw/day (Overall developmental toxicity)
Literature information: REACH Dossier

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:
In vitro mutagenicity/genotoxicity: Method: OECD 471 (Ames test). Result / evaluation: negative; Reproductive toxicity: Method: OECD 422. . Species: Rat. Exposure time:51d. Result / evaluation: NOAEL > 20 mg/kg bw/day. Literature information: REACH Dossier

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine:
In-vitro mutagenicity:
Method:
-OECD Guideline 476 (In Vitro Mammalian Cell Gene Mutation Test)
-OECD Guideline 471 (Bacterial Reverse Mutation Assay)
-OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test)
Result: negative
Literature information: REACH Dossier

Developmental toxicity/teratogenicity/Reproductive toxicity:
Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Species: Rat
Results: NOAEL >= 50 mg/kg bw/day
Literature information: REACH Dossier

Developmental toxicity/teratogenicity:
Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)
Species: Rat.
Result: NOAEL (fetus) = 75mg/kg
Result: NOAEL (Maternal toxicity) = 25 mg/kg
Literature information: REACH Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified:
In vitro mutagenicity/genotoxicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications
Results: negative / positive; Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Results: negative Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Results: negative / positive; Literature information: REACH Dossier; In vitro mutagenicity/genotoxicity In vivo mutagenicity/genotoxicity; Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test); Results: negative ; Literature information: REACH Dossier; Reproductive toxicity: Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Exposure time: 28d; Species: Rat ; Results: NOAEL =

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 14 of 21

> 2000 mg/kg(bw)/day; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Exposure time: 28d; Species: Rat; Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier

Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:
In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative Literature information: REACH Dossier; Carcinogenicity: Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse.; Result: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m. Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL > 1000 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL >= 2000 mg/kg; Literature information: REACH Dossier

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:
In vitro mutagenicity/genotoxicity:
-OECD Guideline 471 (Bacterial Reverse Mutation Assay)
-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Result: negative Literature information: REACH Dossier

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich
In-vitro mutagenicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Result: negative; Literature information: REACH Dossier; Reproductive toxicity: Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Species: Rat; Results: NOAEL = 175 (systemic) /600 mg/kg; Literature information: REACH Dossier

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol:
Subchronic oral toxicity
Exposure time: 90d
Species: Wistar Rat.
Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Result: NOEL = 50 mg/kg bw/day
Literature information: REACH Dossier
Method: -
Species: Rat.
Result: NOEL = 35 mg/kg.
Literature information: REACH Dossier

N,N-Dimethyl-n-octadecylamine:
Subacute oral toxicity:
Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
Species: Rat
Exposure duration: 28 d
Results: NOEL = 50 mg/kg (READ ACROSS 84649-84-3)
Literature information: REACH Dossier

Chronic oral toxicity
Exposure time: 2 years
Species: Rat
Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Result: NOAEL = 42,3 (m); 52,6 (f) mg/kg bw/day (READ ACROSS 70592-80-2)
Literature information: REACH Dossier

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 15 of 21

Chronic dermal toxicity:

Exposure time: 2 years

Species: Mouse.

Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Result: NOAEL \geq 5,6 mg/kg bw/day (READ ACROSS 70592-80-2)

Literature information: REACH Dossier

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Subacute oral toxicity: Method: OECD 422.Species: Rat. Result / evaluation: NOAEL 20 mg/kg bw/day

Literature information: REACH Dossier

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine:

Subchronic oral toxicity:

Exposure time: 90d

Species: Wistar Rat.

Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Result: NOAEL \geq 50 mg/kg bw/day

Literature information: REACH Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance ($> 0,1 \%$) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LC50 100 mg/l	LL50 >	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier OECD Guideline 203
	Acute crustacea toxicity	EC50 >10000 mg/l	EL50	48 h	Daphnia magna (Big water flea)	ECHA Dossier OECD Guideline 202
	Algae toxicity	NOEC 100 mg/l	NOEL >	3 d	Pseudokirchneriella subcapitata	ECHA Dossier
	Crustacea toxicity	NOEC 10 mg/l	NOEL >	21 d	Daphnia magna (Big water flea)	ECHA Dossier OECD Guideline 211
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified					
	Fish toxicity	NOEC mg/l	≥ 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich					



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 16 of 21

	Acute fish toxicity	LL50	2,4 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	EbL50: 3,5 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50	4,6 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Acute bacteria toxicity	EC50	> 10000 mg/l ()	3 h	activated sludge of a predominantly domestic sewage	ECHA Dossier	OECD Guideline 209
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified						
	Acute fish toxicity	LL50	> 100 mg/l	96 h	Pimephales promelas	ECHA Dossier	OECD Guideline 203
	Fish toxicity	NOEC	>= 1000 mg/l	14 d	Oncorhynchus mykiss	ECHA Dossier	The aquatic toxicity was estimated by a
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol						
	Acute fish toxicity	LC50	0,6 mg/l	96 h	Danio rerio	ECHA Dossier	READ ACROSS
	Acute algae toxicity	ErC50	0,0867 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	READ ACROSS
	Crustacea toxicity	NOEC	0,32 mg/l	21 d	Daphnia magna	ECHA Dossier	READ ACROSS
	Acute bacteria toxicity	EC50	167 mg/l ()	3 h	activated sludge of a predominantly domestic sewage	ECHA Dossier	READ ACROSS
124-28-7	N,N-Dimethyl-n-octadecylamine						
	Acute fish toxicity	LC50	0,256 mg/l	96 h	Danio rerio	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	0,0141 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Crustacea toxicity	NOEC	0,036 mg/l	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211
	Acute bacteria toxicity	EC50	32,6 mg/l ()	3 h	Activated sludge	ECHA Dossier	OECD Guideline 209
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol						
	Acute algae toxicity	ErC50	0,03 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	0,163 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified			
	OECD Guideline 301 F	31%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified			

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 17 of 21

	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4 %	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich			
	OECD 301C / ISO 9408 / EEC 92/69 annex V, C.4-F	9,6%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol			
	OECD Guideline 301 D	52%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			
124-28-7	N,N-Dimethyl-n-octadecylamine			
	OECD 301D	68	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol			
	OECD Guideline 301 B	1%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	> 3,5
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	4,11
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	3,6
124-28-7	N,N-Dimethyl-n-octadecylamine	88
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	ca. -0,34
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	8,4

BCF

CAS No	Chemical name	BCF	Species	Source
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	31	Cyprinus carpio	ECHA Dossier
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	110,2		QSAR result (2010)
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	1,65		calculation

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 18 of 21

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 9006
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	-
Hazard label:	-
Classification code:	M12

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 19 of 21

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: No information available.

Directive 2004/42/EC on VOC in paints and varnishes: No information available.

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

Observe in addition any national regulations!

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment not applicable.

SECTION 16: Other information**Changes**

Rev.: 1,0 - 04.10.2016

Rev.: 2,0 - 04.10.2017

Rev.: 3,0 - 15.10.2018

Rev.: 4,0 - 16.10.2019

Rev. 5,0 - 31.07.2020, Changes in chapter: 2.2, 3.2, 8.1, 8.2, 11.1, 12.1, 12.2, 12.3, 15.1, 16

Rev. 6,0 - 08.02.2021, Changes in chapter: 3.2, 16

Rev.: 7,0 - 04.02.2022, Changes in chapter:, 2.3, 3.2, 6.1, 6.3, 8.1, 8.2, 11.1, 11.2, 12.5, 12.6, 12.7, 15.1, 16

Rev.: 8,0 - 30.01.2023, Changes in chapter:, 2.2, 3.2, 9.1, 8.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16

Rev.: 8,1 - 04.05.2023, Changes in chapter:, 2.3, 3.2, 12.1, 12.5, 14, 16

Rev.: 8.2 - 03.04.2024, Changes in chapter: 3.2, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.7, 16

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 20 of 21

Abbreviations and acronyms

Acute Tox: Acute toxicity
Asp. Tox: Aspiration hazard
Skin Corr: Skin corrosion
Eye Dam: Eye damage
Carc: Carcinogenicity
STOT RE: Specific target organ toxicity - repeated exposure
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS: Chemical Abstracts Service
CLP: Classification, Labelling and Packaging of substances and mixtures
DNEL: Derived No Effect Level
d: day(s)
EINECS: European INventory of Existing Commercial chemical Substances
ELINCS: European List of Notified Chemical Substances
ECHA: European Chemicals Agency
EWC: European Waste Catalogue
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
h: hour
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect concentration
NLP: No-Longer Polymers
N/A: not applicable
OECD: Organisation for Economic Co-operation and Development
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
REACH: Registration, Evaluation, Authorisation of Chemicals
SVHC: substance of very high concern
TRGS: Technische Regeln für Gefahrstoffe
UN: United Nations
VOC: Volatile Organic Compounds
WGK: Water Hazard Class (Germany)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 03.04.2024

Page 21 of 21

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)