



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Getriebefluid SBL 75W-90

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

gear oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name:	SRS Schmierstoff Vertrieb GmbH
Street:	Neuenkirchener Straße 8
Place:	D-48497 Salzbergen
Telephone:	05976 - 945-0
Responsible Department:	Abt. Produktsicherheit: info.reach@srs-oil.de
1.4. Emergency telephone	Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH208	Contains Polysulfides, di-tert-Bu, Reaction products of bis(4-methylpentan-2
	-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14
	alkyl (branched), Magnesium metaborate. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH. For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 2 of 17

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
64742-55-8	Distillates (petroleum), hydrotreated	d light paraffinic; Baseoil - unspecifie	d	30 - < 35 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			
	Mineral Oil* (64742-54-7, 64742-65	5-0, 64742-55-8, 64742-56-9)		5 - < 7 %
	Asp. Tox. 1; H304			
68937-96-2	Polysulfides, di-tert-Bu			3 - < 5 %
	273-103-3		01-2119540515-43	
	Skin Sens. 1B, Aquatic Chronic 3;			
	Reaction products of bis(4-methylp propylene oxide and amines, C12-	entan-2-yl)dithiophosphoric acid with 14 alkyl (branched)	phosphorus oxide,	1 - < 3 %
	931-384-6		01-2119493620-38	
	Acute Tox. 4, Eye Irrit. 2, Skin Sen	s. 1, Aquatic Chronic 2; H302 H319 F	H317 H411	
13703-82-7	Magnesium metaborate			0.5 - < 1 %
	237-235-5		01-2120769073-53	
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc	. Limits, M-factors and ATE				
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	30 - < 35 %			
	inhalation: L0 mg/kg	inhalation: LC50 = > 5,53 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg				
68937-96-2	037-96-2 273-103-3 Polysulfides, di-tert-Bu					
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg_Skin Sens. 1B; H317: >= 46 - 100					
	931-384-6 Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)					
	oral: LD50 = > 2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100 Skin Sens. 1; H317: >= 9,39 - 100					
13703-82-7	237-235-5	Magnesium metaborate	0.5 - < 1 %			
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg					

Further Information

*The mineral oil can be described by one or more EINECS numbers. 265-157-1, 265-169-7, 265-158-7, 265-159-2, (REACH-no.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. Apply cortisone spray at early stage.



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 3 of 17

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes.

Avoid formation of oil dust.

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid contact with skin, eyes and clothes. Avoid formation of oil dust.

Do not breathe aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

When using do not eat, drink or smoke.

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Page 4 of 17



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 5 of 17

DNEL/DMEL values

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseo	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified					
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m³			
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³			
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	local	1,19 mg/m³			
Consumer DN	IEL, long-term	oral	systemic	0,74 mg/kg bw/day			
68937-96-2	Polysulfides, di-tert-Bu						
,							
	Reaction products of bis(4-methylpentan-2-yl)dithiophosph amines, C12-14 alkyl (branched)	noric acid with phosphor	us oxide, propylene ox	kide and			
Worker DNEL	, long-term	inhalation	systemic	4,28 mg/m ³			
Worker DNEL	, long-term	dermal	systemic	12,5 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	systemic	1,09 mg/m³			
Consumer DN	IEL, long-term	dermal	systemic	6,25 mg/kg bw/day			
Consumer DN	EL, acute	dermal	local	0.024 mg/cm ²			
Consumer DN	IEL, long-term	oral	systemic	0,25 mg/kg bw/day			
13703-82-7	Magnesium metaborate						
Worker DNEL	, long-term	inhalation	systemic	5,49 mg/m³			
Worker DNEL	, long-term	dermal	systemic	7,78 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	systemic	0,82 mg/m ³			
Consumer DN	IEL, long-term	dermal	systemic	0,278 mg/kg bw/day			
Consumer DN	IEL, long-term	oral	systemic	0,28 mg/kg bw/day			



SRS Schmierstoff Vertrieb GmbH

according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 6 of 17

PNEC values

CAS No	Name of agent	
Environment	al compartment	Value
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	•
Secondary p	oisoning	9,33 mg/kg
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus amines, C12-14 alkyl (branched)	s oxide, propylene oxide and
Freshwater		0,0024 mg/l
Freshwater (intermittent releases)	0,15 mg/l
Marine wate	r	0,00024 mg/l
Freshwater s	sediment	0,0129 mg/kg
Marine sedir	nent	0,00129 mg/kg
Secondary p	oisoning	10 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	24,33 mg/l
Soil		0,00117 mg/kg
13703-82-7	Magnesium metaborate	
Freshwater		0.05 mg/l
Marine wate	r	0.05 mg/l
Freshwater s	sediment	1.38 mg/kg
Marine sedir	nent	1.38 mg/kg
Secondary p	oisoning	1.67 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	100 mg/l
Soil		0.247 mg/kg

Additional advice on limit values

Air limit values: Possibility of exposure to Aerosol (Mineral oil) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average ACGIH:American Conference of Governmental Industrial Hygienists

8.2. Exposure controls







Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 7 of 17

according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

-	T. Information on basic physical and cher	incar properties		
	Physical state:	liquid		
	Colour:	clear		
	Odour:	characteristic		
				Test method
	Melting point/freezing point:		No information available.	
	Boiling point or initial boiling point and		No information available.	
	boiling range:			
	Flammability:		No information available.	
	Lower explosion limits:		No information available.	
	Upper explosion limits:		No information available.	
	Flash point:		202 °C	COC
	Auto-ignition temperature:		No information available.	
	Decomposition temperature:		No information available.	
	pH-Value:		No information available.	
	Viscosity / kinematic:		116,5 mm²/s	
	(at 40 °C)			
	Water solubility:		No information available.	
	Solubility in other solvents			
	No information available.			
	Partition coefficient n-octanol/water:		No information available.	
	Vapour pressure:		No information available.	
	(at 20 °C)			



Revision date: 02.02.2024

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Page 8 of 17

Vapour pressure:	No information available.	
(at 50 °C)		
Density (at 15 °C):	0,8781 g/cm ³	
Bulk density:	No information available.	
Relative vapour density:	No information available.	
Particle characteristics:	No information available.	
9.2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
none		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No information available.	
Gas:	No information available.	
Oxidizing properties		
none		
Other safety characteristics		
Evaporation rate:	No information available.	
Solvent separation test:	No information available.	
Solvent content:	No information available.	
Solid content:	No information available.	
Sublimation point:	No information available.	
Softening point:	No information available.	
Pour point:	-45 °C	DIN EN ISO 3016
Viscosity / dynamic:	No information available.	
Flow time:	No information available.	

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable at ambient temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 9 of 17

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 25000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
64742-55-8	5-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified							
	oral	LD50 mg/kg	> 5000	Rat	ECHA Dossier	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rabbit	ECHA Dossier	OECD Guideline 402		
	inhalation (4 h) dust/mist	LC50 mg/l	> 5,53	Rat	ECHA Dossier	OECD Guideline 403		
68937-96-2	Polysulfides, di-tert-Bu							
	oral	LD50 mg/kg	>2000	Rat	ECHA Dossier			
	dermal	LD50 mg/kg	>2000	Rat	ECHA Dossier			
	Reaction products of bis amines, C12-14 alkyl (br		ntan-2-yl)dith	iophosphoric acid with pr	nosphorus oxide, propylene	e oxide and		
	oral	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 401		
13703-82-7	Magnesium metaborate							
	oral	LD50 mg/kg	>2000	Rat	REACH Dossier	OECD Guideline 420		
	dermal	LD50 mg/kg	>2000	Rat	REACH Dossier	OECD Guideline 402		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Polysulfides, di-tert-Bu, Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched), Magnesium metaborate. May produce an allergic reaction.

Polysulfides, di-tert-Bu:

Respiratory or skin sensitisation: Specific concentration limit (SCL) Skin Sens. 1 > 46%

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

Skin sensitisation: negative

Specific concentration limit (SCL) Skin Sens. 1 = 10%

Method: human repeat insult patch tests (HRIPT).

Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 10 of 17

Based on available data, the classification criteria are not met. Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified: In vitro mutagenicity/genotoxicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications Results: negative / positive Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) Results: negative Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) Results: negative / positive Literature information: REACH Dossier In vivo mutagenicity/genotoxicity Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) Results: negative ; Literature information: REACH Dossier Reproductive toxicity Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) Exposure time: 28d; Species: Rat Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier Developmental toxicity/teratogenicity: Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study) Exposure time: 28d; Species: Rat Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier

Polysulfides, di-tert-Bu:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 150 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEC >= 195 ppm; Literature information: REACH Dossier

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Wistar);Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 150 mg/kg Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Wistar);Method: other guideline: Reproduction/developmental screening test. Result: NOAEL = 150 mg/kg; Literature information: REACH Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 11 of 17

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified:

Subacute inhalative toxicity : Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL > 980 mg/m3; Literature information: J Appl Toxicol, Vol 11(4), pp 297-302; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: NOAEL 1000 mg/kg(bw)/day; Literature information: REACH Dossier; Subchronic oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents); Species: Rat; Results: NOAEL = 125 mg/kg; Literature information: REACH Dossier

Polysulfides, di-tert-Bu: Subacute oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Species: Rat Results: NOAEL = 100 mg/kg; Literature information: REACH Dossier

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched): Subacute oral toxicity: Method: -; Species: Rat;Results: NOAEL = 150 mg/kg; Literature information:

REACH Dossier Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 12 of 17

CAS No	No Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified						
	Acute fish toxicity	LC50 100 mg/l	LL50 >	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier	OECD Guideline 203
	Acute crustacea toxicity	EC50 >10000 mg/l	EL50	48 h	Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 202
	Algae toxicity	NOEC 100 mg/l	NOEL >	3 d	Pseudokirchneriella subcapitata	ECHA Dossier	
	Crustacea toxicity	NOEC 10 mg/l	NOEL >	21 d	Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 211
68937-96-2	Polysulfides, di-tert-Bu						
	Acute algae toxicity	ErC50 (EL50) mg/l	> 100		Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	63 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Reaction products of bis(amines, C12-14 alkyl (bra		n-2-yl)dithi	ophosph	oric acid with phosphorus	s oxide, propylene o	kide and
	Acute fish toxicity	LC50 mg/l	ca. 8,5	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	6,4 mg/l	96 h	Raphidocelis subcapitata	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l	ca. 91,4	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l()	ca. 2433	3 h	activated sludge, domestic	ECHA Dossier	OECD Guideline 209
13703-82-7	Magnesium metaborate						
	Acute fish toxicity	LL50	>50 mg/l	96 h	Oncorhynchus mykiss		OECD Guideline 203
	Acute algae toxicity	ErC50	>50 mg/l		Pseudokirchneriella subcapitata		OECD Guideline 201
	Acute crustacea toxicity	EL50	>50 mg/l	48 h	Daphnia magna		OECD Guideline 202

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 13 of 17

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - uns	specified						
	OECD Guideline 301 F	31%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
68937-96-2	Polysulfides, di-tert-Bu							
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	13 %	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric a amines, C12-14 alkyl (branched)	cid with phosphorus oxide	e, propyle	ene oxide and				
	ASTM D-5864-95	3,6%	28	ECHA Dossier				
	not readily degradable							
13703-82-7	Magnesium metaborate							
	OECD Guideline 301 B 4% 28							
	Not easily bio-degradable (according to OECD-criteria).							

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	> 3,5
68937-96-2	Polysulfides, di-tert-Bu	5,6
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	< 0,3

BCF

CAS No	Chemical name	BCF	Species	Source
68937-96-2	Polysulfides, di-tert-Bu	0,006	Lepomis macrochirus	ECHA Dossier
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	436	Onchorhynchus mykiss	ECHA Dossier

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 14 of 17

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: 14.5. Environmental hazards No **ENVIRONMENTALLY** HAZARDOUS: 14.6. Special precautions for user Informations for safe handling see chapter 7. Informations for personal protective equipment see chapter 8. 14.7. Maritime transport in bulk according to IMO instruments not relevant **SECTION 15: Regulatory information**



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 15 of 17

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions on use (REACH, annex XVII): Entry 75 Directive 2010/75/EU on industrial No information available. emissions:						
Directive 2004/42/EC on VOC in No information available. paints and varnishes:						
Additional information						
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)						
This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII, No (mixture): not relevant						
Observe in addition any national regulations!						
National regulatory information						
Water hazard class (D): 2 - obviously hazardous to water Additional information						
Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant						
15.2 Chemical Safety Assessment not applicable.						
Water hazard class = *						
*To follow: SECTION 12: Ecological information						
15.2 Chemical Safety Assessment not applicable.						

SECTION 16: Other information

Changes

Rev. : 1,0 - 02.02.2024



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 16 of 17

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level I OAEC: I owest observed adverse effect concentration LC50: Lethal concentration. 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NTP: National Toxicology Program N/A: not applicable PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe **TSCA: Toxic Substances Control Act** VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany) Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Aquatic Chronic: Chronic aquatic hazard Relevant H and EUH statements (number and full text) H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains Polysulfides, di-tert-Bu, Reaction products of bis(4-methylpentan-2 -yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched), Magnesium metaborate. May produce an allergic reaction. Safety data sheet available on request.

EUH210

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method.



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SBL 75W-90

Revision date: 02.02.2024

Page 17 of 17

Environmental hazards: By analogy. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)