

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

SRS Primanol 10W-30

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

engine oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH
Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen)
Telefon 0551-19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
P501 Dispose of contents/container to local/regional/national/international regulations.

2.3. Other hazards

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives.
This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH:
phenol, (tetrapropenyl) derivatives: < 0,1%: not relevant
For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			30 - < 35 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 2 of 14

64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic		3 - < 5 %
	265-158-7	649-468-00-3	01-2119487077-29
	Asp. Tox. 1; H304		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified		1 - < 3 %
	265-169-7	649-474-00-6	01-2119471299-27
	Asp. Tox. 1; H304		
85940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts		1 - < 3 %
	288-917-4		01-2119521201-61
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411		
74499-35-7	phenol, (tetrapropenyl) derivatives		< 0.1 %
	-	604-092-00-9	
	Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	30 - < 35 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
64742-55-8	265-158-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	3 - < 5 %
		inhalation: LC50 = > 5,53 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 3 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
85940-28-9	288-917-4	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	1 - < 3 %
		inhalation: LC50 = > 2,3 mg/l (vapours); dermal: LD50 = > 20000 mg/kg; oral: LD50 = 3080 mg/kg Skin Irrit. 2; H315: >= 15 - 100 Eye Dam. 1; H318: >= 20 - 100 Eye Irrit. 2; H319: >= 15 - < 20	
74499-35-7	-	phenol, (tetrapropenyl) derivatives	< 0.1 %
		Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10	

Further Information

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 3 of 14

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO₂) Sulphur dioxide (SO₂) Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 4 of 14

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Wear suitable protective clothing. (See section 8.)
Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.
Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.
Do not put any product-impregnated cleaning rags into your trouser pockets.

Further information on handling

Do not breathe vapour/aerosol.
Avoid contact with eyes and skin.
General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****DNEL/DMEL values**

CAS No	Name of agent	Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 5 of 14

Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term	inhalation	local	5,58 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
85940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts		
Worker DNEL, long-term	inhalation	systemic	6,6 mg/m ³
Worker DNEL, long-term	dermal	systemic	9,6 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	1,67 mg/m ³
Consumer DNEL, long-term	dermal	systemic	4,8 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,19 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	
Secondary poisoning		9,33 mg/kg
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
85940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	
Freshwater		0,002 mg/l
Freshwater (intermittent releases)		0,02 mg/l
Marine water		0 mg/l
Freshwater sediment		19,3 mg/kg
Marine sediment		1,93 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		15,7 mg/kg

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil)

Limit value (TLV-TWA) = 5 mg/ m³ - Source: ACGIHLimit value (TLV-STEL) = 10 mg/ m³ - Source: ACGIH

STEL: short-term exposure limits

TLV: Threshold Limiting Value

TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 6 of 14

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum protective measures according to TRGS 500

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Colour:

clear

Odour:

characteristic

Melting point/freezing point:

No information available.

Boiling point or initial boiling point and boiling range:

No information available.

Flammability:

No information available.

Lower explosion limits:

No information available.

Upper explosion limits:

No information available.

Flash point:

237 °C DIN ISO 2592

Auto-ignition temperature:

No information available.

Decomposition temperature:

No information available.

Test method

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 7 of 14

pH-Value:	No information available.
Viscosity / kinematic: (at 40 °C)	74,42 mm ² /s DIN EN ISO 3104
Water solubility:	No information available.
Solubility in other solvents	No information available.
Partition coefficient n-octanol/water:	No information available.
Vapour pressure: (at 20 °C)	No information available.
Vapour pressure: (at 50 °C)	No information available.
Density (at 15 °C):	0,8701 g/cm ³ DIN 51757
Bulk density:	No information available.
Relative vapour density:	No information available.
Particle characteristics:	No information available.

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

none

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

No information available.

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

No information available.

Sublimation point:

No information available.

Softening point:

No information available.

Pour point:

-42 °C ISO 3016

Viscosity / dynamic:

No information available.

Flow time:

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 8 of 14

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic				
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402
	inhalation (4 h) dust/mist	LC50 > 5,53 mg/l	Rat	ECHA Dossier	OECD Guideline 403
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402
85940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts				
	oral	LD50 3080 mg/kg	Rat	ECHA Dossier	FHSA 16CFR1500.3
	dermal	LD50 > 20000 mg/kg	Rabbit	ECHA Dossier	16CFR1500.3
	inhalation (4 h) vapour	LC50 > 2,3 mg/l	Rat	ECHA Dossier	OECD Guideline 403

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:

Specific concentration limit (SCL):

Irritant effect on the skin: Skin Irrit. 2 > 15%

Irritant effect on the eye: Eye Irrit. 2 > 15%

Serious eye damage/eye irritation: Eye Dam. 1 > 20%

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 9 of 14

Test); Result: negative. Literature information: ECHA Dossier; Carcinogenicity: Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse.; Results: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m. Literature information: ECHA Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Results: NOAEL > 1000 mg/kg Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Results: NOAEL >= 2000 mg/kg Literature information: ECHA Dossier

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic:
In vitro mutagenicity/genotoxicity:
Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications
Results: negative. / positive.
Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Results: negative.
Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Results: negative. / positive.
Literature information: ECHA Dossier
In vivo mutagenicity/genotoxicity
Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
Results: negative. ; Literature information: ECHA Dossier
Reproductive toxicity
Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)
Exposure time: 28d; Species: Rat
Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: ECHA Dossier
Developmental toxicity/teratogenicity:
Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)
Exposure time: 28d; Species: Rat
Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: ECHA Dossier

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:
In vitro mutagenicity/genotoxicity:
-OECD Guideline 471 (Bacterial Reverse Mutation Assay)
-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Result: negative. Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:
Subacute inhalative toxicity: Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL >980 mg/m³;
Literature information: ECHA Dossier; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: 1000 mg/kg; Literature information: ECHA Dossier

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic:
Subacute inhalative toxicity : Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL > 980 mg/m³;
Literature information: J Appl Toxicol, Vol 11(4), pp 297-302; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit;
Results: NOAEL 1000 mg/kg(bw)/day; Literature information: ECHA Dossier; Subchronic oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents); Species: Rat; Results: NOAEL = 125 mg/kg; Literature information: ECHA Dossier

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:
Subacute inhalative toxicity :

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 10 of 14

Method: -
 Exposure time: 28d
 Species: Rat
 Results: > 980 mg/m³
 Literature information: J Appl Toxicol, Vol 11(4), pp 297-302

Subacute dermal toxicity :
 Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
 Exposure time: 28d
 Species: Rabbit
 Results: 1000 mg/kg
 Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives.
 phenol, (tetrapropenyl) derivatives: < 0,1%

Other information

Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	Crustacea toxicity	NOEC 10 mg/l	21 d	Daphnia magna (fathead minnow)	ECHA Dossier	
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic					
	Acute fish toxicity	LC50 100 mg/l LL50 >	96 h	Pimephales promelas	ECHA Dossier	OECD Guideline 203
	Acute crustacea toxicity	EC50 >10000 mg/l EL50	48 h	Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 202
	Algae toxicity	NOEC 100 mg/l NOEL >	3 d	Pseudokirchneriella subcapitata	ECHA Dossier	
	Crustacea toxicity	NOEC 10 mg/l NOEL >	21 d	Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 211
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LL50 mg/l > 100	96 h	Pimephales promelas	ECHA Dossier	OECD Guideline 203
	Fish toxicity	NOEC mg/l >= 1000	14 d	Oncorhynchus mykiss	ECHA Dossier	The aquatic toxicity was estimated by a
85940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts					
	Acute algae toxicity	ErC50 2,1 mg/l	72 h	Selenastrum capricornutum UTEX 1648	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 5,4 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC 0,4 mg/l	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 11 of 14

	Acute bacteria toxicity	(EC50 > 10000 mg/l)	3 h	activated sludge of a domestic residential sewage	ECHA Dossier	OECD Guideline 209
--	-------------------------	---------------------	-----	---	--------------	--------------------

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	31%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				
		OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	OECD Guideline 301 F	31%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				
85940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	OECD Guideline 301 B	1,5%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	> 3,5
85940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	8,87

BCF

CAS No	Chemical name	BCF	Species	Source
85940-28-9	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	< 1000		ECHA Dossier

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, (tetrapropenyl) derivatives.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 12 of 14

waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 9006
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es): 9
14.4. Packing group: -
Hazard label: -
Classification code: M12

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.
Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Authorisations (REACH, annex XIV):
Substances of very high concern, SVHC (REACH, article 59):
phenol, (tetrapropenyl) derivatives

Restrictions on use (REACH, annex XVII):
Entry 3, Entry 30, Entry 75

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 13 of 14

2010/75/EU (VOC):	No information available.
2004/42/EC (VOC):	No information available.
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)
The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].
REACH 1907/2006 Appendix XVII, No (mixture): 3
Observe in addition any national regulations!

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment
not applicable.

SECTION 16: Other information**Changes**

Rev. : 1,0 - 09.05.2015
Rev. : 1,1 - 25.05.2016
Rev.: 2,0 - 13.06.2017
Rev. : 3,0 - 28.06.2018
Rev.: 4,0 - 24.06.2019
Rev.: 5,0 - 18.11.2019
Rev.: 6,0 - 14.01.2020; Changes in chapter: 2.3, 3.2, 7.1, 8.2, 12.3, 15.1
Rev.: 6,1 - 03.08.2020; Changes in chapter: 3.2, 8.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16.1
Rev.: 7,0 - 17.08.2021; Changes in chapter: 3.2, 6.3, 11.2, 12.7, 15.1, 16
Rev.: 8,0 - 10.08.2022, Changes in chapter: 2.3, 8.2, 12.5, 12.6, 15.1, 16
Rev.: 9,0 - 15.08.2023, Changes in chapter: 8.1, 9.1, 11.2, 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS: Chemical Abstracts Service
CLP: Classification, Labelling and Packaging of substances and mixtures
DNEL: Derived No Effect Level
d: day(s)
EINECS: European INventory of Existing Commercial chemical Substances
ELINCS: European List of Notified Chemical Substances
ECHA: European Chemicals Agency
EWC: European Waste Catalogue
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Primanol 10W-30

Revision date: 15.08.2023

Page 14 of 14

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

WGK: Water Hazard Class (Germany)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)