

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 1 of 14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SRS Wiolan HN 5

UFI: PHND-1TYA-M7RX-SG85

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Hydraulic fluids

### Uses advised against

none

### 1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

### **Further Information**

Worldwide emergency information service: GBK GmbH +49 (0)6132-84463

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

### Hazard components for labelling

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)

Signal word: Danger

Pictograms:



#### Hazard statements

H304 May be fatal if swallowed and enters airways.

## **Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to local/regional/national/international regulations.



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 2 of 14

### Special labelling of certain mixtures

EUH066

Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

| CAS No     | Chemical name  |              |                  | Quantity |  |
|------------|--|--------------|------------------|----------|--|
|            | EC No  | Index No     | REACH No         |          |  |
|            | Classification (Regulation (EC) No   | 1272/2008)   |                  |          |  |
| 64742-56-9 | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified |              |                  |          |  |
|            | 265-159-2  | 649-469-00-9 | 01-2119480132-48 |          |  |
|            | Asp. Tox. 1; H304  |              |                  |          |  |
|            | Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)        |              |                  |          |  |
|            | 920-360-0  |              | 01-2119448343-41 |          |  |
|            | Asp. Tox. 1; H304 EUH066   |              |                  |          |  |

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No   | Chemical name  | Quantity    |
|------------|---|--|-------------|
|            | Specific Conc.  | Limits, M-factors and ATE  |             |
| 64742-56-9 | 265-159-2   | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified                     | 55 - < 60 % |
|            | inhalation: LC<br>mg/kg   | inhalation: LC50 = >5,53 mg/l (dusts or mists); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg |             |
|            | 920-360-0 Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)                   |  | 40 - < 45 % |
|            | inhalation: LC50 = >5,28 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = > 4150 mg/kg |  |             |

## **Further Information**

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.



according to Regulation (EC) No 1907/2006

#### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 3 of 14

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

# Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2)

Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

## **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

## For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special precautionary measures are necessary.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

## 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.



according to Regulation (EC) No 1907/2006

#### SRS Wiolan HN 5

Revision date: 30.01.2024 Page 4 of 14

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

No information available.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

Wear suitable protective clothing. ( See section 8. )

Avoid formation of oil dust.

### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

#### Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

When using do not eat, drink or smoke.

### Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

### Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

#### Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air

### 7.3. Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **DNEL/DMEL values**

| CAS No                   | Name of agent  |                     |          |                   |  |
|--------------------------|--|---------------------|----------|-------------------|--|
| DNEL type                |  | Exposure route      | Effect   | Value             |  |
| 64742-56-9               | Distillates (petroleum), solvent-dewaxed light paraffinic; Bas | seoil - unspecified |          |                   |  |
| Worker DNEL,             | Worker DNEL, long-term inhalation systemic 2,73 mg/m³          |                     |          | 2,73 mg/m³        |  |
| Worker DNEL, long-term   |  | inhalation          | local    | 5,58 mg/m³        |  |
| Worker DNEL, long-term   |  | dermal              | systemic | 0,97 mg/kg bw/day |  |
| Consumer DNEL, long-term |  | inhalation          | local    | 1,19 mg/m³        |  |
| Consumer DNE             | EL, long-term  | oral                | systemic | 0,74 mg/kg bw/day |  |



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 5 of 14

#### **PNEC values**

| CAS No         | Name of agent   |  |  |
|----------------|---|--|--|
| Environmental  | Environmental compartment Value   |  |  |
| 64742-56-9     | 64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified |  |  |
| Secondary pois | Secondary poisoning 9,33 mg/kg  |  |  |

#### Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

#### 8.2. Exposure controls







## Appropriate engineering controls

Provide adequate ventilation.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Skin protection

Oil-resistant and hardly inflammable protective clothing.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 6 of 14

### **Environmental exposure controls**

No information available.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

No information available.

No information available.

boiling range:

Flammability: No information available.
Lower explosion limits: No information available.
Upper explosion limits: No information available.

Flash point: 137 °C DIN ISO 2592

Auto-ignition temperature:

Decomposition temperature:

PH-Value:

No information available.

No information available.

No information available.

Viscosity / kinematic: 4,971 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility: Immiscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No information available.

No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,8404 g/cm³ DIN 51757

Bulk density:

Relative vapour density:

No information available.

No information available.

No information available.

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion: No data available

Self-ignition temperature

Solid: No information available.

Gas: No information available.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

Solvent separation test:

Solvent content:

No information available.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 7 of 14

Sublimation point:

Softening point:

No information available.

No information available.

Pour point: -42 °C ASTM D 5985

Viscosity / dynamic:

No information available.

No information available.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Oxidising agent, strong

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

No information available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 8 of 14

| CAS No     | Chemical name  |               |            |         |              |        |
|------------|--|---------------|------------|---------|--------------|--------|
|            | Exposure route   | Dose          |            | Species | Source       | Method |
| 64742-56-9 | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified |               |            |         |              |        |
|            | oral   | LD50<br>mg/kg | >5000      | Rat.    | ECHA Dossier |        |
|            | dermal   | LD50<br>mg/kg | >5000      | Rabbit. | ECHA Dossier |        |
|            | inhalation (4 h)<br>dust/mist  | LC50          | >5,53 mg/l | Rat.    | ECHA Dossier |        |
|            | Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)        |               |            |         |              |        |
|            | oral   | LD50<br>mg/kg | > 4150     | Rat     | ECHA Dossier |        |
|            | dermal   | LD50<br>mg/kg | >2000      | Rabbit  | ECHA Dossier |        |
|            | inhalation (4 h)<br>dust/mist  | LC50          | >5,28 mg/l | Rat     | ECHA Dossier |        |

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

#### Sensitising effects

Based on available data, the classification criteria are not met.

May cause sensitisation especially in sensitive humans.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test), OECD Guideline 476 (In

vitro Mammalian Cell Gene Mutation Test), OECD Guideline 471 (Bacterial Reverse Mutation Assay);

Result: negative Literature information: REACH Dossier; Chronic dermal toxicity: Exposure time: ~546 d;

Species: Mouse.; Method: OECD Guideline 451; Result: Carcinogenicity = negative Literature information:

REACH Dossier; Reproductive toxicity: Exposure route: oral. Species: Rat.; Method: OECD Guideline

421;Result: NOAEL >1000 mg/kg; Literature information: REACH Dossier; Developmental

toxicity/teratogenicity: Exposure route: dermal. Species: Rat.; Method: OECD Guideline 414; Result:

NOAEL >2000 mg/kg; Literature information: REACH Dossier

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome

Aberration Test); Result: negative Literature information: REACH Dossier; Carcinogenicity: Method: OECD

Guideline 451 (Carcinogenicity Studies); Result: negative Literature information: REACH Dossier;

Reproductive toxicity: Species: Rat; Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity

Study); Result: NOAEL >300 mg/kg; Literature information: REACH Dossier; Developmental

toxicity/teratogenicity: Species: Rat; Method: OECD Guideline 414 (Prenatal Developmental Toxicity

Study); Result: NOAEL 1000 mg/kg; Literature information: REACH Dossier

# STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 9 of 14

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

Subchronic oral toxicity: Exposure time: 90d; Species: Sprague-Dawley Rat.; Method: OECD Guideline

408; Result: LOAEL = 125 mg/kg; Literature information: REACH Dossier

Subacute inhalative toxicity:

Exposure time: 28d; Species: Sprague-Dawley Rat.; Result: NOAEC > 980 mg/m3; Literature information:

REACH Dossier; Subacute dermal toxicity: Exposure time: 28d; Species: Rabbit; Method: OECD

Guideline 410; Result: NOAEL 1000 mg/kg; Literature information: REACH Dossier

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %):

Subchronic oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Species: Rat; Results: NOAEL 750 mg/kg; Literature information: REACH Dossier

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Other information

Frequent contact specially if dried out may cause skin and eye irritations.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No     | Chemical name  |                   |           |           |                                   |              |        |
|------------|--|-------------------|-----------|-----------|-----------------------------------|--------------|--------|
|            | Aquatic toxicity   | Dose              |           | [h]   [d] | Species                           | Source       | Method |
| 64742-56-9 | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified |                   |           |           |                                   |              |        |
|            | Acute fish toxicity  | LC50              | >100 mg/l | 96 h      | Pimephales promelas               | ECHA Dossier |        |
|            | Acute algae toxicity   | ErC50             | >100 mg/l | 72 h      | Pseudokirchnerella<br>subcapitata | ECHA Dossier |        |
|            | Acute crustacea toxicity   | EC50<br>mg/l      | >10000    | 48 h      | Daphnia magna                     | ECHA Dossier |        |
|            | Crustacea toxicity   | NOEC              | 10 mg/l   | 21 d      | Daphnia magna                     | ECHA Dossier |        |
|            | Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)        |                   |           |           |                                   |              |        |
|            | Acute fish toxicity  | LC50<br>1000 mg/l | LL50 >    | 96 h      |                                   | ECHA Dossier |        |
|            | Acute crustacea toxicity   | EC50<br>1000 mg/l | EL50 >    | 48 h      | Daphnia magna                     | ECHA Dossier |        |
|            | Fish toxicity  | NOEC<br>5000 mg/l | EL50 >    | 21 d      |                                   | ECHA Dossier |        |
|            | Crustacea toxicity   | NOEC<br>1400 mg/l | EL50 >    | 21 d      | Daphnia magna                     | ECHA Dossier |        |

### 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.



### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 10 of 14

| CAS No     | Chemical name  |       |    |              |  |  |
|------------|--|-------|----|--------------|--|--|
|            | Method Value d Source  |       |    |              |  |  |
|            | Evaluation   | -     | -  |              |  |  |
| 64742-56-9 | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified |       |    |              |  |  |
|            | OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C 2-4% 28 ECHA Dossier             |       |    |              |  |  |
|            | Not easily bio-degradable (according to OECD-criteria).                          |       |    |              |  |  |
|            | Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)        |       |    |              |  |  |
|            | OECD Guideline 301 F   | 60,7% | 28 | ECHA Dossier |  |  |
|            | Readily biodegradable (according to OECD criteria).                              |       |    |              |  |  |

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

| CAS No | Chemical name   | Log Pow |
|--------|---|---------|
|        | Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %) | > 3,5   |

### 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

### 12.7. Other adverse effects

No information available.

### **Further information**

Ozone depletion potential (ODP): No information available.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**



### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### SRS Wiolan HN 5

Revision date: 30.01.2024 Page 11 of 14

### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY No

HAZARDOUS:

#### 14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial No information available.

emissions:

Directive 2004/42/EC on VOC in No information available.

paints and varnishes:

Information according to Directive Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

### **Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

Observe in addition any national regulations!



### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 12 of 14

### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the

'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and

import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment

not applicable.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,16.

Rev.: 1,0 - 08.05.2015 Rev.: 1,1 - 27.05.2016 Rev.: 2,0 - 15.06.2017 Rev.: 3,0 - 29.06.2018 Rev.: 4,0 - 28.06.2019

Rev.: 4,1 - 21.02.2020, Changes in chapter: 1.2, 3.2, 9.1, 15.1, 16

Rev.: 5,0 - 12.02.2021, Changes in chapter: 3.2, 11.1, 12.1, 12.2, 12.3, 16

Rev.: 6,0 - 07.02.2022, Changes in chapter:, 2.3, 3.2, 6.1, 6.3, 8.1, 8.2, 11.2, 12.5, 12.6, 12.7, 15.1, 16

Rev.: 6.1 - 21.11.2022, Changes in chapter: 2.3, 3.2, 8.1, 11.1, 12.1, 12.2, 12.3, 12.5, 12.6, 16

Rev.: 7,0 - 13.11.2023, Changes in chapter: 8.1, 9.1, 11.2, 12.1, 12.7, 16

Rev.: 7.1 - 30.01.2024, Changes in chapter: 1.4, 16



according to Regulation (EC) No 1907/2006

#### SRS Wiolan HN 5

Revision date: 30.01.2024 Page 13 of 14

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

**DNEL: Derived No Effect Level** 

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

**UN: United Nations** 

VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Asp. Tox: Aspiration hazard

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008

# [CLP]

| Classification    | Classification procedure |  |  |
|-------------------|--------------------------|--|--|
| Asp. Tox. 1; H304 | Calculation method       |  |  |

## Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HN 5**

Revision date: 30.01.2024 Page 14 of 14

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.; H304: On basis of test data

Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)