

according to Regulation (EC) No 1907/2006

## SRS Wiolgan HE 46

Revision date: 14.11.2023 Page 1 of 15

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SRS Wiolgan HE 46

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Hydraulic fluids

#### Uses advised against

No information available.

#### 1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen

Telephone: 05976 - 945-0
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone Gift-Informationszentrum Nord (Göttingen)

number: Telefon 0551-19240

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container to local/regional/national/international regulations.

## Special labelling of certain mixtures

EUH208 Contains Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6

-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-

1H-benzotriazole-1-methylamine. May produce an allergic reaction.

### 2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mineral oil + Additive

## Relevant ingredients

CAS No	Chemical name	Quantity
--------	---------------	----------



according to Regulation (EC) No 1907/2006

# **SRS Wiolgan HE 46**

Revision date: 14.11.2023 Page 2 of 15

	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)	•		
128-39-2	2,6-di-tert-butylphenol			0.5 - < 1 %	
	204-884-0		01-2119490822-33		
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 1; H315 H400 H410			
68411-46-1	Benzenamine, N-phenyl-, reaction	products with 2,4,4-trimethylpentene		0.3 - < 0.5 %	
	270-128-1		01-2119491299-23		
	Repr. 2, Aquatic Chronic 3; H361f H				
	Reaction mass of 1H-Benzotriazole 2H-Benzotriazole-2-methanamine, -4-methyl-1H-benzotriazole-1-meth N,N-bis(2-ethylhexyl)-4-methyl- and -5-methyl-1H-benzotriazole-1-meth	N,N-bis(2-ethylhexyl)	0.1 - < 0.2 %		
	939-700-4		01-2119982395-25		
	Skin Irrit. 2, Skin Sens. 1B, Aquatic Acute 1, Aquatic Chronic 2; H315 H317 H400 H411				
	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione				
	947-263-6		01-2120761103-66		
	Repr. 2, Skin Irrit. 2, Aquatic Chronic 4; H361 H315 H413				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Cond	c. Limits, M-factors and ATE				
128-39-2	204-884-0	2,6-di-tert-butylphenol	0.5 - < 1 %			
	dermal: LD5	0 = >2000 mg/kg; oral: LD50 = >5000 mg/kg				
68411-46-1	270-128-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0.3 - < 0.5 %			
	dermal: LD5	0 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg				
	939-700-4	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl) -6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine	0.1 - < 0.2 %			
	dermal: LD50 = >2000 mg/kg; oral: LD50 = 3313 mg/kg					
	947-263-6	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione	0.1 - < 0.2 %			
	oral: LD50 =	> 2000 mg/kg				

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.



according to Regulation (EC) No 1907/2006

## SRS Wiolgan HE 46

Revision date: 14.11.2023 Page 3 of 15

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

# Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Nitrogen oxides (NOx)

## 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

## **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

## For emergency responders

No special measures are necessary.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

## 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

No information available.



according to Regulation (EC) No 1907/2006

# **SRS Wiolgan HE 46**

Revision date: 14.11.2023 Page 4 of 15

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. ( See section 8. )

Avoid formation of oil dust.

#### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

#### Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

#### Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

## Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

#### Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

#### 7.3. Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
128-39-2	2,6-di-tert-butylphenol						
Worker DNEL,	long-term	dermal	systemic	11,25 mg/kg bw/day			
Worker DNEL,	long-term	inhalation	systemic	70,61 mg/m³			
Consumer DNEL, long-term		inhalation	systemic	20,9 mg/m³			
Consumer DNEL, long-term		oral	systemic	6,75 mg/kg bw/day			
Consumer DN	EL, long-term	dermal	systemic	6,75 mg/kg bw/day			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trime	ethylpentene					
Consumer DNEL, long-term inhalation systemic 0,31 mg/m³				0,31 mg/m³			
Consumer DN	EL, long-term	dermal	systemic	0,44 mg/kg bw/dav			



according to Regulation (EC) No 1907/2006

# **SRS Wiolgan HE 46**

Revision date: 14.11.2023 Page 5 of 15

Consumer DNEL, long-term		oral	systemic	0,05 mg/kg bw/day	
Worker DNEL,	long-term	dermal	systemic	0,22 mg/kg bw/day	
Worker DNEL,	long-term	inhalation	systemic	0,8 mg/m³	
Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl) -4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine					
Worker DNEL,	long-term	inhalation	systemic	1,3 mg/m³	
Worker DNEL,	long-term	dermal	systemic	0,4 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	systemic	0.3 mg/m³	
Consumer DN	EL, long-term	dermal	systemic	0.2 mg/kg bw/day	
Consumer DN	EL, long-term	oral	systemic	0.2 mg/kg bw/day	
	Reaction products of fatty acids, C16-18, C18 unsatd. with fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-fu		oly-, triethylenetetramir	ne	
Worker DNEL,	long-term	inhalation	systemic	3,72 mg/m³	
Worker DNEL, long-term		dermal	systemic	1,04 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	1,1 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,625 mg/kg bw/day	
Consumer DNE	EL, long-term	oral	systemic	0,625 mg/kg bw/day	

## PNEC values

CAS No	Name of agent					
Environmental	compartment	Value				
128-39-2	128-39-2 2,6-di-tert-butylphenol					
Freshwater	Freshwater					
Freshwater (in	ermittent releases)	0.004 mg/l				
Marine water		0.0001 mg/l				
Freshwater se	liment	0,317 mg/kg				
Marine sedime	Marine sediment					
Secondary poi	Secondary poisoning					
Micro-organism	Micro-organisms in sewage treatment plants (STP)					
Soil		0,679 mg/kg				
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene					
Freshwater		0,034 mg/l				
Marine water		0,003 mg/l				
Freshwater se	liment	0,446 mg/kg				
Marine sediment		0,045 mg/kg				
Secondary poi	Secondary poisoning					
Micro-organism	ns in sewage treatment plants (STP)	10 mg/l				
Soil		17,6 mg/kg				

Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl) -4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine



according to Regulation (EC) No 1907/2006

## SRS Wiolgan HE 46

Revision date: 14.11.2023 Page 6 of 15

Freshwater		0.009 mg/l	
Marine water		0.001 mg/l	
Freshwater sec	liment	0,127 mg/kg	
Marine sedime	nt	0,013 mg/kg	
Micro-organism	ns in sewage treatment plants (STP)	0.69 mg/l	
Soil		0,02 mg/kg	
	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetram fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione	ine	
Freshwater		0,496 mg/l	
Freshwater (int	ermittent releases)	4,96 mg/l	
Marine water		0,05 mg/l	
Freshwater sec	liment	3772830,55 mg/kg	
Marine sedime	Marine sediment		
Secondary pois	5 mg/kg		
Micro-organism	Micro-organisms in sewage treatment plants (STP)		
Soil		3935351,65 mg/kg	

#### Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

### 8.2. Exposure controls







## Appropriate engineering controls

Provide adequate ventilation.

## Individual protection measures, such as personal protective equipment

# Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

#### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Oil-resistant and hardly inflammable protective clothing.



according to Regulation (EC) No 1907/2006

## SRS Wiolgan HE 46

Revision date: 14.11.2023 Page 7 of 15

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### **Environmental exposure controls**

No information available.

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

No information available.

No information available.

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No information available.

No information available.

No information available.

Flash point: 287 °C COC

Auto-ignition temperature:

Decomposition temperature:

Ph-Value:

No information available.

No information available.

Viscosity / kinematic: 46,98 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility:

No information available.

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No information available.

No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,9204 g/cm³ DIN 51757

Bulk density:

Relative vapour density:

No information available.

No information available.

No information available.

No information available.

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion: No data available

Self-ignition temperature

Solid: No information available.
Gas: No information available.



according to Regulation (EC) No 1907/2006

# SRS Wiolgan HE 46

Revision date: 14.11.2023 Page 8 of 15

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

Solvent separation test:

No information available.

Pour point: -51 °C ASTM D 5985

Viscosity / dynamic:

No information available.

No information available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

### 10.4. Conditions to avoid

No information available.

#### 10.5. Incompatible materials

Oxidising agent, strong

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No information available.

## **Acute toxicity**

Based on available data, the classification criteria are not met.

## **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
128-39-2	2,6-di-tert-butylphenol							
	oral	LD50 >5 mg/kg	5000	Rat	ECHA Dossier	OECD 401		
	dermal	LD50 >2 mg/kg	2000	Rat	ECHA Dossier			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene							
	oral	LD50 > 9 mg/kg	5000	Rat	ECHA Dossier	OECD Guideline 401		



according to Regulation (EC) No 1907/2006

## **SRS Wiolgan HE 46**

Revision date: 14.11.2023 Page 9 of 15

dermal	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 402		
Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl) -4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine							
oral	LD50 mg/kg	3313	Rat.	ECHA Dossier			
dermal	LD50 mg/kg	>2000	Rat.	ECHA Dossier			
Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione							
oral	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 423		

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

 $Contains\ Reaction\ mass\ of\ 1H-Benzotriazole-1-methanamine,\ N, N-bis (2-ethylhexyl)-6-methyl-\ and\ N-bis (2-ethylhexyll)-6-methyl-\ and\ N-bis ($ 

 $2 H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- \ and \ N,N-bis(2-ethylhexyl)$ 

-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)

-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

2,6-di-tert-butylphenol:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test), OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative. Literature information: REACH Dossier; During animal experiments no indications of reproductive toxicity were observed.

-Screening; Literature information: REACH Dossier

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

Literature information: REACH Dossier

Reproductive toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction/Developmental

Toxicity Screening Test)

Species: Rat

Exposure duration: male: 28 d, female: 53 d.

Results: NOAEL = 25 mg/kg

Literature information: REACH Dossier Developmental toxicity/teratogenicity: Method: other guideline: OECD 422

Species: Rat

Exposure duration: male: 28 d, female: 53 d.

Results: NOAEL = 25 mg/kg

Literature information: REACH Dossier

### STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## SRS Wiolgan HE 46

Revision date: 14.11.2023 Page 10 of 15

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

2,6-di-tert-butylphenol:

Subchronic oral toxicity: Method: OECD Guideline 408; Species: Han Wistar Rat.; Exposure time: 90d. Result:

NOAEL > 270 -298mg/kg; Literature information: REACH Dossier

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Subacute oral toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction/Developmental

Toxicity Screening Test)

Species: Rat

Exposure duration: male: 28 d, female: 53 d.

Results: NOAEL =25 mg/kg

Literature information: REACH Dossier

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

#### **Endocrine disrupting properties**

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Other information

Frequently or prolonged contact with skin may cause dermal irritation.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
128-39-2	2,6-di-tert-butylphenol								
	Acute fish toxicity	LC50	1,4 mg/l	96 h	Pimephales promelas	ECHA Dossier			
	Acute algae toxicity	ErC50	1,4 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier			
	Acute crustacea toxicity	EC50 mg/l	0,45	48 h	daphnia magna	ECHA Dossier			
	Fish toxicity	NOEC mg/l	0,053	42 d	Oryzias latipes	ECHA Dossier			
	Crustacea toxicity	NOEC mg/l	0,023	21 d	Daphnia magna	ECHA Dossier			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene								
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	ECHA Dossier	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202		
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)  -4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine								
	Acute fish toxicity	LC50 mg/l	1,1 - 1,6	1	Brachydanio rerio	ECHA Dossier			



according to Regulation (EC) No 1907/2006

# **SRS Wiolgan HE 46**

Revision date: 14.11.2023 Page 11 of 15

Acute algae toxicity	ErC50 mg/l	0,976		Desmodesmus subspicatus	ECHA Dossier		
Acute crustacea toxicity	EC50 mg/l	2,05	48 h	Daphnia magna	ECHA Dossier		
Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione							
Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	REACh Registration Dossier	OECD Guideline 203	
Acute algae toxicity	ErC50	370 mg/l		Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201	
Acute bacteria toxicity	EC50 mg/l ( )	> 1000		activated sludge of a predominantly domestic sewag	ECHA Dossier	OECD Guideline 209	

## 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

SRS Wiolgan HE 46:

Method: OECD-Guideline 301F Result: 60 % (Test durarion: 28d) -

CAS No	Chemical name									
	Method	Value	d	Source						
	Evaluation	•		•						
128-39-2	2 2,6-di-tert-butylphenol									
	OECD 301C / ISO 9408 / EEC 92/69 annex V, C.4-F	4,5	28	ECHA Dossier						
	Not easily bio-degradable (according to OECD-criteria).									
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene									
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	0%	28	ECHA Dossie						
	Not readily biodegradable (according to OECD criteria)									
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl) -4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl) -4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine									
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	<10%	28	ECHA Dossier						
	Not easily bio-degradable (according to OECD-criteria).									
	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione									
	OECD Guideline 301 D	10%	28	ECHA Dossier						
	Not easily bio-degradable (according to OECD-criteria).									

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
128-39-2	2,6-di-tert-butylphenol	4,5
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	6,66
	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione	> 1,1 - < 10

### BCF

CAS No	Chemical name	BCF	Species	Source



according to Regulation (EC) No 1907/2006

SRS Wiolgan HE 46					
Revision date:	14.11.2023			Page 12 of 15	
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	4176	ECHA Dossier		

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Ozone depletion potential (ODP): No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)


14.1. UN number or ID number: UN 9006

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:-Hazard label:-Classification code:M12

### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.





according to Regulation (EC) No 1907/2006

## SRS Wiolgan HE 46

Revision date: 14.11.2023 Page 13 of 15

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial

No information available.

emissions:

Directive 2004/42/EC on VOC in

paints and varnishes:

No information available.

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

#### **Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3 Observe in addition any national regulations!

### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**Additional information** 

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import

of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment

not applicable.

# **SECTION 16: Other information**

# Changes

Rev.: 1,0 - 15.04.2015 Rev.: 1,01 - 09.05.2015 Rev.: 1,1 - 26.05.2016 Rev.: 2,0 - 15.06.2017 Rev.: 3,0 - 29.06.2018 Rev.: 4,0 - 27.06.2019

Rev.: 5,0 - 29.06.2020; Changes in chapter: 1.1, 16

Rev.: 6,0 - 21.08.2020; Changes in chapter: 2.2,3.2, 9.1, 8.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16



according to Regulation (EC) No 1907/2006

# SRS Wiolgan HE 46

Revision date: 14.11.2023 Page 14 of 15

Rev.: 7,0 - 26.02.2021; Changes in chapter: 3.2, 6.1, 6.3, 11.2, 12.2, 12.6, 15.1, 16

Rev.: 8,0 - 07.02.2022, Changes in chapter:, 2.3, 3.2, 6.1, 6.3, 8.2, 11.2, 12.5, 12.6, 12.7, 15.1, 16 Rev.: 8.1 - 22.11.2022, Changes in chapter: 2.3, 3.2, 8.1, 11.1, 12.1, 12.2, 12.3,12.5, 15.1, 16 Rev.: 9.0 - 14.11.2023, Changes in chapter: 2.3, 8.1, 9.1, 11.2, 12.1, 12.5, 12.7, 14, 16

#### Abbreviations and acronyms

Skin Irrit: Skin irritation Skin Sens: Skin sensitisation Repr: Reproductive toxicity

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NTP: National Toxicology Program

N/A: not applicable

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]


Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

## Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

EUH208 Contains Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6

-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and





according to Regulation (EC) No 1907/2006

# **SRS Wiolgan HE 46**

Revision date: 14.11.2023 Page 15 of 15

N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine. May produce an allergic reaction.

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)