

according to Regulation (EC) No 1907/2006

#### **SRS Wiolin 430**

Revision date: 30.01.2024 Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SRS Wiolin 430

UFI: 2XSK-DUJD-716U-EDY5

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

gear oil

Uses advised against

none

#### 1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

**Further Information** 

Worldwide emergency information service: GBK GmbH +49 (0)6132-84463

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

## Hazard components for labelling

Dihydro-3-(tetrapropenyl)furan-2,5-dione

Signal word: Warning

Pictograms:



### **Hazard statements**

H317 May cause an allergic skin reaction.

# **Precautionary statements**

P261 Avoid breathing Aerosol.
P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to local/regional/national/international regulations.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### SRS Wiolin 430

Revision date: 30.01.2024 Page 2 of 13

## 2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

hydrocarbons.

Additive.

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
26544-38-7	Dihydro-3-(tetrapropenyl)furan-2,5-dione			0.1 - < 0.2 %
	247-781-6 01-2119979080-37			
	Eye Irrit. 2, Skin Sens. 1A, Aquatic	Chronic 4; H319 H317 H413		

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	No Chemical name			
	Specific Conc. Limits, M-factors and ATE				
26544-38-7	247-781-6	77-781-6 Dihydro-3-(tetrapropenyl)furan-2,5-dione			
	inhalation: LC50 = 5,9 mg/l (dusts or mists); dermal: LD50 = LD100 = 6200-7500 mg/kg; oral: LD50 = 2900 mg/kg				

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. Apply cortisone spray at early stage.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

## After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **SRS Wiolin 430**

Revision date: 30.01.2024 Page 3 of 13

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities:

Water spray jet. Water mist.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2)

Nitrogen oxides (NOx) Phosphorus oxides

## 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Avoid contact with skin, eyes and clothes.

Avoid formation of oil dust.

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

# For non-emergency personnel

Wear personal protection equipment (refer to section 8).

## For emergency responders

No special precautionary measures are necessary.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

No information available.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

#### **SRS Wiolin 430**

Revision date: 30.01.2024 Page 4 of 13

#### Advice on safe handling

Wear suitable protective clothing. ( See section 8. ) Avoid contact with skin, eyes and clothes.

Avoid formation of oil dust.

Do not breathe aerosol.

### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

#### Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

When using do not eat, drink or smoke.

#### Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

### Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

## Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

#### 7.3. Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
26544-38-7 Dihydro-3-(tetrapropenyl)furan-2,5-dione				
Worker DNEL,	long-term	dermal	systemic	0,33 mg/kg bw/day



according to Regulation (EC) No 1907/2006

#### **SRS Wiolin 430**

Revision date: 30.01.2024 Page 5 of 13

#### **PNEC values**

CAS No	Name of agent	
Environmenta	Environmental compartment	
26544-38-7	Dihydro-3-(tetrapropenyl)furan-2,5-dione	
Freshwater		0,02 mg/l
Freshwater (i	intermittent releases)	0,2 mg/l
Marine water		0,002 mg/l
Freshwater s	ediment	1,7 mg/kg
Marine sedim	nent	0,17 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,2 mg/kg

#### Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil )
Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH
Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

## 8.2. Exposure controls









Print date: 02.02.2024

#### Appropriate engineering controls

Provide adequate ventilation.

### Individual protection measures, such as personal protective equipment

# Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

### **Hand protection**

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Oil-resistant and hardly inflammable protective clothing.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation



according to Regulation (EC) No 1907/2006

#### SRS Wiolin 430

Revision date: 30.01.2024 Page 6 of 13

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### **Environmental exposure controls**

No information available.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

No information available.

No information available.

boiling range:

Flammability: No information available.
Lower explosion limits: No information available.
Upper explosion limits: No information available.

Flash point: 247 °C DIN ISO 2592

Auto-ignition temperature:

Decomposition temperature:

PH-Value:

No information available.

No information available.

No information available.

Viscosity / kinematic: 97,67 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility: Immiscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No information available.

No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,892 g/cm³ DIN 51757

Bulk density:

Relative vapour density:

No information available.

No information available.

No information available.

No information available.

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion: No data available

Self-ignition temperature

Solid: No information available.

Gas: No information available.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **SRS Wiolin 430**

Revision date: 30.01.2024 Page 7 of 13

Oxidizing properties

none

## Other safety characteristics

Evaporation rate:

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

Sublimation point:

No information available.

Pour point: -30 °C ASTM D 5985 Viscosity / dynamic: 126000 mPa·s Brookfield

(at -26 °C)

Flow time: No information available.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

# 10.4. Conditions to avoid

No information available.

#### 10.5. Incompatible materials

Oxidising agent, strong

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

No information available.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

## **SRS Wiolin 430**

Revision date: 30.01.2024 Page 8 of 13

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
26544-38-7	Dihydro-3-(tetrapropenyl)	furan-2,5-dione				
	oral	LD50 29 mg/kg	900	Rat.	ECHA Dossier	OECD Guideline 423
	dermal	LD50 LE 6200-7500 mg		Rabbit	ECHA Dossier	
	inhalation (4 h) dust/mist	LC50 5,	9 mg/l	Rat.	ECHA Dossier	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (Dihydro-3-(tetrapropenyl)furan-2,5-dione)

May cause sensitization by skin contact.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Dihydro-3-(tetrapropenyl)furan-2,5-dione:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative

Literature information: REACH Dossier

Reproductive toxicity:

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Species: Rat

Result: NOAEL (P0) = 50 mg/kg; Result: NOAEL (F1) = 250 mg/kg (READ ACROSS, CAS

92077-08-2)

Literature information: REACH Dossier

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

Dihydro-3-(tetrapropenyl)furan-2,5-dione:

Subacute oral toxicity:

Method: -Species: Rat

Exposure duration: 28 d Results: LOAEL = 1000 mg/kg

Literature information: REACH Dossier

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

## **Endocrine disrupting properties**

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Other information

Frequent contact specially if dried out may cause skin and eye irritations.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **SRS Wiolin 430**

Revision date: 30.01.2024 Page 9 of 13

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment. Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment on the basis of test data, expert judgement or analogy assessments.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
26544-38-7	Dihydro-3-(tetrapropenyl)	furan-2,5-d	ione				
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	110 mg/l		Pseudokirchneriella subcapitata	ECHA Dossier	Internal T.R. Wilbury Test Lab Protocol
	Acute bacteria toxicity	EC50	800 mg/l		activated sludge, domestic	ECHA Dossier	OECD Guideline 209

#### 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes,

e.g. mechanical separation.

CAS No	Chemical name				
	Method Value d Source				
	Evaluation				
26544-38-7	Dihydro-3-(tetrapropenyl)furan-2,5-dione				
	OECD Guideline 301 D < 10% 28 ECHA Dossier				
	Not readily biodegradable (according to OECD criteria)				

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
26544-38-7	Dihydro-3-(tetrapropenyl)furan-2,5-dione	>= 4,39

#### 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

### 12.7. Other adverse effects

No information available.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### SRS Wiolin 430

Revision date: 30.01.2024 Page 10 of 13

#### **Further information**

Ozone depletion potential (ODP): No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### List of Wastes Code - contaminated packaging

150110

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

Land transport (A	ADR/RID)	
-------------------	----------	--

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY No HAZARDOUS:

### 14.6. Special precautions for user

Informations for safe handling see chapter 7.
Informations for personal protective equipment see chapter 8.

# 14.7. Maritime transport in bulk according to IMO instruments



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **SRS Wiolin 430**

Revision date: 30.01.2024 Page 11 of 13

not relevant

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial

No information available.

emissions:

Directive 2004/42/EC on VOC in

No information available.

paints and varnishes:

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

#### **Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No

2020/878)

REACH 1907/2006 Appendix XVII, No (mixture): 3 Observe in addition any national regulations!

### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the

'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

#### **Additional information**

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment not applicable.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,16.

Rev.: 1,0 - 24.04.2015 Rev.: 1,1 - 15.09.2015 Rev.: 1.2 - 14.10.2016 Rev.: 2,0 - 05.10.2017 Rev.: 3,0 - 15.10.2018 Rev.: 4,0 - 16.10.2019

Rev.: 5,0 - 09.10.2020; Changes in chapter: 16

Rev.: 6,0 - 14.10.2021, Changes in chapter: 3.2, 6.1, 6.3, 11.1, 11.2, 12.6, 12.7, 15.1, 16

Rev.: 7.0 - 21.11.2022, Changes in chapter: 2.2, 2.3, 3.2, 12.5, 12.6, 15.1, 16

Rev.: 8.0 - 10.11.2023, Changes in chapter: 9.1, 11.2, 12.1, 12.7, 16

Rev.: 8.1 - 30.01.2024, Changes in chapter: 1.4, 16



according to Regulation (EC) No 1907/2006

#### **SRS Wiolin 430**

Revision date: 30.01.2024 Page 12 of 13

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008

## [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

#### Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Wiolin 430

Revision date: 30.01.2024 Page 13 of 13

case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)