

according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Wiolin ML 4 SAE 80

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

gear oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name:	SRS Schmierstoff Vertrieb GmbH
Street:	Neuenkirchener Straße 8
Place:	D-48497 Salzbergen
Telephone:	05976 - 945-0
Responsible Department:	Abt. Produktsicherheit: info.reach@srs-oil.de
1.4. Emergency telephone	Gift-Informationszentrum Nord (Göttingen)
number:	Telefon 0551-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

The product does not contain dangerous substances according to REGULATION (EU) No. 2020/878, Annex II, Part A, 3.1/3.2. that must be mentioned in Chapter 3.

Hazardous components

Chemical name			Quantity
EC No Index No REACH No			
Classification (Regulation (EC) No 1272/2008)			
3 Amines, C12-14-tert-alkyl			< 0.1 %
701-175-2		01-2119456798-18	
Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H302 H314 H317 H400 H410			
	C No lassification (Regulation (EC) No 1 mines, C12-14-tert-alkyl 01-175-2 cute Tox. 2, Acute Tox. 3, Acute T	C No Index No Iassification (Regulation (EC) No 1272/2008) mines, C12-14-tert-alkyl 01-175-2 cute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1A, J	C No Index No REACH No classification (Regulation (EC) No 1272/2008) Imines, C12-14-tert-alkyl Imines, C12-14-tert-alkyl 01-175-2 01-2119456798-18 Imines, C12-119456798-18 cute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1A, Aquatic Acute 1, Aquatic Imines, C12-14-tert-alkyl

Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity



according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023

Page 2 of 11

	Specific Conc. Limits, M-factors and ATE				
68955-53-3	3-3 701-175-2 Amines, C12-14-tert-alkyl				
	inhalation: LC50 = 1,19 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 251 mg/kg; oral: LD50 = 552 mg/kg Skin Sens. 1A; H317: >= 5 - 100				

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.



according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023

Page 3 of 11

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working. Do not put any product-impregnated cleaning rags into your trouser pockets.

Further information on handling

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No Name of agent

tion on waste disposal.



Page 4 of 11

according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023

DNEL type		Exposure route	Effect	Value
68955-53-3	Amines, C12-14-tert-alkyl			
Consumer DN	EL, long-term	inhalation	systemic	2,5 mg/m³
Consumer DN	EL, long-term	inhalation	local	1,2 mg/m³
Worker DNEL,	long-term	inhalation	systemic	12,5 mg/m ³
Worker DNEL, long-term		inhalation	local	12,1 mg/m ³

PNEC values

CAS No	Name of agent				
Environmenta	al compartment	Value			
68955-53-3	68955-53-3 Amines, C12-14-tert-alkyl				
Freshwater		0,001 mg/l			
Freshwater (i	ntermittent releases)	0,004 mg/l			
Marine water		0 mg/l			
Freshwater se	ediment	2,14 mg/kg			
Marine sedim	ent	0,214 mg/kg			
Secondary po	4,71 mg/kg				
Micro-organis	0,635 mg/l				
Soil	Soil 0.428 mg				

Additional advice on limit values


Air limit values: Possibility of exposure to Aerosol (Mineral oil) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average ACGIH:American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



Appropriate engineering controls Provide adequate ventilation.



Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.



Page 5 of 11

according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: -aerosol or mist formation -Exceeding exposure limit values Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask

with a filter type A2, A2/P2 or ABEK. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour: - Odour: - Welting point/freezing point: No information available. Boiling point or initial boiling point and No information available. boiling range: No information available. Flammability: No information available. Lower explosion limits: No information available. Upper explosion limits: No information available. Upper explosion limits: No information available. Plasmability: No information available. Ease point: 230 °C DIN ISO 2592 Auto-ignition temperature: No information available. Decomposition temperature: No information available. Plantino temperature: No information available. Viscosity / kinematic: 113 mm²/s Viscosity / kinematic: No information available. Value: No information available. Value: No information available. No information available. No information available. Vapour pressure: No information available. (at 40 °C) 0,892 g/cm³ Vapour pressure: 0,892 g/cm³ (at 20 °C)	Physical state:		
Test method Metting point/freezing point: No information available. Boiling point or initial boiling point and No information available. boiling range: No information available. Flarmability: No information available. Lower explosion limits: No information available. Upper explosion limits: No information available. Flash point: 200 °C Auto-ignition temperature: No information available. Decomposition temperature: No information available. PH-Value: No information available. Viscosity / kinematic: 113 mm²/s DIN EN ISO 3104 (at 40 °C) Water solubility: No information available. Water solubility in other solvents No information available. Napour pressure: No information available. (at 20 °C) No information available. Vapour pressure: No information available. (at 20 °C) 0.892 g/cm³ DIN 51757 Bulk density: No information available. No information available. (at 50 °C) 0.892 g/cm³ DIN 51757 Bulk density: No information available. No in	Colour:	clear	
Melting point/freezing point: No information available. Boiling point or initial boiling point and No information available. boiling range: No information available. Flammability: No information available. Lower explosion limits: No information available. Upper explosion limits: No information available. Upper explosion limits: No information available. Plash point: 230 °C Auto-ignition temperature: No information available. Decomposition temperature: No information available. Viscosity / kinematic: 113 mm²/s Upter solubility: No information available. Viscosity / kinematic: 113 mm²/s Viscosity / kinematic: 113 mm²/s Viscosity / kinematic: 113 mm²/s No information available. No information available. Vapour pressure: No information available. No anformation available. No information available. (at 20 °C) 0,892 g/cm³ Vapour pressure: 0,892 g/cm³ (at 50 °C) 0,892 g/cm³ Density (at 15 °C): 0,892 g/cm³ Buik density:	Odour:	-	
Boiling point or initial boiling point and No information available. boiling range: No information available. Flammability: No information available. Lower explosion limits: No information available. Upper explosion limits: No information available. Flash point: 230 °C Auto-ignition temperature: No information available. Decomposition temperature: No information available. pH-Value: No information available. Viscosity / kinematic: 113 mm ² /s gitting notificient n-octanol/water: No information available. No information available. No information available. Partition coefficient n-octanol/water: No information available. Vapour pressure: No information available. (at 20 °C) 0.892 g/cm³ DIN 51757 Buik density: No information available. (at 50 °C) 0.892 g/cm³ DIN 51757 Buik density: No information available. Particle characteristics: No information available. Particle characteristics: No information available. Particle characteristics: No information available. Particle chara			Test method
boiling range: Flammability: No information available. Lower explosion limits: No information available. Upper explosion limits: No information available. Flash point: 230 °C DIN ISO 2592 Auto-ignition temperature: No information available. Decomposition temperature: No information available. Decomposition temperature: No information available. PH-Value: No information available. Viscosity / kinematic: 113 mm ² /s DIN EN ISO 3104 (at 40 °C) Water solubility: No information available. Solubility in other solvents No information available. Partition coefficient n-octanol/water: No information available. Vapour pressure: No information available. (at 20 °C) Vapour pressure: No information available. (at 50 °C) Density (at 15 °C): 0,892 g/cm ³ DIN 51757 Bulk density: No information available. Particle characteristics: No information available. Particle characteristics: No information available. 9.2. Other information fuformation with regard to physical hazard classes Explosive properties none Sustaining combustion: No data available	Melting point/freezing point:	No information available.	
Flammability: No information available. Lower explosion limits: No information available. Upper explosion limits: No information available. Flash point: 230 °C Auto-ignition temperature: No information available. Decomposition temperature: No information available. pH-Value: No information available. Viscosity / kinematic: 113 mm²/s Ustor of C) No information available. Water solubility: No information available. Solubility in other solvents No information available. No information available. IN EN ISO 3104 (at 40 °C) Water solubility: Water solubility: No information available. Solubility in other solvents No information available. No information available. (at 20 °C) Vapour pressure: No information available. (at 50 °C) 0,892 g/cm³ Density (at 15 °C): 0,892 g/cm³ Dun S1757 Bulk density: Relative vapour density: No information available. Particle characteristics: No information available. 92. Other information	Boiling point or initial boiling point and	No information available.	
Lower explosion limits:No information available.Upper explosion limits:No information available.Flash point:230 °CAuto-ignition temperature:No information available.Decomposition temperature:No information available.pH-Value:No information available.Viscosity / kinematic:113 mm²/sgitter solubility:No information available.Solubility in other solventsNo information available.No information available.113 mm²/sSolubility in other solventsNo information available.Vapour pressure:No information available.(at 20 °C)No information available.Vapour pressure:No information available.(at 50 °C)0,892 g/cm³Density (at 15 °C):0,892 g/cm³Density (at 15 °C):0,892 g/cm³Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available. 9.2. Other information InformationInformationIt regard to physical hazard classesExplosive properties noneNo data available.	boiling range:		
Upper explosion limits:No information available.Flash point:230 °CDIN ISO 2592Auto-ignition temperature:No information available.Decomposition temperature:No information available.pH-Value:No information available.viscosity / kinematic:113 mm²/sviscosity / kinematic:No information available.viscosity / kinematic:No information available.viscosity / kinematic:No information available.viscosity / kinematic:No information available.viscosity / kinematic:0,892 g/cm³viscosity / kat 15 °C):0,892 g/cm³Density (at 15 °C):0,892 g/cm³Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available.Particle characteristics:No information available.style papertiesNo information available.style paperties	Flammability:	No information available.	
Flash point:230 °CDIN ISO 2592Auto-ignition temperature:No information available.Decomposition temperature:No information available.pH-Value:No information available.Viscosity / kinematic:113 mm²/s(at 40 °C)113 mm²/sWater solubility:No information available.Solubility in other solventsNo information available.No information available.No information available.Partition coefficient n-octanol/water:No information available.Vapour pressure:No information available.(at 20 °C)0.892 g/cm³Vapour pressure:0.892 g/cm³(at 50 °C)0.892 g/cm³Density (at 15 °C):0.892 g/cm³Bulk density:No information available.Particle characteristics:No information available.Particle characteristics:No information available.Information with regard to physical hazard classesExplosive properties noneSustaining combustion:No data available	Lower explosion limits:	No information available.	
Auto-ignition temperature:No information available.Decomposition temperature:No information available.pH-Value:No information available.Viscosity / kinematic:113 mm²/sQiscosity / kinematic:113 mm²/sViscosity / kinematic:113 mm²/sSolubility:No information available.Solubility in other solventsNo information available.No information available.No information available.Partition coefficient n-octanol/water:No information available.Vapour pressure:No information available.(at 20 °C)0,892 g/cm³Vapour pressure:0,892 g/cm³(at 50 °C):0,892 g/cm³Density (at 15 °C):0,892 g/cm³Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available.92. Other informationNo information available.Information with regard to physical hazard classesExplosive propertiesNo data availablenoneNo data available	Upper explosion limits:	No information available.	
Decomposition temperature:No information available.pH-Value:No information available.Viscosity / kinematic:113 mm²/s(at 40 °C)113 mm²/sWater solubility:No information available.Solubility in other solventsNo information available.No information available.Partition coefficient n-octanol/water:Partition coefficient n-octanol/water:No information available.Vapour pressure:No information available.(at 20 °C)No information available.Vapour pressure:0.892 g/cm³(at 50 °C)0.892 g/cm³Density (at 15 °C):0.892 g/cm³Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available. 9.2. Other information Information available.Information with regard to physical hazard classesExplosive properties noneSustaining combustion:No data available.	Flash point:	230 °C	DIN ISO 2592
pH-Value:No information available.viscosity / kinematic:113 mm²/sViscosity / kinematic:113 mm²/sUN EN ISO 3104(at 40 °C)No information available.Water solubility:No information available.Solubility in other solventsNo information available.No information available.Partition coefficient n-octanol/water:Partition coefficient n-octanol/water:No information available.Vapour pressure:No information available.(at 20 °C)No information available.Vapour pressure:No information available.(at 50 °C)0,892 g/cm³Density (at 15 °C):0,892 g/cm³Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available. 9.2. Other information No information available.Information with regard to physical hazard classesExplosive propertiesnoneSustaining combustion:No data availableNo data available	Auto-ignition temperature:	No information available.	
Viscosity / kinematic: (at 40 °C) Water solubility: Solubility in other solvents No information available. Partition coefficient n-octanol/water: Vapour pressure: (at 20 °C) Vapour pressure: (at 50 °C) Density (at 15 °C): Bulk density: Relative vapour density: Relative vapour density: Particle characteristics: 9.2. Other information Information with regard to physical hazard classes Explosive properties none Sustaining combustion: No data available 113 mm²/s DIN EN ISO 3104 113 mm²/s DIN EN ISO 3104 No information available. No information available. No information available. No information available. No information available. No data available. No data available	Decomposition temperature:	No information available.	
(at 40 °C)No information available.Water solubility:No information available.Solubility in other solventsNo information available.No information available.No information available.Partition coefficient n-octanol/water:No information available.Vapour pressure:No information available.(at 20 °C)No information available.Vapour pressure:No information available.(at 50 °C)0,892 g/cm³ DIN 51757Density (at 15 °C):0,892 g/cm³ DIN 51757Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available.9.2. Other informationInformation with regard to physical hazard classesExplosive properties noneNo data available.Sustaining combustion:No data available	pH-Value:	No information available.	
(at 40 °C)No information available.Water solubility:No information available.Solubility in other solventsNo information available.No information available.No information available.Partition coefficient n-octanol/water:No information available.Vapour pressure:No information available.(at 20 °C)No information available.Vapour pressure:No information available.(at 50 °C)0,892 g/cm³ DIN 51757Density (at 15 °C):0,892 g/cm³ DIN 51757Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available.9.2. Other informationInformation with regard to physical hazard classesExplosive properties noneNo data available.Sustaining combustion:No data available	Viscosity / kinematic:	113 mm²/s	DIN EN ISO 3104
Solubility in other solvents Information available. No information available. Partition coefficient n-octanol/water: No information available. Vapour pressure: No information available. No information available. (at 20 °C) No information available. Vapour pressure: No information available. (at 50 °C) 0,892 g/cm³ DIN 51757 Bulk density: No information available. Relative vapour density: No information available. Particle characteristics: No information available. 92. Other information Information with regard to physical hazard classes Explosive properties None Sustaining combustion: No data available			
No information available.Partition coefficient n-octanol/water:No information available.Vapour pressure:No information available.(at 20 °C)No information available.Vapour pressure:No information available.(at 50 °C)0,892 g/cm³ DIN 51757Density (at 15 °C):0,892 g/cm³ DIN 51757Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available. 9.2. Other information No information available.Information with regard to physical hazard classesExplosive properties noneSustaining combustion:No data available	Water solubility:	No information available.	
Partition coefficient n-octanol/water:No information available.Vapour pressure: (at 20 °C)No information available.Vapour pressure: (at 50 °C)No information available.(at 50 °C)0,892 g/cm³ DIN 51757Density (at 15 °C):0,892 g/cm³ DIN 51757Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available.9.2. Other informationNo information available.Explosive properties noneNo information available.Sustaining combustion:No data available	Solubility in other solvents		
Vapour pressure: (at 20 °C)No information available.Vapour pressure: (at 50 °C)No information available.Density (at 15 °C):0,892 g/cm³ DIN 51757Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available.9.2. Other informationInformation with regard to physical hazard classesExplosive properties noneNo data available	No information available.		
(at 20 °C)No information available.(at 50 °C)No information available.(at 55 °C)0,892 g/cm³ DIN 51757Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available.9.2. Other informationNo information available.Information with regard to physical hazard classesExplosive properties noneSustaining combustion:No data available	Partition coefficient n-octanol/water:	No information available.	
Vapour pressure: (at 50 °C)No information available.Density (at 15 °C):0,892 g/cm³ DIN 51757Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available. 9.2. Other information No information available.Information with regard to physical hazard classesExplosive properties noneSustaining combustion:No data available		No information available.	
(at 50 °C)0,892 g/cm³ DIN 51757Density (at 15 °C):0,892 g/cm³ DIN 51757Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available.9.2. Other informationNo information available.Information with regard to physical hazard classesExplosive properties noneSustaining combustion:No data available			
Density (at 15 °C):0,892 g/cm³ DIN 51757Bulk density:No information available.Relative vapour density:No information available.Particle characteristics:No information available.9.2. Other informationNo information available.Information with regard to physical hazard classesExplosive properties noneSustaining combustion:No data available	• •	No information available.	
Bulk density: No information available. Relative vapour density: No information available. Particle characteristics: No information available. 9.2. Other information No information available. Information with regard to physical hazard classes Explosive properties none No data available Sustaining combustion: No data available	, ,		
Relative vapour density:No information available.Particle characteristics:No information available.9.2. Other informationInformation available.Information with regard to physical hazard classesExplosive properties noneSustaining combustion:No data available.	• • •	· 6	DIN 51757
Particle characteristics: No information available. 9.2. Other information Information with regard to physical hazard classes Explosive properties No information none Sustaining combustion: No data available No data available	•		
9.2. Other information Information with regard to physical hazard classes Explosive properties none Sustaining combustion: No data available			
Information with regard to physical hazard classes Explosive properties none Sustaining combustion: No data available		No information available.	
Explosive properties none Sustaining combustion: No data available	9.2. Other information		
none No data available	Information with regard to physical haza	rd classes	
Sustaining combustion: No data available	Explosive properties		
Self-ignition temperature		No data available	
	Self-ignition temperature		



according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023	Page 6	of 11
Solid:	No information available.	
Gas:	No information available.	
Oxidizing properties		
none		
Other safety characteristics		
Evaporation rate:	No information available.	
Solvent separation test:	No information available.	
Solvent content:	No information available.	
Solid content:	No information available.	
Sublimation point:	No information available.	
Softening point:	No information available.	
Pour point:	-30 °C ASTM D 5985	
Viscosity / dynamic:	No information available.	
Flow time:	No information available.	

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known. Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
68955-53-3	Amines, C12-14-tert-alkyl					
	oral LD50 552 mg/kg			Rat	ECHA Dossier	OECD 401
	dermal	LD50 mg/kg	251	Rat	ECHA Dossier	OECD 402
	inhalation (4 h) vapour	LC50	1,19 mg/l	Rat	ECHA Dossier	OECD 403
	inhalation dust/mist	ATE	0,05 mg/l			



according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023

Page 7 of 11

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Skin sensitisation: Amines, C12-14-tert-alkyl (Conc.= 5%)

Test results: not sensitizing. Method: Buehler Method OECD 406, Species: Guinea-pig. Literature information: Manufacturer

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Amines, C12-14-tert-alkyl, (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated) -alkylamines:

A raw material containing these substance(s) has been tested/evaluated for environmentally hazardous properties with the result: H412. The raw material is present in the final product at less than 25%. Due to this, the product itself is not considered environmentally hazardous.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68955-53-3	3 Amines, C12-14-tert-alkyl						
	Acute fish toxicity	LC50	1,3 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,44	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	OECD 201
	Acute crustacea toxicity	EC50	4,1 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,078	96 d	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 210
	Acute bacteria toxicity	(EC50 mg/l)	63,5		activated sludge of a predominantly domestic sewage	ECHA Dossier	OECD Guideline 209

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name			
	Method	Value	d	Source



according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023

Page 8 of 11

		Evaluation				
68955-	-53-3	Amines, C12-14-tert-alkyl				
		OECD 301D / EEC 92/69 annex V, C.4-E	22 %	2	8	ECHA Dossier
		Not readily biodegradable (according to OECD criteria)				

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68955-53-3	Amines, C12-14-tert-alkyl	2,9

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

	SRS Wiolin ML 4 SAE 80	
Revision date: 07.09.2023		Page 9 of 11
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
<u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Νο	
14.6. Special precautions for user		
Informations for safe handling see ch	apter 7.	
Informations for personal protective e	equipment see chapter 8.	
14.7. Maritime transport in bulk according	to IMO instruments	
not relevant		
SECTION 15: Regulatory information		
15.1 Safety health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII).	
Entry 75).	
2010/75/EU (VOC):	No information available.	
. ,		
2004/42/EC (VOC): Information according to 2012/18/EU	No information available. Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):		
Additional information		
Safety Data Sheet according to Regu	lation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)	
	rdous according to Regulation (EC) 1272/2008 [CLP].	
REACH 1907/2006 Appendix XVII, N	, ,	
Observe in addition any national regu	llations!	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
Additional information		
Regulation (EC) No 649/2012 of the l of dangerous chemicals: not relevant	European Parliament and of the Council concerning the export and import	
15.2 Chemical Safety Assessment not applicable.		
SECTION 16: Other information		
Changes Rev. : 1,0 - 08.05.2015 Rev. : 1,1 - 20.05.2016 Rev. : 2,0 - 08.06.2017 Rev. : 3,0 - 28.06.2018		

Rev. : 3,0 - 28.06.2018



according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023

Page 10 of 11

Rev.: 4,0 - 27.06.2019 Rev.: 5,0 - 29.06.2020; Changes in chapter: 2.2, 3.2, 11.1, 15.1, 16 Rev.: 6.0 - 04.06.2021; Changes in chapter: 3.2, 6.1, 6.3, 11.2, 12.6, 12.7, 15.1, 16 Rev.: 7.0 - 14.06.2022, Changes in chapter: 2.3, 8.2, 12.1, 12.5, 12.6, 16 Rev.: 7.1 - 01.03.2023, Changes in chapter: 2.3, 3.2, 8.1, 9.1, 11.1, 12.1, 12.2, 12.3, 12.5, 15.1, 16 Rev.: 7.2 - 07.09.2023, Changes in chapter: 2.2, 3.2, 11.1, 11.2, 12.1, 14, 15, 16 Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures DNEL: Derived No Effect Level d: day(s) EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European LIst of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h: hour LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NLP: No-Longer Polymers N/A: not applicable OECD: Organisation for Economic Co-operation and Development PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) REACH: Registration, Evaluation, Authorisation of Chemicals SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe **UN: United Nations** VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

SRS Wiolin ML 4 SAE 80

Revision date: 07.09.2023

Page 11 of 11

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)