



Automotive Lubricants



SRS All Purpose Multi Viscosity Engine Oils

Product Name	SAE-Grade	Service Discription		Recommendations / Approvals
		ACEA	API	
SRS Leichtlauf-Motorenöl O-1178	0W-30		CF-4/SF	Multigrade engine oil with German Army approval. TL 9150-0080/5, Nato-Kode O-1178, Bw-Kode OY1175, ZF TE-ML 13. Also suitable for 4-stroke diesel engines in motor vehicles, sea vehicles, pioneer and troop devices
SRS Cargolub TFE	10W-40	A3/B4, E7	CI-4 Global DHD-1 JASO DH-1	High-performance low friction engine oil. DTFR 15B110, DTFR 13D100, Volvo VDS-3, Mack EO-N/EO-M Plus, Ren. VI RLD-2, MTU MTL 5044 Type 2, Deutz DQC III-18, Voith Retarder Type A, MAN M 3275-1, MB 229.1H, Cummins CES 20076/77/78, Detroit Diesel DDC 93 K 215, DAF, All. C-4
SRS Leichtlauf-Motorenöl O-1180	10W-40	E6, E7, E8 E9, E11	CK-4, CI-4 plus, CI-4	Longlife engine oil with German Army approval TL 9150-0107, Nato-Kode O-1180 For the lubrication of any combustion engine, especially for diesel engines with or without exhaust aftertreatment systems.
SRS Multi-Rekord top	15W-40	A3/B4, E7	CI-4 / SL Global DHD-1 JASO DH-1	High performance, all purpose engine oil for mixed vehicle fleets. DTFR 15B110, Volvo VDS-3, Renault VI RLD / RLD-2; Mack EO-N / EO-M Plus, Deutz DQC III-18, MTU MTL 5044 Type 2, Cummins CES 20071 / 72 / 76 / 77, MB 229.1H, Caterpillar ECF-2, MAN M 3275-1
SRS Multi-Rekord plus	15W-40	A3/B3	CG-4 / SL	High performance, all purpose engine oil for the mixed vehicle fleet. DTFR 15B110, MTU MTL 5044 Type 2, MB 229.1H, MAN M 3275-1, Volvo VDS, Mack EO-L, All. C-4
SRS Motorenöl O-236	15W-40	E7	CI-4	Multigrade engine oil with German Army approval. TL 9150-0063/8, Nato-Kode O-236, Bw-Kode OY1145, MTU MTL 5044 Typ 2, MTU MTL 5051. Suitable for lubricating all types of combustion engines, especially 4-stroke diesel engines in motor vehicles, marine vessels, engineering equipment, and military vehicles.
SRS Rekord 15/40	15W-40		SJ / CF-4	Multigrade engine oil for use in diesel and gasoline engines.. MAN 271, Volvo VDS, MTU MTL 5044 Type 1, MB 228.1H, MB 229.1H, Allison C-4
SRS Wiolamit A 15W-40	15W-40		SF / CD	Multigrade engine oil.

SRS Multi Viscosity Engine Oils For Passenger Cars

Product Name	SAE-Grade	Service Discription		Recommendations / Approvals
		ACEA	API	
SRS VIVA 1 ecosynth FE	0W-20	C5 / C6	SQ, SP (RC)	Mid-SAPS high performance low friction engine oil. ILSAC GF-7A, ILSAC GF-6A MB-Approval 229.71, MB-Approval 229.72, Jaguar Land Rover STJLR.03.5006 BMW Longlife-17 FE+, Opel/Vauxhall OV 0401547-A20, Fiat 9.55535-GSX, Chrysler MS-12145, Ford WSS-M2C947-B1, 962-A1, 954-A1

SRS ViVA 1 special LL-FE	0W-20	C5		Low-SAPS high performance low friction engine oil. VW-Norm 508 00 and 509 00, Porsche C20, Ford WSS-M2C956-A1
SRS ViVA 1 special V eco	0W-20	C5	SP	Special high performance low friction engine oil. Volvo VCC RBS0-2AE
SRS Magnum NG plus 0W-20	0W-20		SQ, SP (RC)	Low-friction engine oil. ILSAC GF-7A, ILSAC GF-6A, GM dexos1 gen.3, GM 6094 M, Ford WSS-M2C962-A1, 947-A, 947-B1, 972-A1, Chrysler MS-6395, Fiat 9.55535-CR1, Mazda, Mitsubishi, Hyundai, Nissan, Toyota, Honda, KIA
SRS ViVA 1 special F top	0W-30	C2		Special high performance low friction engine oil. VW-Norm VWC 63035, Ford WSS-M2C950-A, Fiat 9.55535-GS1 / DS1
SRS ViVA 1 ecosynth	0W-40	A3 / B4	SN / CF	Fully synthetic, fuel saving heavy-duty smooth running engine oil. MB 229.3 VW 502 00 and 505 00, BMW Longlife-01
SRS ViVA 1 special F eco	5W-20	C5	SN	Special high-performance low friction engine oil for Ford EcoBoost engines. Ford WSS-M2C948-B, Jaguar Land Rover STJLR.03.5004
SRS ViVA 1 special LMS	5W-30	C1		Low SAPS passenger car low friction engine oil. Jaguar Land Rover STJLR.03.5005, Mazda, Mitsubishi, Ford WSS-M2C934-B, Peugeot, Citroen
SRS ViVA 1 special F plus	5W-30	A5 / B5	SP	Special high-performance low friction engine oil with lowered high-temperature viscosity. VW-Norm VWC 53036, Jaguar Land Rover STJLR.03.5003 Ford WSS-M2C913-D, Ford WSS-M2C913-C, Renault RN 0700
SRS ViVA 1 SLV ultra	5W-30	C3	SQ	Premium-high-performance longlife engine oil for engines of the VW group with extended drain intervals (WIV). VW-Norm 504 00 and 507 00, MB-Approval 229.52, BMW Longlife-04, Porsche C30, Opel/Vauxhall OV 0401547-G30 / D30
SRS ViVA 1 topsynth ultra	5W-30	C2 / C3	SQ	Longlife high-performance engine oil. MB-Approval 229.52, MB-Approval 229.51, BMW Longlife-04, VW 505 01 and 505 00, Opel/Vauxhall OV0401547-G30 / D30, Fiat 9.55535-S1
SRS ViVA 1 special R	5W-30	C3 / C4		Special high-performance low friction engine oil. MB-Approval 229.51, Renault RN 0720, MB 226.51
SRS ViVA 1 topsynth plus FE	5W-30	A3 / B4	SN	High-performance low friction engine oil. VW 502 00 and 505 00, MB 229.5 ,Renault RN 0700 / RN 0710, BMW Longlife-01
SRS Magnum NG plus 5W-30	5W-30		SQ, SP (RC)	Low-friction engine oil. ILSAC GF-7A, ILSAC GF-6A, VW-Norm VWC 53034, GM dexos1 gen.3, GM 6094 M, Chrysler MS-6395, Ford WSS-M2C946-A1, 961-A1, 971-A1, Mazda, Mitsubishi, Hyundai, Nissan, Toyota, Honda, KIA
SRS ViVA 1 topsynth alpha LS	5W-40	C3	SN / CF	Longlife high-performance engine oil. VW-Norm 505 00 and 505 01, MB-Approval 229.51, BMW Longlife-04, Porsche A40 Ford WSS-M2C917-A, Opel GM dexos2
SRS ViVA 1 topsynth HS	5W-40	A3/B4	SP JASO MA	High performance low friction engine oil. VW-Norm 502 00 and 505 00, MB-Approval 229.5, BMW Longlife-01, Porsche A40, Renault RN 0700 / RN 0710, PSA B71 2296, Fiat 9.55535.M2
SRS ViVA 1 topsynth	5W-40	A3 / B4	SN / CF JASO MA	High performance low friction engine oil. MB-Approval 229.3, VW 502 00 and 505 00, Porsche A40, Opel GM-LL-B-025, Renault RN 0700 / RN 0710, MB 226.5, BMW Longlife-01
SRS Magnum NG plus 10W-30	10W-30		SP	Low-friction engine-oil. ILSAC GF-6, Chrysler MS-6395, Hyundai, Mazda, Mitsubishi, Nissan, Toyota, Honda, KIA

SRS VIVA 1	10W-40	A3 / B4	SN / CF	High-performance low friction engine oil. VW-Norm 501 01 and 505 00, MB 229.1H
------------	--------	---------	---------	---

SRS Primalub Alpha	10W-40		SL / CF	Low-friction engine oil. VW 501 01 and 505 00 Performance, MB 229.1H
--------------------	--------	--	---------	--

SRS Multi Viscosity Engine Oils For Commercial Vehicles

Product Name	SAE-	Service Discription		Recommendations / Approvals
	Grade	ACEA	API	

SRS Cargolub TLS eco	5W-20			High performance low ash engine oil. Scania LDF-5; MAN M 3977
----------------------	-------	--	--	---

SRS Cargolub TLS ultra	5W-30	E6, E7, E8 E11	CK-4 JASO DH-2	Premium low SAPS engine oil. DTFR 15C120, DTFR 15C110, DTFR 15C110, MAN M 3775, MAN M 3677, Volvo VDS 4.5, Renault VI RLD-3, Mack EOS-4,5, Deutz DQC IV-18 LA, Scania LDF-4, MTU MTL 5044 Type 3.1, MAN M 3477, DTFR 15C100, Caterpillar ECF-3, Cummins CES 20086, Detroit Diesel DDC 93K222, DAF PSQL 2.1 E LD (long drain)
------------------------	-------	-------------------	-------------------	--

SRS Cargolub TLS top	5W-30	E6, E7, E8 E9, E11	CK-4 / SN JASO DH-2	Premium low SAPS engine oil. DTFR 15C120, DTFR 15C110, MAN M 3677, Volvo VDS 4.5, Renault VI RLD-3, Mack EOS-4.5, Scania LDF-4, MTU MTL 5044 Type 3.1, Deutz DQC IV-18 LA, MAN M 3477, MAN M 3775, Deutz TTCD, DAF PSQL 2.1 E LD (long drain), Caterpillar ECF-3, Cummins CES 20086, Detroit Diesel DDC 93K222, Ford WSS-M2C213-A1
----------------------	-------	-----------------------	------------------------	--

SRS Cargolub TLS Premium	5W-30	F01	FA-4 / SN / SN Plus JASO DH-2	High-quality premium low SAPS low-friction engine oil. DTFR 13C130, Volvo VDS-5, Renault VI RLD-5, Mack EOS-5, Cummins CES 20087, Detroit Diesel DDC 93K223, Ford WSS-M2C214-B1
--------------------------	-------	-----	-------------------------------------	--

SRS Turbo Rekord ultra V	10W-30	E7, E9, E11	CK-4 / CJ-4 JASO DH-2	Premium low SAPS engine oil for modern Euro V and Euro VI engines. Volvo VDS-4.5, Renault VI RLD-3, Mack EOS-4.5, DTFR 15C100, MAN M 3775, Deutz DQC III-18 LA, MTU MTL 5044 Type 2.1, Caterpillar ECF-3, Cum. CES 20086, Detroit Diesel DFS 93K222, MAN M 3575, Ford WSS-M2C171-F1, DAF PSQL 2.1 E
--------------------------	--------	----------------	--------------------------	--

SRS Cargolub TLA plus	10W-40	E6, E7, E8, E9, E11	CK-4 / CI-4 plus JASO DH-2	Premium low SAPS engine oil for modern Euro V and Euro VI engines. DTFR 15C120, DTFR 15C110, DTFR 13D110, MAN M 3775, Deutz DQC IV-18 LA, Volvo VDS-4.5, Renault VI RLD-3, Mack EOS 4.5, MTU MTL 5044 Type 3.1, Voith Retarder Type B, DTFR 15C100, MAN M 3477, Deutz TTCD, Cat. ECF-3, IVECO 18-1804 TLS E9, Cummins CES 20081 / 20086, Detroit Diesel 93K222, CNH MAT 3571, Scania Low Ash
-----------------------	--------	---------------------------	----------------------------------	---

SRS Cargolub TFG ultra	10W-40	E4, E7	CI-4	High performance low friction engine oil for commercial vehicles. Scania LDF-3, DTFR 15B120, DTFR 13D110, MAN M 3277, Volvo VDS-3, Ren. VI RLD-2, Mack EO-N / EO-N-PP-03, MTU MTL 5044 Type 3, Deutz DQC IV-18, Voith Retarder Type B, Cummins CES 20077 / 78, DAF
------------------------	--------	--------	------	---

SRS Cargolub TFG plus	10W-40	E4, E7	CI-4 JASO DH-1 Global DHD-1	High Performance low friction engine oil. DTFR 15B120, MTU MTL 5044 Type 3, MAN M 3277, Deutz DQC III-18, Volvo VDS 3, Ren. VI RLD-2, Mack EO-N, Cummins CES 20078, Detroit Diesel 93K215, DAF
-----------------------	--------	--------	-----------------------------------	--

SRS Turbo Rekord ultra	15W-40	E7, E9, E11	CK-4 / CJ-4 / SN JASO DH-2	Premium low SAPS engine oil for modern Euro V and Euro VI engines. DTFR 15C100, MAN M 3775, Volvo VDS-4.5, Renault VI RLD-3, Mack EOS-4.5, Deutz DQC III-18 LA, MTU MTL 5044 Type 2.1, MAN M 3575, Caterpillar ECF-3, Ford WSS-M2C171-F1, Cummins CES 20086, Detroit Diesel DDC 93K222, Allison TES 439
------------------------	--------	----------------	----------------------------------	---

SRS Turbo-Rekord NG	15W-40	E7	CI-4 / SL JASO DH-1 Global DHD-1	Engine oil for turbocharged diesel engines. DTFR 15B110, Deutz DQC III-18, MTU MTL 5044 Type 2, Volvo VDS-3, Renault VI RLD / RLD-2, Mack EO-N, DAF MAN M 3275-1, Cat. ECF-2 and -1a, Cum. CES 20076 / -77 / -78, Detroit Diesel 93K215
---------------------	--------	----	--	---

SRS Monograde Engine Oils

Product Name	SAE-	Service Discription		Recommendations / Approvals
	Grade	ACEA	API	
SRS Antikorrol M plus	30	E7	CI-4	Monograde engine oil with very high corrosion protection. For emergency generators or for internal conservation. Bundeswehr Approval TL 9150-0037/7, Bw-Kode CY6050, MTU MTL 5051, MTU MTL 5044 Type 2
SRS Antikorrol	10W-50		SF / CC	Oil for first operation and corrosion protection with numerous possibilities of application. MIL-L-21260C
SRS Rekord	10W-50		CF-4 / CF / SF	Monograde engine oil for Diesel- and gasoline engines. MTU MTL 5044 Type 1, MB 228.0H, MAN 270 ZF TE-ML 04A, Allison C-4, Caterpillar TO-2, Volvo VDS
SRS Rekord plus	30 / 40	E7	CI-4 / SL	Heavy duty monograde engine oils also for highly stressed ship engines. MTU MTL 5044 Type 2, DTFR 15B100, MAN 3275-2, Allison C-4

SRS Oils for Agricultural Machines

Product Name	SAE-Gr.	Service Discription		Recommendations / Approvals
	ISO-VG	ACEA	API	
SRS Hydrofluid FN	75W-85 10W-30 46 / 68		GL-4	Hydraulic-transmission-fluid (UTTO) for use in AGCO Groups vehicles with the requirement FWN 81001. Fendt FWN 81001, Valtra G2-08, G2-A22, MF CMS M 1127 A/B, 35, 41, 43, 45, AGCO Q-186 (White farm), Powerfluid 821 XL, Case MS 1206, 07, 09, 10, 30, CNH MAT 3505, 06, 09, 25, 26, 40, 41, Allison C-4, John Deere JDM J20C, J20D, New Holland FNHA 2-C-200.00, 201.00, Cat. TO-2 Ford M2C 86 B/C, 134 D, NH 410 B, 420 A, Kubota UDT, Kubota Super UDT2, Volvo WB 101, Komatsu KES 07.866, AOX, Dresser B06.002, ZF TE-ML 03E / 05F / 06K / 17E / 21F, Vickers/Eaton I-286-S, M 2950S
SRS Hydrofluid NC	80W		GL-4	Special-hydraulic-transmission fluid for use in automatic CVT transmissions in agricultural machines. CNH MAT 3505 / 25 / 40, John Deere JDM J20C, MF CMS M 1135 / 45, NH 410 B, ZF TE-ML 03E / 05F / 06K / 06N / 17E / 21F, Ford M2C 134 C / 159 C, Allison C-4, Caterpillar TO-2, Volvo WB 101, Fendt Vario, Kubota UDT, Valtra G2-08, New Holland FN iA, Landini, DANA-OHTM-UTTO
SRS Hydrofluid A	80W 10W-30 46 / 68		GL-4	Hydraulic-transmission-fluid (UTTO) for supplying tractors and construction vehicles with common oil circuits for gear boxes/axle drives and hydraulic systems. ZF Approval TE-ML 03E / 05F / 17E / 21F, Massey Ferguson Approval MF CMS M 1145 CASE MS 1206 / 7 / 9 / 10 / 30, CNHA MAT 3505 / 06 / 09 / 25 / 26, Caterpillar TO-2, SDFG OT-1891 / 1891A, John Deere JDM J20C / J20D, JCB 4000/0500, 4000/2200, MF CMS M 1135 / 41 / 43, New Holland FNHA 2-C-200.00 / 201.00, Allison C-4, Ford M2C 86 B / C, 134-D, AGCO Q-182 (White Farm), AGCO Powerfluid 821 XL, Kubota UDT, Volvo WB 101, Fendt Vario, Komatsu (Wet Brake Axle), ZF TE-ML 06K, CLAAS / Renault, Valtra G2-08 / G2-B10
SRS Primanol	10W-30 10W-40		CG-4 / SF GL-4	Multi-grade multi-purpose oil (STOU) for highest loads. Applicable in engines, transmissions, hydraulics and wet brakes of agricultural machines. ACEA E-3 Performance, ZF Approval ZF TE-ML 06B (includes 06C/06R), 07B John Deere JDM J20C / J20D / J27, Ford M2C 86 B/C, 159 B/C, 134 D, MB 227.1, Case MS 1204 / 6 / 7 / 9, CNH MAT 3525 / 26, MF CMS M 1135 / 39 / 43 / 44 / 45, Allison C-4, Fendt Vario, Cat. TO-2, Sperry Vickers Eaton I-280-S / Eaton M2950S, ZF TE-ML 06F, Sauer Sunstrand Danfoss Hydrostatic Trans Fluid

SRS Cargolub TLA plus	10W-40	E6, E7, E8, E9, E11	CK-4 / CI-4 plus JASO DH-2	Premium low SAPS engine oil for modern Euro V and Euro VI engines. DTFR 15C120, DTFR 15C110, DTFR 13D110, MAN M 3775, Deutz DQC IV-18 LA, Volvo VDS-4.5, Renault VI RLD-3, Mack EOS 4.5, MTU MTL 5044 Type 3.1, Voith Retarder Type B, DTFR 15C100, MAN M 3477, Deutz TTCD, Cat. ECF-3, IVECO 18-1804 TLS E9, Cummins CES 20081 / 20086, Detroit Diesel 93K222, CNH MAT 3571, Scania Low Ash
SRS Getriebefluid ZFC	10W-30			Heavy-duty power transmission oil for agricultural vehicles. ZF Approval TE-ML 03C / 06H / 06M, CLAAS Ecom 3.5 (CSE), Caterpillar TO-4, Komatsu KES 07.868.1, Allison C-4
SRS Violin RSH plus 80W-90	80W-90	GL-5 / LS		High performance-hypoid transmission oil for drive axles with or without self-locking differential gears. MIL-L-2105 D, ZF Approval TE-ML 05N / 21N, Volvo 97321, JDM J 11 F, ZF TE-ML 05C
SRS Violin RSH	85W-90	GL-5 / LS		Special hypoid transmission oil for drive axles with limited-slip differential. MIL-L-2105 B / C / D, ZF Approval TE-ML 05C / 16E / 21C, Ford M2C-104 A Perf.
SRS Violin HL 5 LS	90	GL-5 / LS		Hypoid transmission oil for drive axles with limited slip differential.
SRS Violin 410, 430, 450	10W, 30, 50		CF GL-4	Heavy-duty power transmission oils for construction vehicles. For application in highly stressed transmissions, propel drives, wet brakes and clutches. Especially for aggregates with Caterpillar TO-4 requirements. Caterpillar TO-4 / TO-2, Allison C-4, ZF TE-ML 03C / 07F, DANA-OHTM-TO, Sperry Vickers / Eaton M2950S, Sperry Vickers / Eaton I-280 S, Komatsu KES 07.868.1, ZF TE-ML 07D

SRS Marine Oils

Product Name	SAE-Grade	Service Discription		Recommendations / Approvals
		ACEA	API	
SRS MA-HDS 40	40		CF	Marine diesel engine oil (TBN 40) for all medium-speed trunk piston engines that are operating with heavy fuel and a high sulfur content (up to 3.5%). Wärtsilä, MAN Diesel & Turbo, Daihatsu & HHI (HIMSEN), Yanmar
SRS MA-HDS 4030	40		CF	Marine diesel engine oil (TBN 30) for medium-speed trunk piston engines. Wärtsilä, MAN Diesel & Turbo, Daihatsu & HHI (HIMSEN), Yanmar
SRS MA-MDO 4020	40		CF	Marine diesel engine oil (TBN 20) for medium-speed trunk piston engines. Caterpillar/MaK, Daihatsu & HHI (HIMSEN), Yanmar
SRS MA-MDO 40	40		CF	Marine diesel engine oil (TBN 16) for medium-speed trunk piston engines. Caterpillar/MaK, Daihatsu & HHI (HIMSEN), Yanmar
SRS MA-MDO 30	30		CF	Marine diesel engine oil (TBN 16) for medium-speed trunk piston engines. Caterpillar/MaK, Daihatsu & HHI (HIMSEN), Yanmar
SRS Motorenöl O-278	40	E7	CI-4	Monograde engine oil (TBN 11) for the lubrication of all types of combustion engines in marine vehicles and machinery with German Army approval. TL 9150-0031/6, NATO-Kode O-278, Bw-Kode OY1160, MTU MTL 5044 Type 2
SRS Rekord	10W-50		CF-4 / CF / SF	Monograde engine oils for heavy duty marine engines. MTU MTL 5044 Type 1
SRS Rekord plus	30 / 40	E7	CI-4 / SL	High performance monograde engine oils for use in heavy duty marine engines with extended oil drain intervals. MTU MTL 5044 Type 2

SRS Wiolan O-262	80W VG-100			Gear oil for the lubrication of highly loaded gear drives such as in marine propulsion systems (circulating lubrication) with German Army approval TL 9150-0105/4. NATO-Kode O-262, Bw-Kode OY1155
SRS Ersolan	100/150	CLP		Zinc-free Lubricating oil CLP for marine transmissions. SEB 181 226, ZF TE-ML 04H, TL 9150-0105/4
SRS Wiolan HS	32 / 46	HLP		Hydraulic oil HLP for marine transmissions. DIN EN ISO 6743/4 HM, ISO 11158 HM, ZF TE-ML 04K, SEB 181 222
SRS Wiolan HX	22 / 46	HLP		Zinc-free Hydraulic oil HLP for marine transmissions with good demulsifying performance. SEB 181 222, DBL 6713, DIN EN ISO 6743/4 HM, ISO 11158 HM, ZF TE-ML 04K
SRS Wiolan HV	32 / 46	HVLP		High-VI Hydraulic oil HLP for marine transmissions with good viscosity temperature performance (multi-grade characteristic). DIN EN ISO 6743/4 HV, ISO 11158 HV, ZF TE-ML 04R

SRS Gas Engine Oils

Product Name	SAE-	Service Discription		Recommendations / Approvals
	Grade	ACEA	API	
SRS Mihagrun	40		CF	Gas engine oils for heavy duty gas engines. Long Oil drain intervals even with use of bio, landfill and sewage gas. Approval MAN M 3271-4, GE Jenbacher Approval TA 1000-1109 for Gas class B (Biogas) Model series 2 and 3, MWM / Caterpillar, Waukesha, Wärtsilä, Perkins, Ruston, MDE Dezentralenergiesysteme
SRS Mihagrun X 40	40			High-performance gas engine oil specifically designed for use with sewage gas, biogas and landfill gas and extended oil change intervals. MWM / Caterpillar Approval TR 0199-99-(1) 2105, GE Jenbacher Approval TA 1000-1109 for Gas class B (Biogas)
				and C (Landfill gas) Model series 2 and 3, series 4 version A and B, series 6 version C and E, Approval MAN M 3271-4, M 3271-5
SRS Mihagrun XB 40	40			High-performance medium ash gas engine oil specifically designed for use with sewage gas, biogas and landfill gas and extended oil change intervals. MAN - biogas, MWM / Caterpillar high Ash, GE Jenbacher Type 2 and 3, Gas class B (Biogas) and C (Landfill gas)
SRS Mihagrun LA 40	40		CF	Gas engine oil for higher stressed gas engines, also for gas engines with catalyser operation. MWM/Caterpillar Approval TR 0199-99-2105, MTU Approval MTL 5074, Deutz Approval TR 0199-99-01213/1 DE, MAN M 3271-2, GE Jenbacher, Waukesha
SRS Mihagrun LAX 40	40		CF	High-performance gas engine oil, specifically designed for use in modern low emission high-performance gas engines and extended oil change intervals. MWM/Caterpillar Approval TR 0199-99-(1) 2105, Deutz Approval TR 0199-99-01213/5, GE Jenbacher TA 1000-1109 for Gas class A (Natural Gas) and B (Biogas) Model series 2 and 3, series 4 version A and B, series 6 version C and E, Waukesha

SRS 4-Stroke-Oils For Motorbikes

Product Name	SAE-	Service Discription		Recommendations / Approvals
	Grade	ACEA	API	
SRS Magnum 4T top	10W-40		SN JASO MA2	High performance 4-Stroke-motorcycle engine oil. Suitable for oil bath clutches

SRS Magnum 4T	20W-50	SG	4-Stroke motorcycle engine oil.
		JASO MA2	Suitable for oil bath clutches

SRS 2-Stroke Engine Oils

Product Name	Service Discription	Recommendations / Approvals
SRS Bitaktol KX	ISO-L-EGB / JASO FB / API TC	Two-cycle motor oil for blended- and separate lubrication, self-mixing.
SRS Bitaktol KS	ISO-L-EGD / JASO FD / API TC	Low smoke two-cycle motor oil, self-mixing. TISI
SRS Bitaktol KS plus	ISO-L-EGD / JASO FD / API TC	Fully synthetic heavy duty low smoke two-cycle motor oil, self-mixing also for fresh-oil automatic operation. TISI, Husqvarna Chainsaw, Piaggio, Rotax Snowmobile. -low smoke-

SRS Transmission Oil For Automatic Transmissions

Product Name	Service Discription	Recommendations / Approvals
SRS Wiolin ATF 2543 A	Type A Suffix A (TASA)	Hydraulic transmission oil for automatic- and manual transmissions as well as power steering. MB 236.2, DTFR 13C120, MAN 339 Type A, Allison C-3, Renk Doromat
SRS Wiolin ATF D	Dexron II D Ford Mercon	Automatic transmission fluid (ATF). General Motors Dexron II D, MB-Approval 236.1, DTFR 13C100, Approval MAN 339 Type V1, Z1 and L2, Voith H55.6335.XX, ZF Approval TE-ML 04D / 14A, Caterpillar TO-2, Allison C-4 / TES-228, Ford Pre-2005, Volvo CE 97340, ZF TE-ML 05L, 09, 11A, 21L
SRS Wiolin ATF III	Dexron III H Ford Mercon	Automatic transmission fluid (ATF). MB-Approval 236.1, DTFR 13C100, DTFR 13C170, Approval MAN 339 Type V1, Z1 and L1, Voith H55.6335.XX, ZF Appr. TE-ML 04D/14A, MAN 339 L2, MB 236.9, Volvo 97340 / 97341, Caterpillar TO-2, Allison C-4 / TES 389, ZF TE-ML 05L/ 09 / 21L, GM IID / IIE / IIIG, Chrysler +3
SRS Wiolin ATF III MV	JASO 1-A	Multifunctional Automatic Transmission Oil. DTFR 13C170, Approval MAN 339 Type V2 / Z2 / Z11, Voith H55.6336.XX, Voith-DIWA H59.633648, Approval ZF TE-ML 04D / 14B / 20B / 25B
SRS Wiolin ATF VI	Dexron VI Ford Mercon LV	High Performance Transmission Oil for stepped automatic transmissions and hydraulic steering systems. JASO M 315 1A-13, JASO M 315 1A-LV-13
SRS Wiolin Getriebefluid DCT	Double clutch transmission oil	High Performance Dual Clutch transmission fluid. VW TL 052 182 / TL 052 529, BMW DCTF-1/1+/2, Ferrari TF DCT-3, Renault DC4 (BOT 450) / DW5 / DW6, PSA 9734.S2, Mitsubishi Dia-Queen SSTF-I, Ford WSS-M2C 936 A / 218-A1 / F-DC, Volvo 1161838 / 1161839, Porsche 999.917.080.01, Fiat 9.55550-HE2, -MZ6
SRS Wiolin ATF CVT	CVT transmission oil	Multifunctional Automatic Transmission oil suitable for use in continuous variable transmissions (CVT). Toyota CVTF TC / FE, Nissan NS-1, NS-2, NS-2V, NS-3, N-CVT, Hyundai/KIA CVT-1, SP-III, Mitsubishi SP-III/CVTF-J1/J4/J4+, BMW Mini Cooper EZL799A Subaru iCVT/iCVT FG/ECVT/CVT, CVT II and CVT 3/High Torque CVT, MB 236.20, Daihatsu Ammix CVT DC/DFC/DFE, Honda HMMF ultra/HCF2/Z-1, OPEL/Vauxhall, VW TL 052 180 / 052 516, Suzuki CVTF TC/3320/4401/NS-2/CVT Green 1&2/1V

SRS Transmission Oil For Manual Transmission And Drive Shafts

Product Name	SAE-Grade	Service Discription API	Recommendations / Approvals
SRS Getriebefluid MGS 75W-90	75W-90	GL-4	Multi-purpose transmission oil.

SRS Violin ML 4	80W-85 80W-90 85W-90	GL-4		EP-multi-purpose transmission oils for supplying standard transmissions.
SRS Violin ML 4 plus	80W, 80W-90 85W-90	GL-4		EP-multi-purpose transmission oils for supplying standard transmissions. Approval MAN M 341 Type Z2, ZF Approval TE-ML 02B/16T/17A (SAE Grade 80W) ZF Approval TE-ML 02B/17A
SRS Violin Mehrzweck- Getriebeöl	80W-85 80W-90 85W-90 85W-140	GL-4		Multi-purpose transmission oils for standard transmissions, transaxle systems and conventionally stressed drive axles. DTFR 13B100, ZF TE-ML 16A / 17A / 19A, MIL-L-2105, Ford SQM-2C-9008-A
SRS Getriebefluid 5 L	75W-90	GL-4 plus		Fully synthetic standard transmission oil for VW/Audi passenger cars and other transaxle systems with longitudinally built in engines. VW 501 50
SRS Getriebefluid SBL 75W-90	75W-90	GL-4 and GL-5 MT-1		High-Performance Low-friction multi-purpose gear oil. MIL-PRF-2105 D/E, Approval MAN 341 Type Z2/GA1, MAN 342 Type M3, Scania STO 1:0/STO 1:1 G, ZF TE-ML 02B/05A/07A/12L/12N/16B/17B/19B/21A, Volvo Transmission Oil 97 312, Arvin Meritor O-94, Robert Bosch TE-ML 08, Mack GO-J, DAF, IVECO
SRS Getriebefluid SXL 75W-90	75W-90	GL-4 and GL-5 MT-1		Fully synthetic multi purpose gear oil. MIL-PRF-2105 D/E DTFR 12B140, MB-Approval 235.9, MAN 341 Type Z2, MAN 342 Type S1, Scania STO1:1G/STO 1:0/STO 2:0A FS, ZF TE-ML 02B/05A/12L/12N/16F/17B/19B/21A MAN 341 GA1, Volvo Transmission Oil 97 312, Mack GO-J, Arvin Meritor O-94, IVECO Eaton Transmission (Europe), Robert Bosch TE-ML 08, ZF TE-ML 07A, Renault, DAF
SRS Getriebefluid SML 80W-90	80W-90	GL-4 and GL-5 MT-1		Multi purpose gear oil. MIL-PRF-2105 D/E, MB-Approval 235.0H, DTFR 12B100, Approval MAN 341 Type Z2/GA1, MAN 342 Type M2, Scania STO 1:0, STO 1:1 G, ZF TE-ML 02B/05A/12L/12M/16B/17H/19B/21A, Robert Bosch TE-ML 08, IVECO, DAF, Volvo 97321, Mack GO-J, Arvin Meritor O-94, ZF TE-ML 07A, Ford M2C197-A
SRS Getriebefluid HGS 75W-90	75W-90	GL-5		Hypoid-transmission oil for drive axles. MAN 342 Type M1/M2, ZF TE-ML 05B/16B/17B/21A
SRS Violin HL 5	80W-90 85W-90 85W-140	GL-5		Transmission oils for very highly stressed hypoid-teethed drive axles. MIL-PRF.2105 D, Approval MAN 342 Type M1/M2, ZF TE-ML 05A/12S/16B /16C/17B/19B/21A
SRS Violin Hypoid-Getriebeöl	80W-85 80W-90 85W-90 85W-140	GL-5		Hypoid-transmission oils for heavy-duty drive axles in utility vehicles and passenger cars. MIL-PRF 2105 C/D, DTFR 12B100, MB-Approval 235.0H, MAN 342 Type M1, ZF TE-ML 16B/16C/16D/17B/19B/21A, Voith 132.00374400, Volvo 97310, Ford SQM-2C-9002-AA, Renault, DAF
SRS Violin HGAV 80W-90	80W-90	GL-5 MT-1		High-performance gear oil for highly loaded drive axles with hypoid gearing and large axle offset. MIL-PRF-2105 D/E, DTFR 12B110, MAN M 342 Type M3, Scania STO 1:0, ZF TE-ML 05A/12L/12M/16B/17B/19B/21A, Robert Bosch TE-ML 08, Arvin Meritor O-76-D, DAF, IVECO, Mack GO-J, ZF 07A
SRS Violin RSH plus 80W-90	80W-90	GL-5 / LS		High performance-hypoid transmission oil for drive axles with or without self-locking differential gears. MIL-L-2105 D, ZF TE-ML 05N/21N, Volvo 97321, JDM J 11 F, ZF 05C
SRS Violin RSH	85W-90	GL-5 / LS		Special hypoid transmission oil for drive axles with limited-slip differential. MIL-L-2105 B/C/D, ZF TE-ML 05C/16E/21C, Ford M2C-104 A Performance
SRS Violin HL 5 LS	90	GL-5 / LS		Hypoid transmission oil for drive axles with limited slip differential.