SRS ViVA 1 special F plus

Special High Performance Low Friction Engine Oil



November 2024

Characteristics

SRS ViVA 1 special F plus is a modern high performance low friction 5W-30 engine oil based on synthetic technology.

Excellent low temperature flow characteristics protect optimal the engine during the cold starting. Extreme loads and high temperatures are safely handled under all operating conditions. SRS ViVA 1 special F plus ensures very high wear protection and lower friction losses (HTHS < 3.5 mPa s). SRS ViVA 1 special F plus contributes through its high fuel economy and reduction of emissions to protect the environment. In addition, the use of SRS ViVA 1 special F plus prevents LSPI (Low Speed Pre-Ignition) and engine damages are avoided.

Application

SRS ViVA 1 special F plus is a top quality for Ford passenger car gasoline and diesel engines of the newest generation, where engine oils to Ford WSS-M2C913 C and D are required. SRS ViVA 1 special F plus is backwards compatible to Ford WSS-M2C913 A and B.

Specification

- SAE Grade 5W-30
- ACEA A5/B5
- API SP

Approvals

- VW-Norm VWC 53036
- Ford WSS-M2C913-D
- Jaguar Land Rover STJLR.03.5003

Recommendations

- Ford WSS-M2C913-C
- Renault RN 0700

SRS ViVA 1 special F plus is a product of the H&R ChemPharm GmbH.

Typical Data		Test Method	SRS ViVA 1 special F plus
SAE Grade		SAE J 300	5W-30
Density at 15°C	g/cm³	DIN 51 757	0.848
Dyn. Viscosity at -30°C (CCS)	mPa s	ASTM D 5293	3,650
Kin. Viscosity at 40°C	mm²/s	DIN EN ISO 3104	53.8
Kin. Viscosity at 100°C	mm²/s	DIN EN ISO 3104	9.81
Viscosity Index (VI)		DIN ISO 2909	170
Flash Point COC	°C	DIN EN ISO 2592	234
Pour Point	°C	DIN EN ISO 3016	- 39

The above values may vary within the commercial limits.



