

SRS Violin 410



Power Transmission Oil

September 2025

Characteristics

SRS Violin 410 is special power transmission oil for agricultural equipment and construction engines.

SRS Violin 410 fulfils the increased requirements of Caterpillar TO-4 specification and is suitable for use in transmissions, final drives, hydraulic systems, wet brakes and clutches requiring Caterpillar TO-4.

Application

SRS Violin 410 guarantees highest wear protection in different transmissions as lateral drives and differentials, optimises the friction coefficient in power shift gear boxes, wet brakes and clutches and maximizes the lifetime of engines and equipment.

The manufacturer's operating instructions must be observed.

Performance / Specifications

- SAE Grade 10W
- API GL-4
- API CF

Approvals / Recommendations

- ZF Approval Number ZF001931
ZF TE-ML 03C
- Caterpillar TO-4
- Caterpillar TO-2
- Allison C-4
- DANA-OHTM-TO-10W
- Komatsu KES 07.868.1
- Sperry Vickers / Eaton M2950S
- Sperry Vickers / Eaton I-286-S

SRS Violin 410 is a product of the H&R ChemPharm GmbH.

Typical Data	Test Method	SRS Violin 410
SAE Grade	SAE J 306	10W
Density at 15°C	DIN EN ISO 12185	0,872
Dyn. Viscosity -35°C	ASTM D 5293	79.400
Kin. Viscosity at 40°C	DIN EN ISO 3104	36,8
Kin. Viscosity at 100°C	DIN EN ISO 3104	6,26
Viscosity Index (VI)	DIN ISO 2909	119
Flash Point COC	DIN EN ISO 2592	228
Pour Point	ASTM D 2896	-33

The above values may vary within the commercial limits.

Made in Germany