

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 1 of 13

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

SRS Getriebefluid 5 L

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

gear oil

**Uses advised against**

none

**1.3. Details of the supplier of the safety data sheet**

Company name: SRS Schmierstoff Vertrieb GmbH  
Street: Neuenkirchener Straße 8  
Place: D-48497 Salzbergen  
Telephone: 05976 - 945-0  
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de  
**1.4. Emergency telephone number:** Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

**2.2. Label elements****Regulation (EC) No 1272/2008****Special labelling**

EUH208 Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched). May produce an allergic reaction.  
EUH210 Safety data sheet available on request.

**2.3. Other hazards**

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.  
For information or further instructions, see also section 11 or 12.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Relevant ingredients**

| CAS No     | Chemical name                                                                                                                                 |          |                  | Quantity    |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------|-------------|
|            | EC No                                                                                                                                         | Index No | REACH No         |             |
|            | Classification (Regulation (EC) No 1272/2008)                                                                                                 |          |                  |             |
|            | Mineral Oil* (64742-54-7, 64742-65-0, 64742-55-8, 64742-56-9)                                                                                 |          |                  | 1 - < 3 %   |
|            | Asp. Tox. 1; H304                                                                                                                             |          |                  |             |
| 68937-96-2 | Polysulfides, di-tert-Bu                                                                                                                      |          |                  | 1 - < 3 %   |
|            | 273-103-3                                                                                                                                     |          | 01-2119540515-43 |             |
|            | Skin Sens. 1B, Aquatic Chronic 3; H317 H412                                                                                                   |          |                  |             |
|            | Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) |          |                  | 0.5 - < 1 % |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 2 of 13

|  |                                                                                  |  |                  |  |
|--|----------------------------------------------------------------------------------|--|------------------|--|
|  | 931-384-6                                                                        |  | 01-2119493620-38 |  |
|  | Acute Tox. 4, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H302 H319 H317 H411 |  |                  |  |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No     | Chemical name                                                                                                                                 | Quantity    |
|------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------|
|            |           | Specific Conc. Limits, M-factors and ATE                                                                                                      |             |
| 68937-96-2 | 273-103-3 | Polysulfides, di-tert-Bu                                                                                                                      | 1 - < 3 %   |
|            |           | dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Skin Sens. 1B; H317: >= 46 - 100                                                         |             |
|            | 931-384-6 | Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) | 0.5 - < 1 % |
|            |           | oral: LD50 = > 2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100 Skin Sens. 1; H317: >= 9,39 - 100                                                   |             |

**Further Information**

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

The mineral oil contained can be described by one or more of the following numbers.

EC No.: 265-157-1, 265-169-7, 265-158-7, 265-159-2

REACH No.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After inhalation**

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**

If swallowed or in the event of vomiting, risk of entering the lungs.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 3 of 13

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sulphur dioxide (SO<sub>2</sub>).Nitrogen oxides (NO<sub>x</sub>). Phosphorus oxides.**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

**For non-emergency personnel**

Wear personal protection equipment (refer to section 8).

**For emergency responders**

No special precautionary measures are necessary.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

**6.3. Methods and material for containment and cleaning up****For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**6.4. Reference to other sections**

No information available.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Wear suitable protective clothing. ( See section 8. )

Avoid formation of oil dust.

**Advice on protection against fire and explosion**

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

**Advice on general occupational hygiene**

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

**Further information on handling**

Do not breathe vapour/aerosol.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 4 of 13

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

**Hints on joint storage**

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances

**Further information on storage conditions**

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

**7.3. Specific end use(s)**

See section 1.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****DNEL/DMEL values**

| CAS No                   | Name of agent                                                                                                                                 |                |          |                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------|-------------------|
| DNEL type                |                                                                                                                                               | Exposure route | Effect   | Value             |
|                          | Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) |                |          |                   |
| Worker DNEL, long-term   |                                                                                                                                               | inhalation     | systemic | 4,28 mg/m³        |
| Worker DNEL, long-term   |                                                                                                                                               | dermal         | systemic | 12,5 mg/kg bw/day |
| Consumer DNEL, long-term |                                                                                                                                               | inhalation     | systemic | 1,09 mg/m³        |
| Consumer DNEL, long-term |                                                                                                                                               | dermal         | systemic | 6,25 mg/kg bw/day |
| Consumer DNEL, acute     |                                                                                                                                               | dermal         | local    | 0.024 mg/cm²      |
| Consumer DNEL, long-term |                                                                                                                                               | oral           | systemic | 0,25 mg/kg bw/day |

**PNEC values**

| CAS No                                          | Name of agent                                                                                                                                 |  |
|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Environmental compartment                       | Value                                                                                                                                         |  |
|                                                 | Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) |  |
| Freshwater                                      | 0,0024 mg/l                                                                                                                                   |  |
| Freshwater (intermittent releases)              | 0,15 mg/l                                                                                                                                     |  |
| Marine water                                    | 0,00024 mg/l                                                                                                                                  |  |
| Freshwater sediment                             | 0,0129 mg/kg                                                                                                                                  |  |
| Marine sediment                                 | 0,00129 mg/kg                                                                                                                                 |  |
| Secondary poisoning                             | 10 mg/kg                                                                                                                                      |  |
| Microorganisms in sewage treatment plants (STP) | 24,33 mg/l                                                                                                                                    |  |
| Soil                                            | 0,00117 mg/kg                                                                                                                                 |  |

**Additional advice on limit values**

Air limit values:

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Getriebefluid 5 L

Revision: 13.07.2026

Page 5 of 13

Possibility of exposure to Aerosol (Mineral oil )  
Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH  
Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits  
TLV: Threshold Limiting Value  
TWA: time weighted average  
ACGIH: American Conference of Governmental Industrial Hygienists

#### 8.2. Exposure controls



##### Appropriate engineering controls

Provide adequate ventilation.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

##### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

##### Skin protection

Oil-resistant and hardly inflammable protective clothing.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- aerosol or mist formation
- Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

##### Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

##### Environmental exposure controls

No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                 |                |
|-----------------|----------------|
| Physical state: | liquid         |
| Colour:         | green          |
| Odour:          | characteristic |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 6 of 13

**Test method**

|                                                            |                             |
|------------------------------------------------------------|-----------------------------|
| Melting point/freezing point:                              | No information available.   |
| Boiling point or initial boiling point and boiling range:  | No information available.   |
| Flammability:                                              | No information available.   |
| Lower explosion limits:                                    | No information available.   |
| Upper explosion limits:                                    | No information available.   |
| Flash point:                                               | 212 °C COC                  |
| Auto-ignition temperature:                                 | No information available.   |
| Decomposition temperature:                                 | No information available.   |
| pH-Value:                                                  | No information available.   |
| Viscosity / kinematic:<br>(at 40 °C)                       | 91,19 mm²/s DIN EN ISO 3104 |
| Water solubility:                                          | practically insoluble       |
| Solubility in other solvents:<br>No information available. |                             |
| Partition coefficient n-octanol/water:                     | No information available.   |
| Vapour pressure:<br>(at 20 °C)                             | <0,01 hPa calculated.       |
| Vapour pressure:<br>(at 50 °C)                             | No information available.   |
| Density (at 15 °C):                                        | 0,8487 g/cm³ DIN 51757      |
| Bulk density:                                              | No information available.   |
| Relative vapour density:                                   | No information available.   |
| Particle characteristics:                                  | No information available.   |

**9.2. Other information****Information with regard to physical hazard classes**

## Explosive properties

none

## Sustained combustibility:

No data available

## Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

## Oxidizing properties

none

**Other safety characteristics**

## Evaporation rate:

No information available.

## Solvent separation test:

No information available.

## Solvent content:

No information available.

## Solid content:

No information available.

## Sublimation point:

No information available.

## Softening point:

No information available.

## Pour point:

&lt; -63 °C

## Viscosity / dynamic:

No information available.

## Flow time:

No information available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 7 of 13

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.  
Refer to chapter 10.5.

**10.4. Conditions to avoid**

No information available.

**10.5. Incompatible materials**

Oxidising agent, strong

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name                                                                                                                                 |                   |         |              |                    |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|--------------|--------------------|
|            | Exposure route                                                                                                                                | Dose              | Species | Source       | Method             |
| 68937-96-2 | Polysulfides, di-tert-Bu                                                                                                                      |                   |         |              |                    |
|            | oral                                                                                                                                          | LD50 >2000 mg/kg  | Rat     | ECHA Dossier |                    |
|            | dermal                                                                                                                                        | LD50 >2000 mg/kg  | Rat     | ECHA Dossier |                    |
|            | Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) |                   |         |              |                    |
|            | oral                                                                                                                                          | LD50 > 2000 mg/kg | Rat     | ECHA Dossier | OECD Guideline 401 |

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.  
Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.  
Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched). May produce an allergic reaction.  
Polysulfides, di-tert-Bu:  
Respiratory or skin sensitisation: Specific concentration limit (SCL) Skin Sens. 1 > 46%

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.  
Polysulfides, di-tert-Bu:  
In vitro mutagenicity/genotoxicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative  
Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 150 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat; Method:

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 8 of 13

OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEC  $\geq$  195 ppm; Literature information: REACH Dossier

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Wistar); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 150 mg/kg Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Wistar); Method: other guideline: Reproduction/developmental screening test. Result: NOAEL = 150 mg/kg; Literature information: REACH Dossier

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

Polysulfides, di-tert-Bu:

Subacute oral toxicity:

Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Species: Rat

Results: NOAEL = 100 mg/kg; Literature information: REACH Dossier

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

Subacute oral toxicity: Method: -; Species: Rat; Results: NOAEL = 150 mg/kg; Literature information: REACH Dossier

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Endocrine disrupting properties**

Based on available data, the classification criteria are not met.

This product does not contain a substance ( $> 0,1\%$ ) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other information**

Frequent contact specially if dried out may cause skin and eye irritations.

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

| CAS No     | Chemical name                                                                                                                                 |                         |           |                                 |              |                    |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----------|---------------------------------|--------------|--------------------|
|            | Aquatic toxicity                                                                                                                              | Dose                    | [h]   [d] | Species                         | Source       | Method             |
| 68937-96-2 | Polysulfides, di-tert-Bu                                                                                                                      |                         |           |                                 |              |                    |
|            | Acute algae toxicity                                                                                                                          | ErC50 > 100 (EL50) mg/l | 72 h      | Pseudokirchneriella subcapitata | ECHA Dossier | OECD Guideline 201 |
|            | Acute crustacea toxicity                                                                                                                      | EC50 63 mg/l            | 48 h      | Daphnia magna                   | ECHA Dossier | OECD Guideline 202 |
|            | Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) |                         |           |                                 |              |                    |
|            | Acute fish toxicity                                                                                                                           | LC50 ca. 8,5 mg/l       | 96 h      | Oncorhynchus mykiss             | ECHA Dossier | OECD Guideline 203 |
|            | Acute algae toxicity                                                                                                                          | ErC50 6,4 mg/l          | 96 h      | Raphidocelis subcapitata        | ECHA Dossier | OECD Guideline 201 |



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 9 of 13

|  |                          |               |          |      |                            |              |                    |
|--|--------------------------|---------------|----------|------|----------------------------|--------------|--------------------|
|  | Acute crustacea toxicity | EL50 mg/l     | ca. 91,4 | 48 h | Daphnia magna              | ECHA Dossier | OECD Guideline 202 |
|  | Acute bacteria toxicity  | EC50 mg/l ( ) | ca. 2433 | 3 h  | activated sludge, domestic | ECHA Dossier | OECD Guideline 209 |

**12.2. Persistence and degradability**

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

| CAS No     | Chemical name                                                                                                                                 |       |    |              |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------|----|--------------|
|            | Method                                                                                                                                        | Value | d  | Source       |
|            | Evaluation                                                                                                                                    |       |    |              |
| 68937-96-2 | Polysulfides, di-tert-Bu                                                                                                                      |       |    |              |
|            | OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C                                                                                               | 13%   | 28 | ECHA Dossier |
|            | Not easily bio-degradable (according to OECD-criteria).                                                                                       |       |    |              |
|            | Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) |       |    |              |
|            | ASTM D-5864-95                                                                                                                                | 3,6%  | 28 | ECHA Dossier |
|            | not readily degradable                                                                                                                        |       |    |              |

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**Partition coefficient n-octanol/water**

| CAS No     | Chemical name                                                                                                                                 | Log Pow |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 68937-96-2 | Polysulfides, di-tert-Bu                                                                                                                      | 5,6     |
|            | Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) | < 0,3   |

**BCF**

| CAS No     | Chemical name                                                                                                                                 | BCF   | Species              | Source       |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------|--------------|
| 68937-96-2 | Polysulfides, di-tert-Bu                                                                                                                      | 0,006 | Lepomis macrochirus  | ECHA Dossier |
|            | Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) | 436   | Onchorhynchus mykiss | ECHA Dossier |

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

Based on available data, the classification criteria are not met.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

**12.6. Endocrine disrupting properties**

Based on available data, the classification criteria are not met.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

**12.7. Other adverse effects**

No information available.

**Further information**

Ozone depletion potential (ODP): No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 10 of 13

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**Inland waterways transport (ADN)**

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**Marine transport (IMDG)**

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**Air transport (ICAO-TI/IATA-DGR)**

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Informations for safe handling see chapter 7.  
Informations for personal protective equipment see chapter 8.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 11 of 13

**Entry 75**

Directive 2010/75/EU on industrial emissions:

No information available.

Directive 2004/42/EC on VOC in paints and varnishes:

No information available.

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 75

Observe in addition any national regulations!

**National regulatory information**

Water hazard class (D):

1 - slightly hazardous to water

**Additional information**

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment  
not applicable.**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 16.

Rev.: 1,0 - 13.04.2015

Rev.: 1,01 - 29.04.2015

Rev.: 1,1 - 11.05.2016

Rev.: 2,0 - 22.05.2017

Rev.: 3,0 - 21.06.2017

Rev.: 4,0 - 29.06.2018

Rev.: 5,0 - 25.06.2019

Rev.: 6,0 - 29.06.2020; Changes in chapter: 2.2, 3.2, 11.1, 16

Rev.: 7,0 - 05.02.2021; Changes in chapter: 3.2, 9.1, 16

Rev.: 8,0 - 04.02.2022, Changes in chapter: 2.3, 3.2, 6.1, 6.3, 8.1, 8.2, 11.1, 11.2, 12.1, 12.2, 12.3, 12.5, 12.6, 12.7, 15.1, 16

Rev.: 8.1 - 29.07.2022; Changes in chapter: 2.3, 3.2, 8.1, 8.2, 12.1, 12.3, 12.5, 12.6, 16

Rev.: 9.0 - 01.07.2023, Changes in chapter: 9.1, 12.7, 15.1, 16

Rev.: 10.0 - 10.07.2024, Changes in chapter: 11.7, 12.1, 15.1, 16

Rev.: 11.0 - 23.07.2025, Changes in chapter: 15.1, 16

Rev.: 12.0 - 13.07.2026, Changes in chapter: 16

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 12 of 13

**Abbreviations and acronyms**

Acute Tox. 4: Acute toxicity, hazard category 4  
Asp. Tox. 1: Aspiration hazard, hazard category 1  
Eye Irrit. 2: Eye irritation, hazard category 2  
Skin Sens. 1: Skin sensitisation, hazard category 1  
Skin Sens. 1B: Skin sensitisation, hazard category 1B  
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2  
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
CAS: Chemical Abstracts Service  
CLP: Classification, Labelling and Packaging of substances and mixtures  
d: day(s)  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
EINECS: European INventory of Existing Commercial chemical Substances  
ELINCS: European List of Notified Chemical Substances  
ECHA: European Chemicals Agency  
EWC: European Waste Catalogue  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
h: hour  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect concentration  
NLP: No-Longer Polymers  
NTP: National Toxicology Program  
N/A: not applicable  
OECD: Organisation for Economic Co-operation and Development  
PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
PMT: Persistent, mobile and toxic  
REACH: Registration, Evaluation, Authorisation of Chemicals  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
SVHC: substance of very high concern  
TRGS: Technische Regeln für Gefahrstoffe  
UN: United Nations  
TSCA: Toxic Substances Control Act  
vPvM: very persistent and very mobile  
vPvB: very persistent and very bioaccumulative  
VOC: Volatile Organic Compounds  
WGK: Water Hazard Class (Germany)

**Key literature references and sources for data**

<https://echa.europa.eu/>  
<https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp>

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Getriebefluid 5 L**

Revision: 13.07.2026

Page 13 of 13

<https://cfpub.epa.gov/ecotox/search.cfm>  
<http://www.inchem.org/#/search>  
<https://pubchem.ncbi.nlm.nih.gov/>  
<http://ccinfoweb.ccohs.ca/rtecs/search.html>  
<https://webigoletto.uba.de/rigoletto/>

**Relevant H and EUH statements (number and full text)**

|        |                                                                                                                                                                                           |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| H302   | Harmful if swallowed.                                                                                                                                                                     |
| H304   | May be fatal if swallowed and enters airways.                                                                                                                                             |
| H317   | May cause an allergic skin reaction.                                                                                                                                                      |
| H319   | Causes serious eye irritation.                                                                                                                                                            |
| H411   | Toxic to aquatic life with long lasting effects.                                                                                                                                          |
| H412   | Harmful to aquatic life with long lasting effects.                                                                                                                                        |
| EUH208 | Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request.                                                                                                                                                   |

**Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*