

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Mihagrun 40

Revision: 16.02.2026

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

SRS Mihagrun 40

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

engine oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH
Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

ED HH 1; EUH380
ED ENV 1; EUH430

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Signal word:** Danger**Precautionary statements**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P263 Avoid contact during pregnancy and while nursing.
P273 Avoid release to the environment.
P280 Wear protective gloves.
P501 Dispose of contents/container to local/regional/national/international regulations.

Special labelling

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.
EUH380 May cause endocrine disruption in humans.
EUH430 May cause endocrine disruption in the environment.

2.3. Other hazards

Endocrine disrupting properties: phenol, dodecyl-, branched.
phenol, dodecyl-, branched: This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.
For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Mihagrün 40

Revision: 16.02.2026

Page 2 of 15

Chemical characterization

Mineral oil + Additive

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|-------------|--|--------------|------------------|---------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 68855-45-8 | Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | | | 1 - < 3 % |
| | 701-249-4 | | 01-2119524018-47 | |
| | Aquatic Chronic 4; H413 | | | |
| 125643-61-0 | reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | | | 1 - < 3 % |
| | 406-040-9 | 607-530-00-7 | 01-0000015551-76 | |
| | Aquatic Chronic 4; H413 | | | |
| 722503-68-6 | Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts | | | 0.5 - < 1 % |
| | 682-816-2 | | | |
| | Skin Sens. 1B; H317 | | | |
| 121158-58-5 | phenol, dodecyl-, branched | | | 0.2 - < 0.3 % |
| | 310-154-3 | 604-092-00-9 | 01-2119513207-49 | |
| | Repr. 1B, Skin Corr. 1C, Eye Dam. 1, ED HH 1, Aquatic Acute 1, Aquatic Chronic 1, ED ENV 1; H360F H314 H318 EUH380 H400 H410 EUH430 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-------------|--|--|---------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 68855-45-8 | 701-249-4 | Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | 1 - < 3 % |
| | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg | | |
| 125643-61-0 | 406-040-9 | reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | 1 - < 3 % |
| | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg | | |
| 722503-68-6 | 682-816-2 | Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts | 0.5 - < 1 % |
| | Skin Sens. 1B; H317: >= 2 - 100 | | |
| 121158-58-5 | 310-154-3 | phenol, dodecyl-, branched | 0.2 - < 0.3 % |
| | dermal: LD50 = 15000 mg/kg; oral: LD50 = 2100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10 | | |

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Mihagrün 40

Revision: 16.02.2026

Page 3 of 15

symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO₂) Sulphur dioxide (SO₂) Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid contact with skin, eyes and clothes.
Avoid formation of oil dust.
Ventilate affected area.
Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Mihagrün 40

Revision: 16.02.2026

Page 4 of 15

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Wear suitable protective clothing. (See section 8.) Avoid contact with skin, eyes and clothes.
Avoid formation of oil dust.
Do not breathe aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.
Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.
Do not put any product-impregnated cleaning rags into your trouser pockets.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before reuse.
When using do not eat, drink or smoke.

Further information on handling

Do not breathe vapour/aerosol.
Avoid contact with eyes and skin.
General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****DNEL/DMEL values**

| CAS No | Name of agent | Exposure route | Effect | Value |
|------------------------|--|----------------|----------|-----------------------|
| 68855-45-8 | Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | | | |
| Worker DNEL, long-term | | inhalation | systemic | 3,5 mg/m ³ |



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Mihagrun 40

Revision: 16.02.2026

Page 5 of 15

| | | | |
|--------------------------|---|----------|-------------------------|
| Worker DNEL, acute | inhalation | systemic | 133,6 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 0,5 mg/kg bw/day |
| Worker DNEL, acute | dermal | systemic | 40 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | 0,87 mg/m ³ |
| Consumer DNEL, acute | inhalation | systemic | 66,8 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 0,25 mg/kg bw/day |
| Consumer DNEL, acute | dermal | systemic | 20 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 0,25 mg/kg bw/day |
| Consumer DNEL, acute | oral | systemic | 50 mg/kg bw/day |
| 125643-61-0 | reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | | |
| Worker DNEL, long-term | inhalation | systemic | 6,6 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 1,67 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | 1,62 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 0,83 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 0,93 mg/kg bw/day |
| 121158-58-5 | phenol, dodecyl-, branched | | |
| Worker DNEL, acute | inhalation | systemic | 44,18 mg/m ³ |
| Worker DNEL, acute | dermal | systemic | 166 mg/kg bw/day |
| Consumer DNEL, acute | inhalation | systemic | 13,26 mg/m ³ |
| Consumer DNEL, acute | dermal | systemic | 50 mg/kg bw/day |
| Consumer DNEL, acute | oral | systemic | 1,26 mg/kg bw/day |
| Worker DNEL, long-term | inhalation | systemic | 1.762 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 0,25 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | 0,79 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 0,075 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 0,075 mg/kg bw/day |

PNEC values

| CAS No | Name of agent | Value |
|------------------------------------|--|-------------|
| Environmental compartment | | |
| 68855-45-8 | Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | |
| Freshwater | | 1 mg/l |
| Freshwater (intermittent releases) | | 10 mg/l |
| Marine water | | 0,1 mg/l |
| Freshwater sediment | | 87100 mg/kg |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Mihagrün 40

Revision: 16.02.2026

Page 6 of 15

| | |
|--|---|
| Marine sediment | 8710 mg/kg |
| Secondary poisoning | 20 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | 100 mg/l |
| Soil | 17500 mg/kg |
| 125643-61-0 | reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate |
| Freshwater | 0,018 mg/l |
| Marine water | 0,002 mg/kg |
| Freshwater sediment | 2 mg/kg |
| Marine sediment | 0,2 mg/kg |
| Secondary poisoning | 41,33 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | 100 mg/l |
| Soil | 10 mg/kg |
| 121158-58-5 | phenol, dodecyl-, branched |
| Freshwater | 0,000074 mg/l |
| Freshwater (intermittent releases) | 0,00037 mg/l |
| Marine water | 0,000007 mg/l |
| Freshwater sediment | 0,226 mg/kg |
| Marine sediment | 0,027 mg/kg |
| Secondary poisoning | 4 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | 100 mg/l |
| Soil | 0,118 mg/kg |

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil)

Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH

Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits

TLV: Threshold Limiting Value

TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Mihagrün 40

Revision: 16.02.2026

Page 7 of 15

mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|-----------------|----------------|
| Physical state: | liquid |
| Colour: | clear |
| Odour: | characteristic |

| | Test method |
|---|--|
| Melting point/freezing point: | No information available. |
| Boiling point or initial boiling point and boiling range: | No information available. |
| Flammability: | No information available. |
| Lower explosion limits: | No information available. |
| Upper explosion limits: | No information available. |
| Flash point: | 272 °C ISO 2592 |
| Auto-ignition temperature: | No information available. |
| Decomposition temperature: | No information available. |
| pH-Value: | No information available. |
| Viscosity / kinematic: (at 40 °C) | 132,2 mm ² /s DIN EN ISO 3104 |
| Water solubility: | Immiscible |
| Solubility in other solvents | |
| No information available. | |
| Partition coefficient n-octanol/water: | No information available. |
| Vapour pressure: (at 20 °C) | No information available. |
| Vapour pressure: (at 50 °C) | No information available. |
| Density (at 15 °C): | 0,8899 g/cm ³ DIN 51757 |
| Bulk density: | No information available. |
| Relative vapour density: | No information available. |
| Particle characteristics: | No information available. |

9.2. Other information**Information with regard to physical hazard classes**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Mihagrün 40

Revision: 16.02.2026

Page 8 of 15

Explosive properties

none

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

Oxidizing properties

none

Other safety characteristics**Evaporation rate:**

No information available.

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

No information available.

Sublimation point:

No information available.

Softening point:

No information available.

Pour point:

-21 °C

Viscosity / dynamic:

No information available.

Flow time:

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|------------|--|------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 68855-45-8 | Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | | | | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Mihagrun 40

Revision: 16.02.2026

Page 9 of 15

| | | | | | |
|-------------|---|----------------------|--------|--------------|--------------------|
| | oral | LD50 > 5000 mg/kg | Rat | ECHA Dossier | OECD Guideline 401 |
| | dermal | LD50 > 2000 mg/kg | Rat | ECHA Dossier | OECD Guideline 402 |
| 125643-61-0 | reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | | | | |
| | oral | LD50 > 2000 mg/kg | Rat | ECHA Dossier | OECD 401 |
| | dermal | LD50 > 2000 mg/kg | Rat | ECHA Dossier | OECD 402 |
| 121158-58-5 | phenol, dodecyl-, branched | | | | |
| | oral | LD50 2100 mg/kg | Rat | ECHA Dossier | OECD 401 |
| | dermal | LD50 15000 mg/kg | Rabbit | ECHA Dossier | OECD 402 |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

phenol, dodecyl-, branched:

Subchronic oral toxicity: Exposure time: 90d. Method: OECD Guideline 408 ; Species: Rat; Results: NOAEL

= 100 mg/kg. Subacute oral toxicity: Exposure time: 28d. Method: OECD Guideline 407 ; Species: Rat ;

Results: NOAEL = 60 mg/kg. Literature information: REACH Dossier

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: negative

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rabbit

Results: NOAEL = 40 mg/kg (Maternal toxicity)

Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate:

Subchronic oral toxicity:

Method: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))

Species: Rat

Exposure duration: 28 d

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Mihagrun 40

Revision: 16.02.2026

Page 10 of 15

Result: NOEL = 15 mg/kg bw/day

phenol, dodecyl-, branched:

Subchronic oral toxicity: Exposure time: 90d. Method: OECD Guideline 408 ; Species: Rat; Results: NOAEL = 100 mg/kg. Subacute oral toxicity: Exposure time: 28d. Method: OECD Guideline 407 ; Species: Rat ; Results: NOAEL = 60 mg/kg. Literature information: REACH Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment. Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment on the basis of test data, expert judgement or analogy assessments.

| CAS No | Chemical name | | | | | |
|-------------|--|----------------------|-----------|---------------------------------|--------------|--------------------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 68855-45-8 | Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | | | | | |
| | Acute algae toxicity | ErC50 > 1000 mg/l | 96 h | Pseudokirchneriella subcapitata | ECHA Dossier | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 > 1000 mg/l | 48 h | Daphnia magna | ECHA Dossier | OECD Guideline 202 |
| 125643-61-0 | reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | | | | | |
| | Acute fish toxicity | LC50 >100 mg/l | 96 h | Brachydanio rerio | ECHA Dossier | OECD 203 |
| | Acute crustacea toxicity | EC50 >100 mg/l | 48 h | Daphnia magna | ECHA Dossier | OECD 202 |
| 121158-58-5 | phenol, dodecyl-, branched | | | | | |
| | Acute fish toxicity | LC50 EL 50 = 40 mg/l | 96 h | Pimephales promelas | ECHA Dossier | |
| | Acute algae toxicity | ErC50 (0,36) mg/l | 72 h | Desmodesmus subspicatus | ECHA Dossier | |
| | Crustacea toxicity | NOEC 0,0037 mg/l | 21 d | daphnia magna | ECHA Dossier | OECD 211 |

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

| CAS No | Chemical name | | | |
|--------|---------------|-------|---|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Mihagrun 40

Revision: 16.02.2026

Page 11 of 15

| | | | | |
|-------------|--|--------------|----|--------------|
| 68855-45-8 | Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | | | |
| | EU Method C.4-C | 4.7 - 10.8 % | 28 | ECHA Dossier |
| | Not easily bio-degradable (according to OECD-criteria). | | | |
| 125643-61-0 | reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | | | |
| | OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C | 4 % | 28 | ECHA Dossier |
| | Not easily bio-degradable (according to OECD-criteria). | | | |
| 121158-58-5 | phenol, dodecyl-, branched | | | |
| | OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C | 25% | 28 | ECHA Dossier |
| | Not easily bio-degradable (according to OECD-criteria). | | | |

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-------------|--|---------|
| 68855-45-8 | Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | 10,1 |
| 125643-61-0 | reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | 9,2 |
| 121158-58-5 | phenol, dodecyl-, branched | 7,1 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|-------------|--|-----|---------------------|--------------|
| 68855-45-8 | Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | 289 | Oncorhynchus mykiss | ECHA Dossier |
| 121158-58-5 | phenol, dodecyl-, branched | 2,9 | | |

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.
The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Mihagrun 40

Revision: 16.02.2026

Page 12 of 15

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Authorisations (REACH, annex XIV):

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Mihagrün 40

Revision: 16.02.2026

Page 13 of 15

Substances of very high concern, SVHC (REACH, article 59):

phenol, dodecyl-, branched

Restrictions on use (REACH, annex XVII):

Entry 30, Entry 75

Directive 2010/75/EU on industrial emissions:

No information available.

Directive 2004/42/EC on VOC in paints and varnishes:

No information available.

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

REACH 1907/2006 Appendix XVII, No (mixture): 3, 75

Observe in addition any national regulations!

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

1 - slightly hazardous to water

Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment
not applicable.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,4,6,7,9,11,12,14,15,16.

Rev. : 1,0 - 05.05.2015

Rev. : 1,1 - 17.05.2016

Rev. : 2,0 - 05.06.2017

Rev. : 3,0 - 29.06.2018

Rev.: 4,0 - 24.06.2019

Rev. : 5,00 - 25.06.2020; Changes in chapter: 2.2, 3.2, 11.1, 15.1, 16

Rev. : 6,00 - 09.10.2020; Changes in chapter: 2.2, 3.2, 8.1, 11.1, 12., 12.2, 12.3, 15.1, 16

Rev.: 7,00 - 14.10.2021, Changes in chapter: 2.2, 2.3, 3.2, 6.1, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.6, 12.7, 15.1, 16

Rev.: 8,00 - 27.09.2022, Changes in chapter: 2.2, 2.3, 3.2, 8.1, 9.1, 11.1, 12.1, 12.2, 12.3, 12.5, 12.6, 15.1, 16

Rev.: 9,00 - 08.09.2023, Changes in chapter: 2.3., 9.1, 12.5, 12.7, 16

Rev.: 10,0 - 11.09.2024, Changes in chapter: 8.1, 11.1, 16

Rev.: 11,0 - 15.09.2025, Changes in chapter: 15, 16

Rev.: 11,1 - 16.02.2026, Changes in chapter: 2.2, 3.2, 15.1, 16

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Mihagrün 40

Revision: 16.02.2026

Page 14 of 15

Abbreviations and acronyms

ED HH 1: Endocrine disruptor for human health, hazard category 1
Skin Corr. 1C: Skin corrosion, sub-category 1C
Eye Dam. 1: Serious eye damage, hazard category 1
Skin Sens. 1B: Skin sensitisation, hazard category 1B
Repr. 1B: Reproductive toxicity, hazard category 1B
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
Aquatic Chronic 4: Hazardous to the aquatic environment, long-term hazard category: Chronic 4
ED ENV 1: Endocrine disruptor for the environment, hazard category 1
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS: Chemical Abstracts Service
CLP: Classification, Labelling and Packaging of substances and mixtures
d: day(s)
DNEL: Derived No Effect Level
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
EINECS: European INventory of Existing Commercial chemical Substances
ELINCS: European List of Notified Chemical Substances
ECHA: European Chemicals Agency
EWC: European Waste Catalogue
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
h: hour
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect concentration
NLP: No-Longer Polymers
NTP: National Toxicology Program
N/A: not applicable
OECD: Organisation for Economic Co-operation and Development
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
PMT: Persistent, mobile and toxic
REACH: Registration, Evaluation, Authorisation of Chemicals
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SVHC: substance of very high concern
TRGS: Technische Regeln für Gefahrstoffe
UN: United Nations
TSCA: Toxic Substances Control Act
vPvM: very persistent and very mobile
vPvB: very persistent and very bioaccumulative
VOC: Volatile Organic Compounds
WGK: Water Hazard Class (Germany)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Mihagrün 40

Revision: 16.02.2026

Page 15 of 15

Key literature references and sources for data

<https://echa.europa.eu/>
<https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp>
<https://cfpub.epa.gov/ecotox/search.cfm>
<http://www.inchem.org/#/search>
<https://pubchem.ncbi.nlm.nih.gov/>
<http://ccinfoweb.ccohs.ca/rtecs/search.html>
<https://webrigoletto.uba.de/rigoletto/>

Relevant H and EUH statements (number and full text)

| | |
|--------|--|
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H360F | May damage fertility. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| EUH208 | Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction. |
| EUH380 | May cause endocrine disruption in humans. |
| EUH430 | May cause endocrine disruption in the environment. |

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)