

according to Regulation (EC) No 1907/2006

#### **SRS Wiolan CN 320**

Revision: 21.11.2025 Page 1 of 14

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SRS Wiolan CN 320

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

gear oil

#### Uses advised against

none

# 1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

**1.4. Emergency telephone** Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

# 2.2. Label elements

#### Regulation (EC) No 1272/2008

# Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione			0.1 - < 0.2 %
	947-263-6		01-2120761103-66	
	Repr. 2, Skin Irrit. 2, Aquatic Chronic 4; H361 H315 H413			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene		0.1 - < 0.2 %	
	270-128-1		01-2119491299-23	
	Repr. 2, Aquatic Chronic 3; H361f H412			

Full text of H and EUH statements: see section 16.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### SRS Wiolan CN 320

Revision: 21.11.2025 Page 2 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE		
		Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione	0.1 - < 0.2 %	
	oral: LD50 = > 2000 mg/kg			
68411-46-1	270-128-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0.1 - < 0.2 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

### Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

#### SRS Wiolan CN 320

Revision: 21.11.2025 Page 3 of 14

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

#### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

### For emergency responders

No special measures are necessary.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

No information available.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

# Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

#### Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

# Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

# Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

# Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

# 7.3. Specific end use(s)

See section 1.



according to Regulation (EC) No 1907/2006

# **SRS Wiolan CN 320**

Revision: 21.11.2025 Page 4 of 14

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# **DNEL/DMEL values**

CAS No	Name of agent	Name of agent			
DNEL type		Exposure route	Effect	Value	
	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione				
Worker DNEL	, long-term	inhalation	systemic	3,72 mg/m³	
Worker DNEL	, long-term	dermal	systemic	1,04 mg/kg bw/day	
Consumer DN	IEL, long-term	inhalation	systemic	1,1 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,625 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,625 mg/kg bw/day	
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trim	ethylpentene			
Consumer DN	EL, long-term	inhalation	systemic	0,08 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,22 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,05 mg/kg bw/day	
Worker DNEL, long-term		dermal	systemic	0,44 mg/kg bw/day	
Worker DNEL	, long-term	inhalation	systemic	0,31 mg/m³	

# PNEC values

CAS No	Name of agent	
Environmenta	compartment	Value
	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenepoly-, triethylenepoly-	ylenetetramine
Freshwater		0,496 mg/l
Freshwater (in	termittent releases)	4,96 mg/l
Marine water		0,05 mg/l
Freshwater se	diment	3772830,55 mg/kg
Marine sedim	ent	377283,06 mg/kg
Secondary po	isoning	5 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	100 mg/l
Soil		3935351,65 mg/kg
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	
Freshwater		0,034 mg/l
Marine water		0,003 mg/l
Freshwater sediment		0,446 mg/kg
Marine sediment		0,045 mg/kg
Secondary poisoning		0,8333 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		17,6 mg/kg



according to Regulation (EC) No 1907/2006

#### SRS Wiolan CN 320

Revision: 21.11.2025 Page 5 of 14

#### Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

#### 8.2. Exposure controls





# Appropriate engineering controls

Provide adequate ventilation.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

#### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Oil-resistant and hardly inflammable protective clothing.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

# **Environmental exposure controls**

No information available.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

**Test method** 



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **SRS Wiolan CN 320**

Revision: 21.11.2025 Page 6 of 14

Odour: characteristic

Melting point/freezing point:

No information available.

Boiling point or initial boiling point and

No information available.

boiling range:

Flammability: No information available.

Lower explosion limits: No information available.

Upper explosion limits: No information available.

Flash point: 290 °C DIN ISO 2592

Auto-ignition temperature:

Decomposition temperature:

PH-Value:

No information available.

No information available.

No information available.

Viscosity / kinematic: 322 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility: Immiscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No information available.

No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,8931 g/cm³ DIN 51757

Bulk density:

Relative vapour density:

No information available.

No information available.

No information available.

No information available.

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

none

Sustained combustibility:

No data available

Self-ignition temperature

Solid: No information available.
Gas: No information available.

Oxidizing properties

none

# Other safety characteristics

Evaporation rate:

Solvent separation test:

No information available.

Solvent content:

No information available.

No information available.

No information available.

No information available.

Sublimation point:

No information available.

No information available.

No information available.

Pour point: --9 °C ASTM D 5985

Viscosity / dynamic: No information available. Flow time: No information available.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No information available.

#### 10.2. Chemical stability



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### SRS Wiolan CN 320

Revision: 21.11.2025 Page 7 of 14

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

# 10.4. Conditions to avoid

No information available.

# 10.5. Incompatible materials

Oxidising agent, strong

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No information available.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
		Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione					
	oral	LD50 > 2000 mg/kg	Rat	ECHA Dossier	OECD Guideline 423		
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene						
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401		
	dermal	LD50 > 2000 mg/kg	Rat	ECHA Dossier	OECD Guideline 402		

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### SRS Wiolan CN 320

Revision: 21.11.2025 Page 8 of 14

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine

fraction and 3-(C9-C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione:

Developmental toxicity/teratogenicity/Reproductive toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction /

Developmental Toxicity Screening Test)

Species: Rat

Results: NOAEL = 250 ma/ka

Literature information: REACH Dossier

In-vitro mutagenicity:

Method:

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: negative

Literature information: REACH Dossier

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative

Literature information: REACH Dossier

Reproductive toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction/Developmental

Toxicity Screening Test)

Species: Rat

Exposure duration: male: 28 d, female: 53 d.

Results: NOAEL = 25 mg/kg

Literature information: REACH Dossier Developmental toxicity/teratogenicity: Method: other guideline: OECD 422

Species: Rat

Exposure duration: male: 28 d, female: 53 d.

Results: NOAEL = 25 mg/kg

Literature information: REACH Dossier

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure



according to Regulation (EC) No 1907/2006

#### SRS Wiolan CN 320

Revision: 21.11.2025 Page 9 of 14

Based on available data, the classification criteria are not met.

 $Reaction\ products\ of\ fatty\ acids,\ C16\text{-}18,\ C18\ unsatd.\ with\ Amines,\ polyethylenepoly-,\ triethylenete tramine$ 

fraction and 3-(C9-C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione:

Subacute oral toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction /

**Developmental Toxicity Screening Test)** 

Species: Rat

Results: NOAEL = 75 mg/kg

Literature information: REACH Dossier

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Subacute oral toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction/Developmental

Toxicity Screening Test)

Species: Rat

Exposure duration: male: 28 d, female: 53 d.

Results: NOAEL =25 mg/kg

Literature information: REACH Dossier

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

#### **Endocrine disrupting properties**

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# Other information

Frequent contact specially if dried out may cause skin and eye irritations.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
	Reaction products of fatty fraction and 3-(C9–C15, C					/-, triethylenetetramii	ne
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	370 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	activated sludge of a predominantly domestic sewag	ECHA Dossier	OECD Guideline 209
68411-46-1	Benzenamine, N-phenyl-,	reaction pro	oducts with 2	,4,4-trim	ethylpentene		
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202

# 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g.



according to Regulation (EC) No 1907/2006

#### SRS Wiolan CN 320

Revision: 21.11.2025 Page 10 of 14

#### mechanical separation.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione					
	OECD Guideline 301 D	10%	28	ECHA Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene					
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	0%	28	ECHA Dossie		
	Not readily biodegradable (according to OECD criteria)					

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Reaction products of fatty acids, C16-18, C18 unsatd. with Amines, polyethylenepoly-, triethylenetetramine fraction and 3-(C9–C15, C12 rich, alk-1-enyl)dihydro-2,5-furandione	> 1,1 - < 10
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	6,66

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	4176		ECHA Dossier

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### 12.7. Other adverse effects

No information available.

# **Further information**

Ozone depletion potential (ODP): No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste



according to Regulation (EC) No 1907/2006

#### SRS Wiolan CN 320

Revision: 21.11.2025 Page 11 of 14

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

Land transport	(ADR/RID)
----------------	-----------

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

# 14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial No information available.

emissions:

Directive 2004/42/EC on VOC in No information available.

paints and varnishes:

Information according to Directive Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

### **Additional information**

Revision No: 11 - Replaces version: 10

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 75

Observe in addition any national regulations!

### National regulatory information



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### SRS Wiolan CN 320

Revision: 21.11.2025 Page 12 of 14

Water hazard class (D):

1 - slightly hazardous to water

#### **Additional information**

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment not applicable.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 15,16.

Rev.: 1,0 - 07.05.2015 Rev.: 1,1 - 27.05.2016 Rev.: 2,0 - 15.06.2017 Rev.: 3,0 - 29.06.2018 Rev.: 4,0 - 28.06.2019

Rev.: 5,0 - 29.06.2020; Changes in chapter: 1.1, 16

Rev.: 6.0 - 11.09.2020; Changes in chapter: 2.2.3.2, 8.1, 8.2, 9.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16 Rev.: 7.0 - 01.09.2021; Changes in chapter: 3.2, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.7, 15.1, 16 Rev.: 8.0 - 21.11.2022, Changes in chapter: 2.3, 3.2, 8.1, 11.1, 12.1, 12.2, 12.3, 12.5, 12.6, 15.1, 16

Rev.: 9.0 - 13.11.2023, Changes in chapter: 9.1, 11.2, 12.1, 12.7, 16

Rev.: 10,0 - 04.11.2024, Changes in chapter: 12.1, 16 Rev.: 11.0 - 21.11.2025, Changes in chapter: 15.1, 16



according to Regulation (EC) No 1907/2006

### SRS Wiolan CN 320

Revision: 21.11.2025 Page 13 of 14

### Abbreviations and acronyms

Skin Irrit. 2: Skin irritation, hazard category 2

Repr. 2: Reproductive toxicity, hazard category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

d: day(s)

**DNEL: Derived No Effect Level** 

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

NTP: National Toxicology Program

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

PMT: Persistent, mobile and toxic

REACH: Registration, Evaluation, Authorisation of Chemicals

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

**UN: United Nations** 

TSCA: Toxic Substances Control Act vPvM: very persistent and very mobile

vPvB: very persistent and very bioaccumulative

VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

#### Key literature references and sources for data

https://echa.europa.eu/

https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

https://cfpub.epa.gov/ecotox/search.cfm

http://www.inchem.org/#/search https://pubchem.ncbi.nlm.nih.gov/

http://ccinfoweb.ccohs.ca/rtecs/search.html



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### SRS Wiolan CN 320

Revision: 21.11.2025 Page 14 of 14

https://webrigoletto.uba.de/rigoletto/

# Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H361 Suspected of damaging fertility or the unborn child.

H361f Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

EUH210 Safety data sheet available on request.

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)