

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Calibration Fluid CV

UFI: DDT3-HA6H-520A-YRRX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Quality control reagent
Industrial uses

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH
Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de
1.4. Emergency telephone number: Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

Further Information

Worldwide emergency information service: GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008


Skin Sens. 1; H317
Asp. Tox. 1; H304
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)
Distillates (petroleum), hydrotreated light, Kerosine - unspecified
Polysulfides, di-tert-dodecyl**Signal word:** Danger**Pictograms:**

Hazard statements

H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 2 of 17

P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to local/regional/national/international regulations.

Special labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Relevant ingredients**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)			85 - < 90 %
	920-360-0		01-2119448343-41	
	Asp. Tox. 1; H304 EUH066			
64742-47-8	Distillates (petroleum), hydrotreated light, Kerosine - unspecified			7 - < 10 %
	265-149-8	649-422-00-2	01-2119484819-18	
	Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H315 H336 H304 H411			
68425-15-0	Polysulfides, di-tert-dodecyl			1 - < 3 %
	270-335-7		01-2119540516-41	
	Skin Sens. 1B; H317			
67-56-1	methanol*			< 0.1 %
	200-659-6	603-001-00-X		
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
	920-360-0	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	85 - < 90 %	
	inhalation: LC50 = >5,28 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = > 4150 mg/kg			
64742-47-8	265-149-8	Distillates (petroleum), hydrotreated light, Kerosine - unspecified	7 - < 10 %	
	inhalation: LC50 = >5,28 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg			
68425-15-0	270-335-7	Polysulfides, di-tert-dodecyl	1 - < 3 %	
	inhalation: LC50 = > 15,5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = > 2000 mg/kg			
67-56-1	200-659-6	methanol*	< 0.1 %	
	inhalation: LC50 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: LD50 = > 1187 - 2769 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10			

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 3 of 17

Further Information

*Substance for which a community occupational exposure limit value applies in the European Union.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Subsequent observance for pneumonia and lung oedema.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO₂) Sulphur dioxide (SO₂) Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Ventilate affected area.

Special danger of slipping by leaking/spilling product.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 4 of 17

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up**For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Wear suitable protective clothing. (See section 8.)
Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.
Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.
Do not put any product-impregnated cleaning rags into your trouser pockets.
When using do not eat, drink or smoke.

Further information on handling

Do not breathe vapour/aerosol.
Avoid contact with eyes and skin.
General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 5 of 17

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
67-56-1	Methanol	200	260		TWA (8 h)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
64742-47-8	Distillates (petroleum), hydrotreated light, Kerosine - unspecified			
	Consumer DNEL, long-term	oral	systemic	18,75 mg/kg bw/day
67-56-1	methanol*			
	Worker DNEL, acute	inhalation	local	130 mg/m ³
	Worker DNEL, long-term	inhalation	local	130 mg/m ³
	Worker DNEL, acute	inhalation	systemic	130 mg/m ³
	Consumer DNEL, long-term	inhalation	systemic	26 mg/m ³
	Consumer DNEL, acute	inhalation	systemic	26 mg/m ³
	Worker DNEL, long-term	dermal	systemic	20 mg/kg bw/day
	Consumer DNEL, acute	inhalation	local	26 mg/m ³
	Worker DNEL, acute	dermal	systemic	20 mg/kg bw/day
	Consumer DNEL, long-term	dermal	systemic	4 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	local	26 mg/m ³
	Consumer DNEL, acute	oral	systemic	4 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	4 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	130 mg/m ³
	Consumer DNEL, acute	dermal	systemic	4 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
68425-15-0	Polysulfides, di-tert-dodecyl	
	Freshwater sediment	3,85 mg/kg
	Marine sediment	0,385 mg/kg
	Secondary poisoning	66,7 mg/kg
	Micro-organisms in sewage treatment plants (STP)	1000 mg/l
67-56-1	methanol*	
	Freshwater	20,8 mg/l
	Freshwater (intermittent releases)	1540 mg/l
	Marine water	2,08 mg/l
	Freshwater sediment	77 mg/kg
	Marine sediment	7,7 mg/kg
	Micro-organisms in sewage treatment plants (STP)	100 mg/l
	Soil	100 mg/kg

Additional advice on limit values

Air limit values:

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 6 of 17

Possibility of exposure to Aerosol (Mineral oil)
 Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH
 Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits
 TLV: Threshold Limiting Value
 TWA: time weighted average
 ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- aerosol or mist formation
- Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	clear
Odour:	characteristic

Test method

Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range:	No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 7 of 17

Flammability:	No information available.
Lower explosion limits:	No information available.
Upper explosion limits:	No information available.
Flash point:	104 °C DIN EN ISO 2719
Auto-ignition temperature:	No information available.
Decomposition temperature:	No information available.
pH-Value:	No information available.
Viscosity / kinematic: (at 40 °C)	2,5 mm ² /s DIN EN ISO 3104
Water solubility:	Immiscible
Solubility in other solvents	
No information available.	
Partition coefficient n-octanol/water:	No information available.
Vapour pressure: (at 20 °C)	No information available.
Vapour pressure: (at 50 °C)	No information available.
Density (at 15 °C):	0,826 g/cm ³ DIN 51757
Bulk density:	No information available.
Relative vapour density:	No information available.
Particle characteristics:	No information available.

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

none

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

No information available.

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

No information available.

Sublimation point:

No information available.

Softening point:

No information available.

Pour point:

-42 °C ISO 3016

Viscosity / dynamic:

No information available.

Flow time:

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 8 of 17

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 9 of 17

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)				
	oral	LD50 > 4150 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	
	inhalation (4 h) dust/mist	LC50 >5,28 mg/l	Rat	ECHA Dossier	
64742-47-8	Distillates (petroleum), hydrotreated light, Kerosine - unspecified				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	
	inhalation (4 h) dust/mist	LC50 >5,28 mg/l	Rat	ECHA Dossier	
68425-15-0	Polysulfides, di-tert-dodecyl				
	oral	LD50 > 2000 mg/kg	Rat.	ECHA Dossier	
	dermal	LD50 >2000 mg/kg	Rabbit.	ECHA Dossier	
	inhalation (4 h) dust/mist	LC50 > 15,5 mg/l	Rat.	ECHA Dossier	
67-56-1	methanol*				
	oral	LD50 > 1187 - 2769 mg/kg	Rat	ECHA Dossier	
	dermal	ATE 300 mg/kg			
	inhalation (4 h) vapour	LC50 128,2 mg/l	Rat	ECHA Dossier	
	inhalation dust/mist	ATE 0,5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

Sensitising effects

May cause an allergic skin reaction. (Polysulfides, di-tert-dodecyl)

Carcinogenic/mutagenic/toxic effects for reproduction

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 10 of 17

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Result: negative Literature information: REACH Dossier; Carcinogenicity: Method: OECD Guideline 451 (Carcinogenicity Studies); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat; Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study); Result: NOAEL >300 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL 1000 mg/kg; Literature information: REACH Dossier

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Result: negative Literature information: REACH Dossier; Carcinogenicity: Method: OECD Guideline 451 (Carcinogenicity Studies); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat; Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study); Result: NOAEL >300 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL 1000 mg/kg; Literature information: REACH Dossier

Distillates (petroleum), hydro-treated light; Kerosine - unspecified:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 479 (Genetic Toxicology: In Vitro Sister Chromatid Exchange Assay in Mammalian Cells), OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test), OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative Literature information: REACH Dossier

In vivo mutagenicity/genotoxicity:

Method: OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test), OECD Guideline 478 (Genetic Toxicology: Rodent Dominant Lethal Test); Result: negative; Literature information: REACH Dossier

Reproductive toxicity:

Method: -; Species: Sprague-Dawley Rat; Exposure route: oral; Result: NOAEL > 1500 mg/kg; Literature information: REACH Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Species: Sprague-Dawley Rat; Exposure route: oral; Result: NOAEL = 1000 mg/kg; Literature information: REACH Dossier

Polysulfides, di-tert-dodecyl:

In vitro mutagenicity/genotoxicity: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) = positive, OECD Guideline 471 (Bacterial Reverse Mutation Assay) = negative OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) = negative Literature information: REACH Dossier

Developmental toxicity/teratogenicity: Species: Rat; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL 1000 mg/kg; Literature information: REACH Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 11 of 17

Based on available data, the classification criteria are not met.

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %):

Subchronic oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Species: Rat; Results: NOAEL = 750 mg/kg; Literature information: REACH Dossier

Distillates (petroleum), hydrotreated middle; Gasoil - unspecified:

Subchronic inhalative toxicity: Method: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)

Species: Rat ;Results: NOAEC 1,71 mg/m³; Literature information: REACH Dossier

Distillates (petroleum), hydro-treated light; Kerosine - unspecified:

Subchronic oral toxicity: Method:-; Species: Sprague-Dawley Rat ;Exposure duration: 90d; Result: NOAEL = 750 mg/kg ; Literature information: REACH Dossier; subchronic inhalation toxicity: Method:OECD

Guideline 413 (Subchronic Inhalation Toxicity: 90-Day); Species: Mouse; Exposure duration: 90d; Result:

NOAEC = 1000 mg/kg; Literature information: REACH Dossier; Subchronic oral toxicity: Method: OECD

Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Species: Sprague-Dawley Rat ;

Exposure duration: 28d; Result: NOAEC = 0,5 ml/kg; Literature information: REACH Dossier

Polysulfides, di-tert-dodecyl:

Subacute oral toxicity: Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents);

Species: Rat; Results: NOAEL 1000 mg/kg; Literature information: REACH Dossier

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information**12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 12 of 17

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)					
	Acute fish toxicity	LC50 LL50 > 1000 mg/l	96 h		ECHA Dossier	
	Acute crustacea toxicity	EC50 EL50 > 1000 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Fish toxicity	NOEC EL50 > 5000 mg/l	21 d		ECHA Dossier	
	Crustacea toxicity	NOEC EL50 > 1400 mg/l	21 d	Daphnia magna	ECHA Dossier	
64742-47-8	Distillates (petroleum), hydrotreated light, Kerosine - unspecified					
	Acute fish toxicity	LC50 LL50=2- 100 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	
	Acute crustacea toxicity	EC50 EL50=1, 4 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Fish toxicity	NOEC NOEL=0 .098 mg/l	21 d	QSAR	ECHA Dossier	
68425-15-0	Polysulfides, di-tert-dodecyl					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Danio rerio	ECHA Dossier	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201
67-56-1	methanol*					
	Acute fish toxicity	LC50 15400 mg/l	96 h	Lepomis macrochirus	ECHA Dossier	EPA-660/3-75-009, 1975
	Acute algae toxicity	ErC50 22000 mg/l	96 h	Pseudokirchnerella subca	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 18260 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Fish toxicity	NOEC 446,7 mg/l	28 d	Pimephales promelas	SAR and QSAR in Environmental Research,	ECOSAR
	Crustacea toxicity	NOEC 208 mg/l	21 d	Daphnia magna	OECD QSAR Toolbox Report (2013)	

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 13 of 17

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)			
	OECD Guideline 301 F	60,7%	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			
68425-15-0	Polysulfides, di-tert-dodecyl			
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	0%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			
67-56-1	methanol*			
	other guideline	76%	20	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	> 3,5
64742-47-8	Distillates (petroleum), hydrotreated light, Kerosine - unspecified	>4
68425-15-0	Polysulfides, di-tert-dodecyl	> 6,2
67-56-1	methanol*	-0,77

BCF

CAS No	Chemical name	BCF	Species	Source
68425-15-0	Polysulfides, di-tert-dodecyl	< 0,01	Cyprinus carpio	ECHA Dossier
67-56-1	methanol*	< 10	Leuciscus idus melanotus	Chemosphere 14(10):

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 14 of 17

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 9006
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es): 9
14.4. Packing group: -
Hazard label: -
Classification code: M12

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: No information available.

Directive 2004/42/EC on VOC in paints and varnishes: No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 15 of 17

Information according to Directive
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)
The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].
REACH 1907/2006 Appendix XVII, No (mixture): 3
Observe in addition any national regulations!

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the
'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and
import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment
not applicable.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,11,15,16.

Rev.: 1,0 - 15.05.2015

Rev.: 1,01 - 28.04.2015

Rev.: 1,1 - 10.05.2016

Rev.: 2,0 - 02.06.2017

Rev.: 3,0 - 27.06.2018

Rev.: 4,0 - 19.06.2019

Rev.: 5,0 - 25.06.2020; Changes in chapter: 1.1, 3.2, 11.1, 12.1, 12.2, 12.3, 15.1, 16

Rev.: 6,0 - 16.06.2021; Changes in chapter: 3.2, 6.1, 6.3, 11.2, 12.6, 12.7, 15.1, 16

Rev.: 7,0 - 28.06.2022, Changes in chapter: 2.3, 3.2, 8.1, 8.2, 12.1, 12.2, 12.3, 12.5, 12.6, 15.1, 16

Rev.: 7,1 - 22.11.2022, Changes in chapter: 2.2, 3.2, 8.1, 12.1, 12.2, 12.3, 16

Rev.: 8,0 - 14.11.2023, Changes in chapter: 8.1, 9.1, 11.2, 12.1, 12.7, 14, 15.1, 16

Rev.: 8,1 - 30.01.2024, Changes in chapter: 1.4, 16

Rev.: 9,0 - 22.01.2025, Changes in chapter: 12.1, 16

Rev.: 9,1 - 05.03.2025, Changes in chapter: 1.1, 2.2, 3.2, 8.1, 10.1, 12.1, 12.2, 12.3, 16

Rev.: 10,0 - 06.03.2026, Changes in chapter: 15.1, 16

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 16 of 17

Abbreviations and acronyms

Flam. Liq. 2: Flammable liquids, hazard category 2
Acute Tox. 3: Acute toxicity, hazard category 3
Asp. Tox. 1: Aspiration hazard, hazard category 1
Skin Irrit. 2: Skin irritation, hazard category 2
Skin Sens. 1: Skin sensitisation, hazard category 1
Skin Sens. 1B: Skin sensitisation, hazard category 1B
STOT SE 1: Specific target organ toxicity - single exposure, hazard category 1
STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS: Chemical Abstracts Service
CLP: Classification, Labelling and Packaging of substances and mixtures
d: day(s)
DNEL: Derived No Effect Level
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
EINECS: European Inventory of Existing Commercial chemical Substances
ELINCS: European List of Notified Chemical Substances
ECHA: European Chemicals Agency
EWC: European Waste Catalogue
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
h: hour
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect concentration
NLP: No-Longer Polymers
NTP: National Toxicology Program
N/A: not applicable
OECD: Organisation for Economic Co-operation and Development
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
PMT: Persistent, mobile and toxic
REACH: Registration, Evaluation, Authorisation of Chemicals
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SVHC: substance of very high concern
TRGS: Technische Regeln für Gefahrstoffe
UN: United Nations
TSCA: Toxic Substances Control Act
vPvM: very persistent and very mobile
vPvB: very persistent and very bioaccumulative
VOC: Volatile Organic Compounds
WGK: Water Hazard Class (Germany)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Calibration Fluid CV

Revision: 06.03.2026

Page 17 of 17

Key literature references and sources for data

<https://echa.europa.eu/>
<https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp>
<https://cfpub.epa.gov/ecotox/search.cfm>
<http://www.inchem.org/#/search>
<https://pubchem.ncbi.nlm.nih.gov/>
<http://ccinfoweb.ccohs.ca/rtecs/search.html>
<https://webriigoletto.uba.de/rigoletto/>

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008

[CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Asp. Tox. 1; H304	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H301 Toxic if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H311 Toxic in contact with skin.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H331 Toxic if inhaled.
 H336 May cause drowsiness or dizziness.
 H370 Causes damage to organs.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)