

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 1 of 16

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

SRS Primanol 10W-30

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

engine oil

**Uses advised against**

none

**1.3. Details of the supplier of the safety data sheet**

Company name: SRS Schmierstoff Vertrieb GmbH  
Street: Neuenkirchener Straße 8  
Place: D-48497 Salzbergen  
Telephone: 05976 - 945-0  
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

**1.4. Emergency telephone number:**

Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

**2.2. Label elements****Regulation (EC) No 1272/2008****Special labelling**

EUH208 Contains Amides, C18 (unsaturated). May produce an allergic reaction.  
EUH210 Safety data sheet available on request.

**2.3. Other hazards**

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH:

phenol, (tetrapropenyl) derivatives: &lt; 0,1%: not relevant

For information or further instructions, see also section 11 or 12.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Relevant ingredients**

| CAS No     | Chemical name  | Quantity     |                  |               |
|------------|--|--------------|------------------|---------------|
|            | EC No  | Index No     | REACH No         |               |
|            | Classification (Regulation (EC) No 1272/2008)  |              |                  |               |
| 64742-55-8 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified                |              |                  | 3 - < 5 %     |
|            | 265-158-7  | 649-468-00-3 | 01-2119487077-29 |               |
|            | Asp. Tox. 1; H304  |              |                  |               |
| 85940-28-9 | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts |              |                  | 1 - < 3 %     |
|            | 288-917-4  |              | 01-2119521201-61 |               |
|            | Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411                                 |              |                  |               |
|            | Reaction products of diphenylamine with nonene, branched                                     |              |                  | 0.3 - < 0.5 % |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 2 of 16

|          |   |  |                  |               |
|----------|---|--|------------------|---------------|
|          | 701-385-4                                   |  | 01-2119488911-28 |               |
|          | Repr. 2; H361f                              |  |                  |               |
| 301-02-0 | Amides, C18 (unsaturated)                   |  |                  | 0.3 - < 0.5 % |
|          | 931-801-1                                   |  | 01-2119560613-41 |               |
|          | Skin Sens. 1B, Aquatic Chronic 3; H317 H412 |  |                  |               |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No     | Chemical name  | Quantity      |
|------------|-----------|--|---------------|
|            |           | Specific Conc. Limits, M-factors and ATE   |               |
| 64742-55-8 | 265-158-7 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified  | 3 - < 5 %     |
|            |           | inhalation: LC50 = > 5,53 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg  |               |
| 85940-28-9 | 288-917-4 | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts   | 1 - < 3 %     |
|            |           | inhalation: LC50 = > 2,3 mg/l (vapours); dermal: LD50 = > 20000 mg/kg; oral: LD50 = 3080 mg/kg Skin Irrit. 2; H315: >= 15 - 100 Eye Dam. 1; H318: >= 20 - 100 Eye Irrit. 2; H319: >= 15 - < 20 |               |
|            | 701-385-4 | Reaction products of diphenylamine with nonene, branched   | 0.3 - < 0.5 % |
|            |           | oral: LD50 = > 5000 mg/kg  |               |
| 301-02-0   | 931-801-1 | Amides, C18 (unsaturated)  | 0.3 - < 0.5 % |
|            |           | inhalation: LC50 = >2,8 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = 5000 mg/kg  |               |

**Further Information**

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After inhalation**

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**

If swallowed or in the event of vomiting, risk of entering the lungs.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 3 of 16

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>) Sulphur dioxide (SO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>)

**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

**For non-emergency personnel**

Wear personal protection equipment (refer to section 8).

**For emergency responders**

No special precautionary measures are necessary.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

**6.3. Methods and material for containment and cleaning up****For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**6.4. Reference to other sections**

No information available.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Wear suitable protective clothing. ( See section 8. )

Avoid formation of oil dust.

**Advice on protection against fire and explosion**

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Primanol 10W-30

Revision: 28.04.2026

Page 4 of 16

#### Advice on general occupational hygiene

- Clean skin thoroughly after working.
- Do not put any product-impregnated cleaning rags into your trouser pockets.
- Contaminated work clothing should not be allowed out of the workplace.
- Wash contaminated clothing before reuse.

#### Further information on handling

- Do not breathe vapour/aerosol.
- Avoid contact with eyes and skin.
- General protection and hygiene measures: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

##### Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances

##### Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

#### 7.3. Specific end use(s)

See section 1.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### DNEL/DMEL values

| CAS No                   | Name of agent  | Exposure route | Effect   | Value                  |
|--------------------------|--|----------------|----------|------------------------|
| 64742-55-8               | Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified                |                |          |                        |
| Worker DNEL, long-term   |  | inhalation     | systemic | 2,73 mg/m <sup>3</sup> |
| Worker DNEL, long-term   |  | inhalation     | local    | 5,58 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |  | oral           | systemic | 0,74 mg/kg bw/day      |
| Worker DNEL, long-term   |  | dermal         | systemic | 0,97 mg/kg bw/day      |
| Consumer DNEL, long-term |  | inhalation     | local    | 1,19 mg/m <sup>3</sup> |
| 85940-28-9               | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts |                |          |                        |
| Worker DNEL, long-term   |  | inhalation     | systemic | 6,6 mg/m <sup>3</sup>  |
| Worker DNEL, long-term   |  | dermal         | systemic | 9,6 mg/kg bw/day       |
| Consumer DNEL, long-term |  | inhalation     | systemic | 1,67 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |  | dermal         | systemic | 4,8 mg/kg bw/day       |
| Consumer DNEL, long-term |  | oral           | systemic | 0,19 mg/kg bw/day      |
|                          | Reaction products of diphenylamine with nonene, branched                                     |                |          |                        |
| Worker DNEL, long-term   |  | inhalation     | systemic | 1.41 mg/m <sup>3</sup> |
| Worker DNEL, long-term   |  | dermal         | systemic | 4 mg/kg bw/day         |
| Consumer DNEL, long-term |  | inhalation     | systemic | 0,35 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |  | dermal         | systemic | 2 mg/kg bw/day         |

### Safety Data Sheet

according to Regulation (EC) No 1907/2006

#### SRS Primanol 10W-30

Revision: 28.04.2026

Page 5 of 16

|                          |      |          |                  |
|--------------------------|------|----------|------------------|
| Consumer DNEL, long-term | oral | systemic | 0,2 mg/kg bw/day |
|--------------------------|------|----------|------------------|

**PNEC values**

| CAS No     | Name of agent  | Value       |
|------------|--|-------------|
| 64742-55-8 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified                |             |
|            | Secondary poisoning  | 9,33 mg/kg  |
| 85940-28-9 | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts |             |
|            | Freshwater   | 0,002 mg/l  |
|            | Freshwater (intermittent releases)   | 0,02 mg/l   |
|            | Marine water   | 0 mg/l      |
|            | Freshwater sediment  | 19,3 mg/kg  |
|            | Marine sediment  | 1,93 mg/kg  |
|            | Microorganisms in sewage treatment plants (STP)  | 100 mg/l    |
|            | Soil   | 15,7 mg/kg  |
|            | Reaction products of diphenylamine with nonene, branched                                     |             |
|            | Freshwater   | 0.412 mg/l  |
|            | Marine water   | 0.041 mg/l  |
|            | Microorganisms in sewage treatment plants (STP)  | 1 mg/l      |
| 301-02-0   | Amides, C18 (unsaturated)  |             |
|            | Freshwater   | 0.125 mg/l  |
|            | Marine water   | 0.013 mg/l  |
|            | Freshwater sediment  | 3.18 mg/kg  |
|            | Marine sediment  | 0.318 mg/kg |
|            | Microorganisms in sewage treatment plants (STP)  | 4 mg/l      |
|            | Air  | 11.1 mg/l   |

**Additional advice on limit values**

Air limit values:  
 Possibility of exposure to Aerosol (Mineral oil )  
 Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH  
 Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits  
 TLV: Threshold Limiting Value  
 TWA: time weighted average  
 ACGIH: American Conference of Governmental Industrial Hygienists

**8.2. Exposure controls**



**Appropriate engineering controls**

Provide adequate ventilation.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 6 of 16

**Hand protection**

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

**Skin protection**

Oil-resistant and hardly inflammable protective clothing.

**Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

**Thermal hazards**

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

**Environmental exposure controls**

No information available.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|                 |                |
|-----------------|----------------|
| Physical state: | liquid         |
| Colour:         | clear          |
| Odour:          | characteristic |

**Test method**

|   |                           |
|---|---------------------------|
| Melting point/freezing point:                             | No information available. |
| Boiling point or initial boiling point and boiling range: | No information available. |
| Flammability:   | No information available. |
| Lower explosion limits:                                   | No information available. |
| Upper explosion limits:                                   | No information available. |
| Flash point:  | 228 °C                    |
| Auto-ignition temperature:                                | No information available. |
| Decomposition temperature:                                | No information available. |
| pH-Value:   | No information available. |
| Viscosity / kinematic:<br>(at 40 °C)                      | 75,78 mm <sup>2</sup> /s  |
| Water solubility:   | Immiscible                |
| Solubility in other solvents                              |                           |
| No information available.                                 |                           |
| Partition coefficient n-octanol/water:                    | No information available. |
| Vapour pressure:<br>(at 20 °C)                            | No information available. |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 7 of 16

|                                |                                    |
|--------------------------------|------------------------------------|
| Vapour pressure:<br>(at 50 °C) | No information available.          |
| Density (at 15 °C):            | 0,8695 g/cm <sup>3</sup> DIN 51757 |
| Bulk density:                  | No information available.          |
| Relative vapour density:       | No information available.          |
| Particle characteristics:      | No information available.          |

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

none

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

Oxidizing properties

none

**Other safety characteristics**

Evaporation rate:

No information available.

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

No information available.

Sublimation point:

No information available.

Softening point:

No information available.

Pour point:

-45 °C

Viscosity / dynamic:

No information available.

Flow time:

No information available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

Refer to chapter 10.5.

**10.4. Conditions to avoid**

No information available.

**10.5. Incompatible materials**

Oxidising agent, strong

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Primanol 10W-30

Revision: 28.04.2026

Page 8 of 16

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name  |                    |         |              |                    |
|------------|--|--------------------|---------|--------------|--------------------|
|            | Exposure route   | Dose               | Species | Source       | Method             |
| 64742-55-8 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified                |                    |         |              |                    |
|            | oral   | LD50 > 5000 mg/kg  | Rat     | ECHA Dossier | OECD Guideline 401 |
|            | dermal   | LD50 > 2000 mg/kg  | Rabbit  | ECHA Dossier | OECD Guideline 402 |
|            | inhalation (4 h) dust/mist   | LC50 > 5,53 mg/l   | Rat     | ECHA Dossier | OECD Guideline 403 |
| 85940-28-9 | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts |                    |         |              |                    |
|            | oral   | LD50 3080 mg/kg    | Rat     | ECHA Dossier | FHSA 16CFR1500.3   |
|            | dermal   | LD50 > 20000 mg/kg | Rabbit  | ECHA Dossier | 16CFR1500.3        |
|            | inhalation (4 h) vapour  | LC50 > 2,3 mg/l    | Rat     | ECHA Dossier | OECD Guideline 403 |
|            | Reaction products of diphenylamine with nonene, branched                                     |                    |         |              |                    |
|            | oral   | LD50 > 5000 mg/kg  | Rat     | ECHA Dossier | OECD Guideline 401 |
| 301-02-0   | Amides, C18 (unsaturated)  |                    |         |              |                    |
|            | oral   | LD50 5000 mg/kg    | Rat     | ECHA Dossier | OECD 423           |
|            | dermal   | LD50 >2000 mg/kg   | Rat     | ECHA Dossier | OECD 402           |
|            | inhalation (4 h) vapour  | LC50 >2,8 mg/l     | Rat     | ECHA Dossier | OECD 436           |

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:

Specific concentration limit (SCL)

Irritant effect on the skin: Skin Irrit. 2 > 15%

Irritant effect on the eye: Eye Irrit. 2 > 15%

Serious eye damage/eye irritation: Eye Dam. 1 > 20%

**Sensitising effects**

Based on available data, the classification criteria are not met.

Contains Amides, C18 (unsaturated). May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications

Results: negative / positive

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 9 of 16

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)  
Results: negative  
Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)  
Results: negative / positive  
Literature information: REACH Dossier  
In vivo mutagenicity/genotoxicity  
Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)  
Results: negative ; Literature information: REACH Dossier  
Reproductive toxicity  
Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)  
Exposure time: 28d; Species: Rat  
Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier  
Developmental toxicity/teratogenicity:  
Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)  
Exposure time: 28d; Species: Rat  
Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:  
In vitro mutagenicity/genotoxicity:  
-OECD Guideline 471 (Bacterial Reverse Mutation Assay)  
-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)  
-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)  
Result: negative Literature information: REACH Dossier

Reaction products of diphenylamine with nonene, branched:  
In-vitro mutagenicity:  
Method:  
-OECD Guideline 476 (In Vitro Mammalian Cell Gene Mutation Test)  
-OECD Guideline 471 (Bacterial Reverse Mutation Assay)  
-OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test)  
Result: negative  
Literature information: REACH Dossier

Reproductive toxicity:  
Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)  
Species: Rat  
Result: NOAEL (P0, F1) = 1500 ppm  
Literature information: REACH Dossier

Developmental toxicity/teratogenicity:  
Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)  
Species: Rat, Rabbit  
Result: NOAEL (fetus) >= 500 mg/kg (Rat); 30 mg/kg (Rabbit)  
Result: NOAEL (Maternal toxicity) = 150 mg/kg (Rat); 30 mg/kg (Rabbit)  
Literature information: REACH Dossier

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.  
Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified:  
Subacute inhalative toxicity : Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL > 980 mg/m<sup>3</sup>;  
Literature information: J Appl Toxicol, Vol 11(4), pp 297-302; Subacute dermal toxicity: Method: OECD  
Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit;  
Results: NOAEL 1000 mg/kg(bw)/day; Literature information: REACH Dossier; Subchronic oral toxicity:

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Primanol 10W-30

Revision: 28.04.2026

Page 10 of 16

Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents); Species: Rat; Results: NOAEL = 125 mg/kg; Literature information: REACH Dossier

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

Subacute inhalative toxicity :

Method: -

Exposure time: 28d

Species: Rat

Results: > 980 mg/m<sup>3</sup>

Literature information: J Appl Toxicol, Vol 11(4), pp 297-302

Subacute dermal toxicity :

Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Exposure time: 28d

Species: Rabbit

Results: 1000 mg/kg

Literature information: REACH Dossier

Reaction products of diphenylamine with nonene, branched:

Subchronic oral toxicity: Exposure time: 90d; Species: Han Wistar Rat.; Method: OECD Guideline 408;

Result: LOAEL = 100 mg/kg; Literature information: REACH Dossier

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

phenol, (tetrapropenyl) derivatives: < 0,1%

##### Other information

Frequent contact specially if dried out may cause skin and eye irritations.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

If this product contains phenol, (tetrapropenyl) derivatives (EC-No. 616-100-8), this product is not to be classified as dangerous for the environment (H412). Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment (H411) on the basis of test data, expert judgement or analogy assessments.

| CAS No     | Chemical name  |                     |           |         |                                      |                                    |
|------------|--|---------------------|-----------|---------|--------------------------------------|------------------------------------|
|            | Aquatic toxicity   | Dose                | [h]   [d] | Species | Source                               | Method                             |
| 64742-55-8 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified                |                     |           |         |                                      |                                    |
|            | Acute fish toxicity  | LC50<br>100 mg/l    | LL50 >    | 96 h    | Pimephales promelas (fathead minnow) | ECHA Dossier<br>OECD Guideline 203 |
|            | Acute crustacea toxicity   | EC50<br>>10000 mg/l | EL50      | 48 h    | Daphnia magna (Big water flea)       | ECHA Dossier<br>OECD Guideline 202 |
|            | Algae toxicity   | NOEC<br>100 mg/l    | NOEL >    | 3 d     | Pseudokirchneriella subcapitata      | ECHA Dossier                       |
|            | Crustacea toxicity   | NOEC<br>10 mg/l     | NOEL >    | 21 d    | Daphnia magna (Big water flea)       | ECHA Dossier<br>OECD Guideline 211 |
| 85940-28-9 | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts |                     |           |         |                                      |                                    |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Primanol 10W-30

Revision: 28.04.2026

Page 11 of 16

|  |                          |               |          |      |   |              |                    |
|--|--------------------------|---------------|----------|------|---|--------------|--------------------|
|  | Acute algae toxicity     | ErC50         | 2,1 mg/l | 72 h | Selenastrum capricornutum UTEX 1648               | ECHA Dossier | OECD Guideline 201 |
|  | Acute crustacea toxicity | EC50          | 5,4 mg/l | 48 h | Daphnia magna                                     | ECHA Dossier | OECD Guideline 202 |
|  | Crustacea toxicity       | NOEC          | 0,4 mg/l | 21 d | Daphnia magna                                     | ECHA Dossier | OECD Guideline 211 |
|  | Acute bacteria toxicity  | EC50 mg/l ( ) | > 10000  | 3 h  | activated sludge of a domestic residential sewage | ECHA Dossier | OECD Guideline 209 |
| Reaction products of diphenylamine with nonene, branched |                          |               |          |      |   |              |                    |
|  | Acute algae toxicity     | ErC50 mg/l    | >100     | 72 h | Pseudokirchneriella subcapitata                   | ECHA Dossier | OECD Guideline 201 |
|  | Acute crustacea toxicity | EC50 mg/l     | >100     | 48 h | Daphnia magna                                     | ECHA Dossier | OECD Guideline 202 |
|  | Fish toxicity            | NOEC          | 10 mg/l  | 34 d | Danio rerio                                       | ECHA Dossier | OECD Guideline 210 |
|  | Crustacea toxicity       | NOEC          | >10 mg/l | 21 d | Daphnia magna                                     | ECHA Dossier | OECD Guideline 211 |

#### 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

| CAS No   | Chemical name  | Method     | Value | d  | Source       |
|--|--|------------|-------|----|--------------|
|  |  | Evaluation |       |    |              |
| 64742-55-8   | Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified                |            |       |    |              |
|  | OECD Guideline 301 F   |            | 31%   | 28 | ECHA Dossier |
|  | Not easily bio-degradable (according to OECD-criteria).                                      |            |       |    |              |
| 85940-28-9   | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts |            |       |    |              |
|  | OECD Guideline 301 B   |            | 1,5%  | 28 | ECHA Dossier |
|  | Not easily bio-degradable (according to OECD-criteria).                                      |            |       |    |              |
| Reaction products of diphenylamine with nonene, branched |  |            |       |    |              |
|  | (Q)SAR CATALOGIC v5.13.1.  |            | 31%   | 28 | ECHA Dossier |
|  | Not easily bio-degradable (according to OECD-criteria).                                      |            |       |    |              |
|  | (Q)SAR CATALOGIC v5.13.1.  |            | 24%   | 28 | ECHA Dossier |
|  | Not easily bio-degradable (according to OECD-criteria).                                      |            |       |    |              |

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

| CAS No     | Chemical name  | Log Pow |
|------------|--|---------|
| 64742-55-8 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified                | > 3,5   |
| 85940-28-9 | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts | 8,87    |
|            | Reaction products of diphenylamine with nonene, branched                                     | 11,87   |

#### BCF

| CAS No | Chemical name | BCF | Species | Source |
|--------|---------------|-----|---------|--------|
|--------|---------------|-----|---------|--------|

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 12 of 16

|            |  |        |                 |              |
|------------|--|--------|-----------------|--------------|
| 85940-28-9 | Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts | < 1000 |                 | ECHA Dossier |
|            | Reaction products of diphenylamine with nonene, branched                                     | 411    | Cyprinus carpio | ECHA Dossier |

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.  
The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

**12.7. Other adverse effects**

No information available.

**Further information**

Ozone depletion potential (ODP): No information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 13 of 16

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Information for safe handling see chapter 7.

Information for personal protective equipment see chapter 8.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial emissions: No information available.

Directive 2004/42/EC on VOC in paints and varnishes: No information available.

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 75

Observe in addition any national regulations!

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**Additional information**

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment  
not applicable.**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2,4,6,7,9,11,12,13,15,16.

Rev. : 1,0 - 09.05.2015

Rev. : 1,1 - 25.05.2016

Rev.: 2,0 - 13.06.2017

Rev. : 3,0 - 28.06.2018

Rev.: 4,0 - 24.06.2019

Rev.: 5,0 - 18.11.2019



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Primanol 10W-30

Revision: 28.04.2026

Page 14 of 16

- Rev.: 6,0 - 14.01.2020; Changes in chapter: 2.3, 3.2, 7.1, 8.2, 12.3, 15.1
- Rev.: 6,1 - 03.08.2020; Changes in chapter: 3.2, 8.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16.1
- Rev.: 7,0 - 17.08.2021; Changes in chapter: 3.2, 6.3, 11.2, 12.7, 15.1, 16
- Rev.: 8,0 - 10.08.2022, Changes in chapter: 2.3, 8.2, 12.5, 12.6, 15.1, 16
- Rev.: 9,0 - 15.08.2023, Changes in chapter: 8.1, 9.1, 11.2, 16
- Rev.: 9,1 - 19.04.2024, Changes in chapter: 3.2, 12.1, 15.1, 16
- Rev.: 9,2 - 19.03.2025, Changes in chapter: 3.2, 8.1, 9.1, 11.1, 12.2, 12,3, 16
- Rev.: 9,3 - 07.04.2025, Changes in chapter: 2.2, 3.2, 12.1, 15, 16
- Rev.: 10,0 - 28.04.2026, Changes in chapter: 2.2, 3.2, 8.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 15 of 16

**Abbreviations and acronyms**

Asp. Tox. 1: Aspiration hazard, hazard category 1  
Skin Irrit. 2: Skin irritation, hazard category 2  
Eye Dam. 1: Serious eye damage, hazard category 1  
Skin Sens. 1B: Skin sensitisation, hazard category 1B  
Repr. 2: Reproductive toxicity, hazard category 2  
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2  
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
CAS: Chemical Abstracts Service  
CLP: Classification, Labelling and Packaging of substances and mixtures  
d: day(s)  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
EINECS: European INventory of Existing Commercial chemical Substances  
ELINCS: European List of Notified Chemical Substances  
ECHA: European Chemicals Agency  
EWC: European Waste Catalogue  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
h: hour  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect concentration  
NLP: No-Longer Polymers  
NTP: National Toxicology Program  
N/A: not applicable  
OECD: Organisation for Economic Co-operation and Development  
PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
PMT: Persistent, mobile and toxic  
REACH: Registration, Evaluation, Authorisation of Chemicals  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
SVHC: substance of very high concern  
TRGS: Technische Regeln für Gefahrstoffe  
UN: United Nations  
TSCA: Toxic Substances Control Act  
vPvM: very persistent and very mobile  
vPvB: very persistent and very bioaccumulative  
VOC: Volatile Organic Compounds  
WGK: Water Hazard Class (Germany)

**Key literature references and sources for data**

<https://echa.europa.eu/>  
<https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp>

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Primanol 10W-30**

Revision: 28.04.2026

Page 16 of 16

<https://cfpub.epa.gov/ecotox/search.cfm>  
<http://www.inchem.org/#/search>  
<https://pubchem.ncbi.nlm.nih.gov/>  
<http://ccinfoweb.ccohs.ca/rtecs/search.html>  
<https://webrigoletto.uba.de/rigoletto/>

**Relevant H and EUH statements (number and full text)**

|        |   |
|--------|---|
| H304   | May be fatal if swallowed and enters airways.                         |
| H315   | Causes skin irritation.   |
| H317   | May cause an allergic skin reaction.                                  |
| H318   | Causes serious eye damage.  |
| H361f  | Suspected of damaging fertility.                                      |
| H411   | Toxic to aquatic life with long lasting effects.                      |
| H412   | Harmful to aquatic life with long lasting effects.                    |
| EUH208 | Contains Amides, C18 (unsaturated). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request.                               |

**Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:  
Health hazards: Calculation method.  
Environmental hazards: Calculation method.  
Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*