

according to Regulation (EC) No 1907/2006

## **SRS Primalub Alpha**

Revision date: 14.03.2025

Page 1 of 13

SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
<u>1.1. Product identifier</u> SRS Primalub Alpha	
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture engine oil	
Uses advised against	
none	
1.3. Details of the supplier of the s	afety data sheet
Company name:	SRS Schmierstoff Vertrieb GmbH
Street:	Neuenkirchener Straße 8
Place:	D-48497 Salzbergen
Telephone:	05976 - 945-0
Responsible Department:	Abt. Produktsicherheit: info.reach@srs-oil.de
<u>1.4. Emergency telephone</u> number:	Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

# 2.2. Label elements

Regulation (EC) No 1272/2008

## Special labelling of certain mixtures

EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium
	salts. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### 2.3. Other hazards

Endocrine disrupting properties: phenol, dodecyl-, branched. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

For information or further instructions, see also section 11 or 12.

phenol, dodecyl-, branched: This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025

Page 2 of 13

### **Relevant ingredients**

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation (EC) N	o 1272/2008)	·			
64741-88-4	Highly refined mineral oil (C15-C	50)*		10 - < 12 %		
	Asp. Tox. 1; H304	Asp. Tox. 1; H304				
722503-68-6	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts					
	682-816-2					
	Skin Sens. 1B; H317					
121158-58-5	phenol, dodecyl-, branched			0.1 - < 0.2 %		
	310-154-3					
	Repr. 1B, Skin Corr. 1C, Eye Dar H400 H410	n. 1, Aquatic Acute 1, Aquatic Chron	ic 1; H360F H314 H318			

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	imits, M-factors and ATE		
722503-68-6	682-816-2	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	0.3 - < 0.5 %	
	Skin Sens. 1B; I	Skin Sens. 1B; H317: >= 2 - 100		
121158-58-5	310-154-3	phenol, dodecyl-, branched	0.1 - < 0.2 %	
	dermal: LD50 = Aquatic Chronic	: 15000 mg/kg; oral: LD50 = 2100 mg/kg  Aquatic Acute 1; H400: M=10 : 1; H410: M=10		

#### **Further Information**

The mineral oil contained can be described by one or more of the following numbers. 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-166-0, 265-169-7, 265-176-5, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

01-2119484627-25, 01-2119487077-29, 01-2119471299-27

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025

Page 3 of 13

## After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

#### Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

## For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special precautionary measures are necessary.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up


Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

No information available.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling





according to Regulation (EC) No 1907/2006

# SRS Primalub Alpha

Revision date: 14.03.2025

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid formation of oil dust.

### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class B

#### Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

## Further information on handling

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

## Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances

#### Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

# 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **DNEL/DMEL** values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
121158-58-5	phenol, dodecyl-, branched			
Worker DNE	L, acute	inhalation	systemic	44,18 mg/m <sup>3</sup>
Worker DNE	L, acute	dermal	systemic	166 mg/kg bw/day
Consumer D	NEL, acute	inhalation	systemic	13,26 mg/m <sup>3</sup>
Consumer D	NEL, acute	dermal	systemic	50 mg/kg bw/day
Consumer D	NEL, acute	oral	systemic	1,26 mg/kg bw/day
Worker DNE	L, long-term	inhalation	systemic	1.762 mg/m <sup>3</sup>
Worker DNE	EL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	0,79 mg/m³
Consumer D	NEL, long-term	dermal	systemic	0,075 mg/kg bw/day
Consumer D	NEL, long-term	oral	systemic	0,075 mg/kg bw/day

Page 4 of 13



Page 5 of 13

according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025

#### **PNEC** values

CAS No	Name of agent				
Environmental	compartment	Value			
121158-58-5	phenol, dodecyl-, branched				
Freshwater		0,000074 mg/l			
Freshwater (int	ermittent releases)	0,00037 mg/l			
Marine water 0,000007 mg/l					
Freshwater sediment 0,226 mg/kg					
Marine sediment 0,027 mg/kg					
Secondary poisoning 4 mg/kg					
Micro-organisms in sewage treatment plants (STP) 100 mg/l					
Soil		0,118 mg/kg			

#### Additional advice on limit values

Air limit values: Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average ACGIH:American Conference of Governmental Industrial Hygienists

#### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

#### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Oil-resistant and hardly inflammable protective clothing.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: -aerosol or mist formation -Exceeding exposure limit values Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask





according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025

Page 6 of 13

## with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

## **Environmental exposure controls**

No information available.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	clear		
Odour:	characteristic		
			Test method
Melting point/freezing point:		No information available.	
Boiling point or initial boiling point	and	No information available.	
boiling range:			
Flammability:		No information available.	
Lower explosion limits:		No information available.	
Upper explosion limits:		No information available.	
Flash point:		231 °C	
Auto-ignition temperature:		No information available.	
Decomposition temperature:		No information available.	
pH-Value:		No information available.	
Viscosity / kinematic:		95,86 mm²/s	DIN EN ISO 3104
(at 40 °C)			
Water solubility:		Immiscible	
Solubility in other solvents			
No information available.			
Partition coefficient n-octanol/wate	r:	No information available.	
Vapour pressure:		No information available.	
(at 20 °C)			
Vapour pressure: (at 50 °C)		No information available.	
Density (at 15 °C):		0,8676 g/cm³	DIN 51757
Bulk density:		No information available.	Din 31737
Relative vapour density:		No information available.	
Particle characteristics:		No information available.	
9.2. Other information			
Information with regard to physic	cal hazard classes		
Explosive properties			
none			
Sustained combustibility:		No data available	
Self-ignition temperature			
Solid:		No information available.	
Gas:		No information available.	
Oxidizing properties			

none

Other safety characteristics



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025 Page 7 of 13 No information available. Evaporation rate: Solvent separation test: No information available. Solvent content: No information available. Solid content: No information available. Sublimation point: No information available. Softening point: No information available. -42 °C PP A-5950 Pour point: No information available. Viscosity / dynamic: Flow time: No information available.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known. Refer to chapter 10.5.

#### 10.4. Conditions to avoid

No information available.

#### 10.5. Incompatible materials

Oxidising agent, strong

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No information available.

# Acute toxicity

Based on available data, the classification criteria are not met.

# ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
121158-58-5	phenol, dodecyl-, branched						
	oral	LD50 mg/kg	2100	Rat	ECHA Dossier	OECD 401	
	dermal	LD50 mg/kg	15000	Rabbit	ECHA Dossier	OECD 402	

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

# Sensitising effects



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025

Page 8 of 13

Based on available data, the classification criteria are not met.

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

phenol, dodecyl-, branched:

In vitro mutagenicity/genotoxicity: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test), OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat ; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL 100 mg/kg; Literature information: REACH Dossier; Reproductive toxicity: Species: Sprague-Dawley Rat; Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study);Result: NOAEL 15 mg/kg; Literature information: REACH Dossier

## STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

phenol, dodecyl-, branched:

Subchronic oral toxicity: Exposure time: 90d. Method: OECD Guideline 408 ; Species: Rat; Results: NOAEL = 100 mg/kg. Subacute oral toxicity: Exposure time: 28d. Method: OECD Guideline 407 ; Species: Rat ; Results: NOAEL = 60 mg/kg. Literature information: REACH Dossier

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

## Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### Other information

Frequent contact specially if dried out may cause skin and eye irritations.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment. Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment on the basis of test data, expert judgement or analogy assessments.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
121158-58-5	phenol, dodecyl-, branched						
	Acute fish toxicity	LC50 40 mg/l	EL 50 =	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	(0,36)		Desmodesmus subspicatus	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	0,0037	21 d	daphnia magna	ECHA Dossier	OECD 211

## 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g.



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025

Page 9 of 13

#### mechanical separation.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation	-					
121158-58-5	phenol, dodecyl-, branched						
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	25%	28	ECHA Dossier			
	Not easily bio-degradable (according to OECD-criteria).						

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No Chemical name					Log Pow	
121158-58-5	phenol, dodecyl-, branched	phenol, dodecyl-, branched				
BCF						
CAS No	Chemical name	BCF	Species	Source		
121158-58-5	phenol, dodecyl-, branched	2,9				

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

# 12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Ozone depletion potential (ODP): No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.



# according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

	SRS Primalub Alpha	
Revision date: 14.03.2025		Page 10 of 13
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)	<b>N N N N N N N N N N</b>	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
14.4. Packing group:		
Air transport (ICAO-TI/IATA-DGR)	No dangerous good in sense of this transport regulation	
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards	···	
	N-	
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Informations for safe handling see chap Informations for personal protective eq		
14.7. Maritime transport in bulk according to		
not relevant	<u>nio instruments</u>	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
Authorisations (REACH, annex XIV):		
Substances of very high concern, SVH	C (REACH, article 59):	
phenol, dodecyl-, branched		
Restrictions on use (REACH, annex XVII):		
Entry 28, Entry 30, Entry 75		
Directive 2010/75/EU on industrial emissions:	No information available.	
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.	
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
	tion (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878) ous according to Regulation (EC) 1272/2008 [CLP]. (mixture): not relevant	)

REACH 1907/2006 Appendix XVII, No (mixtu Observe in addition any national regulations!

# National regulatory information

Water hazard class (D):	2 - obviously hazardous to water
-------------------------	----------------------------------

# Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025

of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment not applicable.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9,11,16.

Rev.: 1,0 - 12.04.2015 Rev.: 1,0 - 28.04.2015 Rev.: 1,1 - 24.05.2016 Rev.: 2,0 - 15.06.2017 Rev.: 3,0 - 29.06.2018 Rev.: 4,0 - 29.06.2019 Rev.: 5,0 - 29.06.2020; Changes in chapter: 2.2, 11.1, 16 Rev.: 6,0 - 09.10.2020; Changes in chapter: 2.2, 3.2, 16 Rev.: 7,0 - 14.10.2021, Changes in chapter: 2.2, 2.3, 3.2, 6.1, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.6, 12.7, 15.1, 16 Rev.: 8.0 - 21.11.2022, Changes in chapter: 2.3, 12.5, 12.6, 16 Rev.: 9,0 - 10.11.2023, Changes in chapter: 2.3, 8.1, 9.1, 11.2, 12.1, 12.5, 12.7, 16 Rev.: 10,0 - 04.11.2024, Changes in chapter: 16 Rev.: 10,1 - 14.03.2025, Changes in chapter: 3.2, 8.1, 9.1, 11.1, 12.1, 12.2, 16

Page 11 of 13



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025

Page 12 of 13

Abbreviations and acronyms Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Eye Dam: Eye damage Skin Sens: Skin sensitisation Repr: Reproductive toxicity Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures d: dav(s) DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European LIst of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h: hour LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NLP: No-Longer Polymers NTP: National Toxicology Program N/A: not applicable OECD: Organisation for Economic Co-operation and Development PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic PMT: Persistent, mobile and toxic REACH: Registration, Evaluation, Authorisation of Chemicals RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe UN: United Nations TSCA: Toxic Substances Control Act vPvM: very persistent and very mobile vPvB: very persistent and very bioaccumulative VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany) Key literature references and sources for data

https://echa.europa.eu/ https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 14.03.2025

Page 13 of 13

https://cfpub.epa.gov/ecotox/search.cfm http://www.inchem.org/#/search https://pubchem.ncbi.nlm.nih.gov/ http://ccinfoweb.ccohs.ca/rtecs/search.html

https://webrigoletto.uba.de/rigoletto/

# Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium
	salts. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

# **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)