

according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Page 1 of 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Getriebefluid SML 80W-90

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

gear oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name:	SRS Schmierstoff Vertrieb GmbH
Street:	Neuenkirchener Straße 8
Place:	D-48497 Salzbergen
Telephone:	05976 - 945-0
Responsible Department:	Abt. Produktsicherheit: info.reach@srs-oil.de
.4. Emergency telephone	Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Pictograms:



Hazard statements

H411

Toxic to aquatic life with long lasting effects.

Precautionary statements

P273	Avoid release to the environment.
P391	Collect spillage.
P501	Dispose of contents/container to local/regional/national/international regulations.

Special labelling of certain mixtures

Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched), Magnesium metaborate. May produce an allergic reaction.

2.3. Other hazards

EUH208

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: 0,0,0-Triphenyl phosphorothioate.

Contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: O,O,O-Triphenyl phosphorothioate For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients



according to Regulation (EC) No 1907/2006

SRS Schmierstoff Vertrieb GmbH

Page 2 of 16

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No			
68937-96-2	Polysulfides, di-tert-Bu			3 - < 5 %
	273-103-3		01-2119540515-43	
	Skin Sens. 1B, Aquatic Chronic 3;	H317 H412		
	Mineral Oil* (64742-54-7, 64742-65	1 - < 3 %		
	Asp. Tox. 1; H304			
	Reaction products of bis(4-methylp propylene oxide and amines, C12-	1 - < 3 %		
	931-384-6		01-2119493620-38	
	Acute Tox. 4, Eye Irrit. 2, Skin Sens			
597-82-0	O,O,O-Triphenyl phosphorothioate	0.3 - < 0.5 %		
	209-909-9		01-2119979545-21	
	Aquatic Chronic 1; H410			
13703-82-7	Magnesium metaborate	0.3 - < 0.5 %		
	237-235-5		01-2120769073-53	
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
68937-96-2	273-103-3	Polysulfides, di-tert-Bu	3 - < 5 %			
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg Skin Sens. 1B; H317: >= 46 - 100				
	931-384-6	931-384-6 Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)				
	oral: LD50 = > 100	> 2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100 Skin Sens. 1; H317: >= 9,39 -				
597-82-0	209-909-9	O,O,O-Triphenyl phosphorothioate	0.3 - < 0.5 %			
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 10000 mg/kg Aquatic Chronic 1; H410: M=10				
13703-82-7	237-235-5	Magnesium metaborate	0.3 - < 0.5 %			
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg				

Further Information

*The mineral oil can be described by one or more EINECS numbers. 265-157-1, 265-169-7, 265-158-7, 265-159-2, (REACH-no.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48)

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Page 3 of 16

sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2). Sulphur dioxide (SO2). Nitrogen oxides (NOx). Phosphorus oxides.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes.

- Avoid formation of oil dust.
- Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid contact with skin, eyes and clothes. Avoid formation of oil dust. Do not breathe aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class ${\sf B}$

Advice on general occupational hygiene

Clean skin thoroughly after working. Do not put any product-impregnated cleaning rags into your trouser pockets. When using do not eat, drink or smoke.

Further information on handling

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
68937-96-2	Polysulfides, di-tert-Bu			

Page 4 of 16



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Page 5 of 16

,							
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)							
Worker DNEL,	long-term	inhalation	systemic	4,28 mg/m ³			
Worker DNEL,	long-term	dermal	systemic	12,5 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	systemic	1,09 mg/m ³			
Consumer DN	EL, long-term	dermal	systemic	6,25 mg/kg bw/day			
Consumer DN	EL, acute	dermal	local	0.024 mg/cm ²			
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day			
597-82-0	O,O,O-Triphenyl phosphorothioate						
Worker DNEL,	long-term	inhalation	systemic	1,39 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,4 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	systemic	0,34 mg/m³			
Consumer DN	EL, long-term	dermal	systemic	0,2 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	0,2 mg/kg bw/day			
13703-82-7	Magnesium metaborate						
Worker DNEL,	long-term	inhalation	systemic	5,49 mg/m³			
Worker DNEL, long-term		dermal	systemic	7,78 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	0,82 mg/m³			
Consumer DNEL, long-term		dermal	systemic	0,278 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	0,28 mg/kg bw/day			

PNEC values

CAS No	Name of agent	
Environmen	tal compartment	Value
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosp and amines, C12-14 alkyl (branched)	norus oxide, propylene oxide
Freshwater		0,0024 mg/l
Freshwater	(intermittent releases)	0,15 mg/l
Marine wate	r	0,00024 mg/l
Freshwater	0,0129 mg/kg	
Marine sedir	0,00129 mg/kg	
Secondary p	poisoning	10 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	24,33 mg/l
Soil		0,00117 mg/kg
597-82-0	O,O,O-Triphenyl phosphorothioate	
Freshwater		0,00017 mg/l
Marine wate	r	0,000017 mg/l
Freshwater	sediment	3,47 mg/kg
Marine sedir	nent	0,347 mg/kg



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Page 6 of 16

Soil		2,46 mg/kg	
13703-82-7	Magnesium metaborate		
Freshwater		0.05 mg/l	
Marine water		0.05 mg/l	
Freshwater sediment		1.38 mg/kg	
Marine sediment		1.38 mg/kg	
Secondary po	isoning	1.67 mg/kg	
Micro-organisms in sewage treatment plants (STP)		100 mg/l	
Soil			

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average ACGIH:American Conference of Governmental Industrial Hygienists

8.2. Exposure controls







Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	clear		
Odour:	characteristic		
			Test method
Melting point/freezing point:		No information available.	
Boiling point or initial boiling point and		No information available.	
boiling range:			
Flammability:		No information available.	
Lower explosion limits:		No information available.	
Upper explosion limits:		No information available.	
Flash point:		224 °C	DIN ISO 2592
Auto-ignition temperature:		No information available.	
Decomposition temperature:		No information available.	
pH-Value:		No information available.	
Viscosity / kinematic:		139 mm²/s	DIN EN ISO 3104
(at 40 °C)			
Water solubility:		No information available.	
Solubility in other solvents			
No information available.			
Partition coefficient n-octanol/water:		No information available.	
Vapour pressure:		No information available.	
(at 20 °C)			
Vapour pressure:		No information available.	
(at 50 °C)		$0.900 a/cm^3$	
Density (at 15 °C): Bulk density:		0,898 g/cm ³ No information available.	DIN 51757
Relative vapour density:		No information available.	
Particle characteristics:		No information available.	
9.2. Other information			
Information with regard to physical ha	zard classes		
Explosive properties			
none			
Sustained combustibility:		No data available	
Self-ignition temperature			
Solid:		No information available.	
Gas:		No information available.	
Oxidizing properties			
none			
Other safety characteristics			
Evaporation rate:		No information available.	
Solvent separation test:		No information available.	
Solvent content:		No information available.	
Solid content:		No information available.	

Page 7 of 16



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Sublimation point:

Viscosity / dynamic:

Softening point:

Pour point:

Flow time:

Page 8 of 16

No information available. No information available. -27 °C ASTM D 5985 No information available. No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known. Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

040 NI-

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
68937-96-2	Polysulfides, di-tert-Bu				•		
	oral	LD50 mg/kg	>2000	Rat	ECHA Dossier		
	dermal	LD50 mg/kg	>2000	Rat	ECHA Dossier		
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)						
	oral	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 401	
597-82-0	O,O,O-Triphenyl phospho	prothioate					
	oral	LD50 mg/kg	> 10000	Rat	ECHA Dossier	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 402	



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Page 9 of 16

13703-82-7	Magnesium metaborate						
	oral	LD50 mg/kg	>2000	Rat	REACH Dossier	OECD Guideline 420	
	dermal	LD50 mg/kg	>2000	Rat	REACH Dossier	OECD Guideline 402	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched), Magnesium metaborate. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. Polysulfides, di-tert-Bu:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 150 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEC >= 195 ppm; Literature information: REACH Dossier

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Wistar);Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 150 mg/kg Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Wistar);Method: other guideline: Reproduction/developmental screening test. Result: NOAEL = 150 mg/kg; Literature information: REACH Dossier

Magnesium metaborate:

In-vitro mutagenicity:

Method:

-OECD Guideline 490 (In Vitro Mammalian Cell Gene Mutation Tests Using the Thymidine Kinase Gene) -OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) -OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative ; Literature information: REACH Dossier

O,O,O-Triphenyl phosphorothioate:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Wistar); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL >250 mg/kg; Literature information: REACH Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met. Polysulfides, di-tert-Bu:



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Page 10 of 16

Subacute oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Species: Rat Results: NOAEL = 100 mg/kg; Literature information: REACH Dossier

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched): Subacute oral toxicity: Method: -; Species: Rat;Results: NOAEL = 150 mg/kg; Literature information: REACH Dossier

Magnesium metaborate: Repeated dose toxicity: Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Species: Rat Exposure duration: 28 d. Results: NOAEL = 150 mg/kg bw/day. (systemic) Literature information: REACH Dossier

O,O,O-Triphenyl phosphorothioate: Subacute oral toxicity Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents); Species: Rat; Results: NOAEL 50 mg/kg; Literature information: REACH Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68937-96-2	Polysulfides, di-tert-Bu						
	Acute algae toxicity	ErC50 (EL50) mg	> 100 /l	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	63 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)						
	Acute fish toxicity	LC50 mg/l	ca. 8,5		Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	6,4 mg/l		Raphidocelis subcapitata	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l	ca. 91,4	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l()	ca. 2433		activated sludge, domestic	ECHA Dossier	OECD Guideline 209
597-82-0	O,O,O-Triphenyl phospho	orothioate			-		



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Page 11 of 16

	Acute fish toxicity	LL50 mg/l	>100	96 h	Danio rerio	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 (loading r mg/l	> 100 ate WAF)	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l	>100	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,0017	97 d	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 210
	Crustacea toxicity	NOEC mg/l	0,00724	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211
13703-82-7	Magnesium metaborate						
	Acute fish toxicity	LL50	>50 mg/l		Oncorhynchus mykiss		OECD Guideline 203
	Acute algae toxicity	ErC50	>50 mg/l	72 h	Pseudokirchneriella subcapitata		OECD Guideline 201
	Acute crustacea toxicity	EL50	>50 mg/l	48 h	Daphnia magna		OECD Guideline 202

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	·				
68937-96-2	Polysulfides, di-tert-Bu					
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	13 %	28	ECHA Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, prop and amines, C12-14 alkyl (branched)				ene oxide		
	ASTM D-5864-95	3,6%	28	ECHA Dossier		
	not readily degradable					
597-82-0	O,O,O-Triphenyl phosphorothioate					
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	17,8-19,3%	29	ECHA Dossier		
	Not easily bio-degradable (according to OECD-criteria).					
13703-82-7	Magnesium metaborate					
	OECD Guideline 301 B	4%	28			
	Not easily bio-degradable (according to OECD-criteria).					

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68937-96-2	37-96-2 Polysulfides, di-tert-Bu	
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	< 0,3
597-82-0	O,O,O-Triphenyl phosphorothioate	5



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Page 12 of 16

BCF

		-		
CAS No	Chemical name	BCF	Species	Source
68937-96-2	Polysulfides, di-tert-Bu	0,006	Lepomis macrochirus	ECHA Dossier
	Reaction products of bis(4-methylpentan-2-yl)dithiophospho ric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	436	Onchorhynchus mykiss	ECHA Dossier
597-82-0	O,O,O-Triphenyl phosphorothioate	98	Fish	

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: 0,0,0-Triphenyl phosphorothioate.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(O,O,O-Triphenyl phosphorothioate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Page 13 of 16

Revision date: 10.03.2025	
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(O,O,O-Triphenyl phosphorothioate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (O,O,O-Triphenyl phosphorothioate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
	9
Marine pollutant:	YES
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (O,O,O-Triphenyl phosphorothioate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
	All A
	9
Special Provisions:	A97 A158 A197 A215
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025Page 14 of 16IATA-max. quantity - Passenger:450 LIATA-packing instructions - Cargo:964IATA-max. quantity - Cargo:450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

EU regulatory information	
Restrictions on use (REACH, annex XVII): Entry 3, Entry 75	
Directive 2010/75/EU on industrial emissions:	No information available.
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.
Information according to Directive 2012/18/EU (SEVESO III):	E2 Hazardous to the Aquatic Environment
Additional information	
Safety Data Sheet according to Regulat REACH 1907/2006 Appendix XVII, No (Observe in addition any national regulat	
National regulatory information	

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and

import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment not applicable.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,7,11,12,13,14,15,16.

Rev. : 1,0 - 28.04.2015 Rev. : 1,1 - 17.07.2015 Rev. : 1,2 - 06.07.2016 Rev. : 2,0 - 07.07.2017 Rev. : 3,0 - 07.07.2018 Rev. : 4,0 - 24.07.2019 Rev.: 5,0 - 20.07.2020; Changes in chapter: 3.2, 16 Rev.: 6.0 - 01.07.2021; Changes in chapter: 3.2, 6.1, 6.3, 8.1, 11.1, 11.2, 12,1, 12.2, 12.6, 12.7, 15.1, 16



according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

Page 15 of 16

Rev.: 7.0 - 28.06.2022, Changes in chapter: 2.3, 3.2, 8.2, 11.1, 12.5, 12.6, 16 Rev.: 8.0 - 01.06.2023, Changes in chapter: 9.1, 12.7, 16 Rev.: 9.0 - 04.06.2024, Changes in chapter: 11.1, 11.7, 12.1, 16 Rev.: 9.1 - 10.03.2025, Changes in chapter: 2.2, 2.3, 3.2, 4.1, 8.1, 11.1, 12.1, 12.2, 12.3, 12.5, 14, 15.1, 16 Abbreviations and acronyms Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Eve Irrit: Eve irritation Skin Sens: Skin sensitisation Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service **DNEL: Derived No Effect Level** IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NTP: National Toxicology Program N/A: not applicable PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SVHC: substance of verv high concern UN: United Nations TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008

|--|

Classification

Classification procedure

Aquatic Chronic 2; H411 Calculation method Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with
	phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched), Magnesium



Page 16 of 16

according to Regulation (EC) No 1907/2006

SRS Getriebefluid SML 80W-90

Revision date: 10.03.2025

metaborate. May produce an allergic reaction.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)