

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

SRS ViVA 1 topsynth 5W-40

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

engine oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH
Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de
1.4. Emergency telephone number: Gifft-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008****Special labelling of certain mixtures**

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.
EUH210 Safety data sheet available on request.

2.3. Other hazards

Endocrine disrupting properties: phenol, dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

For information or further instructions, see also section 11 or 12.

phenol, dodecyl-, branched: This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 2 of 17

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			40 - < 45 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
64741-88-4	Highly refined mineral oil (C15-C50)*			12 - < 15 %
	Asp. Tox. 1; H304			
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts			1 - < 3 %
	272-238-5		01-2119657973-23	
	Eye Dam. 1, Aquatic Chronic 2; H318 H411			
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased			1 - < 3 %
	701-251-5		01-2119524004-56	
	Aquatic Chronic 4; H413			
722503-68-6	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts			0.5 - < 1 %
	682-816-2			
	Skin Sens. 1B; H317			
121158-58-5	phenol, dodecyl-, branched			0.1 - < 0.2 %
	310-154-3	604-092-00-9	01-2119513207-49	
	Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	40 - < 45 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
68784-31-6	272-238-5	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	1 - < 3 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = >2000 mg/kg	
68784-26-9	701-251-5	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	1 - < 3 %
		dermal: LD50 = > 4000 mg/kg; oral: LD50 = > 5000 mg/kg	
722503-68-6	682-816-2	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	0.5 - < 1 %
		Skin Sens. 1B; H317: >= 2 - 100	
121158-58-5	310-154-3	phenol, dodecyl-, branched	0.1 - < 0.2 %
		dermal: LD50 = 15000 mg/kg; oral: LD50 = 2100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10	

Further Information

The mineral oil contained can be described by one or more of the following numbers.

265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-166-0, 265-169-7, 265-176-5, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

01-2119484627-25, 01-2119487077-29, 01-2119471299-27

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 3 of 17

extraction refractive index method" Institute of Petroleum, London).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest.

In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off immediately all contaminated clothing.

In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water.

Let water be drunk in little sips (dilution effect).

Never give anything by mouth to an unconscious person or a person with cramps.

When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand.

Foam.

Carbon dioxide (CO₂).

Extinguishing powder.

In case of major fire and large quantities:

Water spray jet.

Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated:

Carbon monoxide

Carbon dioxide (CO₂).

Sulphur dioxide (SO₂).

Nitrogen oxides (NO_x).

Phosphorus oxides.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 4 of 17

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.
Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)
Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention.
Keep away from sources of ignition - No smoking.
Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.
Do not put any product-impregnated cleaning rags into your trouser pockets.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before reuse.

Further information on handling

Do not breathe vapour/aerosol.
Avoid contact with eyes and skin.
General protection and hygiene measures:
See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.
Only use containers specifically approved for the substance/product.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 5 of 17

Hints on joint storage

Do not store together with:

Gas.

Explosives.

Oxidizing solids.

Oxidizing liquids.

Radioactive substances.

Infectious substances

Further information on storage conditions

Temperature control required.

Protect from light.

Keep container tightly closed.

Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 6 of 17

DNEL/DMEL values

CAS No	Name of agent		
DNEL type	Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term	inhalation	local	5,58 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts		
Worker DNEL, long-term	inhalation	systemic	2.93 mg/m ³
Worker DNEL, acute	inhalation	systemic	496.4 mg/m ³
Worker DNEL, long-term	dermal	systemic	10.42 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	100 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	11.75 mg/m ³
Consumer DNEL, acute	inhalation	systemic	198.6 mg/m ³
Consumer DNEL, long-term	dermal	systemic	2.1 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	50 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0.21 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	29 mg/kg bw/day
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased		
Worker DNEL, long-term	inhalation	systemic	3,5 mg/m ³
Worker DNEL, acute	inhalation	systemic	133,6 mg/m ³
Worker DNEL, long-term	dermal	systemic	8,33 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	80 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,87 mg/m ³
Consumer DNEL, acute	inhalation	systemic	0,067 mg/m ³
Consumer DNEL, acute	dermal	systemic	40 mg/kg bw/day
Consumer DNEL, long-term	dermal	systemic	4,2 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,25 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	50 mg/kg bw/day
121158-58-5	phenol, dodecyl-, branched		
Worker DNEL, acute	inhalation	systemic	44,18 mg/m ³
Worker DNEL, acute	dermal	systemic	166 mg/kg bw/day
Consumer DNEL, acute	inhalation	systemic	13,26 mg/m ³
Consumer DNEL, acute	dermal	systemic	50 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	1,26 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	1.762 mg/m ³

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 7 of 17

Worker DNEL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,79 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,075 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,075 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
Environmental compartment		
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
68784-31-6 Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts		
Freshwater		0,04 mg/l
Marine water		0,0046 mg/l
Freshwater sediment		0,07 mg/kg
Marine sediment		0,007 mg/kg
Secondary poisoning		8,33 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,8 mg/l
Soil		0,055 mg/kg
68784-26-9 Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased		
Freshwater		0,5 mg/l
Freshwater (intermittent releases)		5 mg/l
Marine water		0,05 mg/l
Freshwater sediment		1650 mg/kg
Marine sediment		165 mg/kg
Secondary poisoning		11,11 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		1340 mg/kg
121158-58-5 phenol, dodecyl-, branched		
Freshwater		0,000074 mg/l
Freshwater (intermittent releases)		0,00037 mg/l
Marine water		0,000007 mg/l
Freshwater sediment		0,226 mg/kg
Marine sediment		0,027 mg/kg
Secondary poisoning		4 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		0,118 mg/kg

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil)

Limit value (TLV-TWA) = 5 mg/ m³ - Source: ACGIHLimit value (TLV-STEL) = 10 mg/ m³ - Source: ACGIH

STEL: short-term exposure limits

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 8 of 17

TLV: Threshold Limiting Value
 TWA: time weighted average
 ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield.
 EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.
 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
 Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.
 In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.
 Respiratory protection necessary at:
 -aerosol or mist formation
 -Exceeding exposure limit values
 Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.
 The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	clear
Odour:	characteristic

Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range:	No information available.
Flammability:	No information available.

Test method

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 9 of 17

Lower explosion limits:	No information available.
Upper explosion limits:	No information available.
Flash point:	236 °C
Auto-ignition temperature:	No information available.
Decomposition temperature:	No information available.
pH-Value:	No information available.
Viscosity / kinematic: (at 40 °C)	86,92 mm ² /s DIN EN ISO 3104
Water solubility:	Immiscible
Solubility in other solvents	
No information available.	
Partition coefficient n-octanol/water:	No information available.
Vapour pressure:	No information available.
(at 20 °C)	
Vapour pressure:	No information available.
(at 50 °C)	
Density (at 15 °C):	0,8543 g/cm ³ DIN 51757
Bulk density:	No information available.
Relative vapour density:	No information available.
Particle characteristics:	No information available.

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

none

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

No information available.

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

No information available.

Sublimation point:

No information available.

Softening point:

No information available.

Pour point:

-42 °C ISO 3016

Viscosity / dynamic:

No information available.

Flow time:

No information available.

Further Information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 10 of 17

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts				
	oral	LD50 >2000 mg/kg	Rat.	ECHA Dossier	OECD Guideline 401
	dermal	LD50 >5000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased				
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 > 4000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402
121158-58-5	phenol, dodecyl-, branched				
	oral	LD50 2100 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 15000 mg/kg	Rabbit	ECHA Dossier	OECD 402

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Irritant effect on the eye: non-irritant. By analogy. Raw material classification

Sensitising effects

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 11 of 17

Based on available data, the classification criteria are not met.

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) ; Literature information:

ECHA dossier; Result: negative

Carcinogenicity:

Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Species: Mouse. ;Results: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m.;

Literature information: REACH Dossier

Reproductive toxicity:

Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Results: NOAEL > 1000 mg/kg; Literature information: REACH Dossier

Developmental toxicity/teratogenicity:

Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Results: NOAEL >= 2000 mg/kg; Literature information: REACH Dossier

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative ; Literature information: REACH Dossier

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased:

Reproductive toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test); Species: Rat

Result: NOAEL = 200 mg/kg; Literature information: REACH Dossier

Method:

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative ; Literature information: REACH Dossier

Reproductive toxicity:

Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study). Species: Rat.

Result: NOAEL = 50 mg/kg. Literature information: REACH Dossier

phenol, dodecyl-, branched:

Subchronic oral toxicity: Exposure time: 90d. Method: OECD Guideline 408 ; Species: Rat; Results: NOAEL = 100 mg/kg. Subacute oral toxicity: Exposure time: 28d. Method: OECD Guideline 407 ; Species: Rat ; Results:

NOAEL = 60 mg/kg. Literature information: REACH Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 12 of 17

Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

Subacute inhalative toxicity:

Method: - ; Exposure time: 28d; Species: Rat

Results: NOAEL >980 mg/m³; Literature information: REACH Dossier

Subacute dermal toxicity :

Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Exposure time: 28d; Species: Rabbit

Results: 1000 mg/kg ; Literature information: REACH Dossier

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Subacute oral toxicity:

Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)

Species: Rat

Exposure duration: 28 d; Results: NOAEL = 125 mg/kg; Literature information: REACH Dossier

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased:

Subacute oral toxicity:

Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Species: Dog.; Exposure duration: 28 d.

Results: NOAEL >250 mg/kg(bw)/day ; Literature information: REACH Dossier

phenol, dodecyl-, branched:

In vitro mutagenicity/genotoxicity: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test), OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative Literature information: REACH Dossier;

Developmental toxicity/teratogenicity: Species: Rat ; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL 100 mg/kg; Literature information: REACH Dossier; Reproductive toxicity:

Species: Sprague-Dawley Rat; Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study);Result: NOAEL 15 mg/kg; Literature information: REACH Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment. Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment on the basis of test data, expert judgement or analogy assessments.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 13 of 17

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	Crustacea toxicity	NOEC 10 mg/l	21 d	Daphnia magna (OECD 211)	ECHA Dossier	
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts					
	Acute fish toxicity	LC50 4,4 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 410 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 75 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC 0,4 mg/l	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased					
	Acute fish toxicity	LC50 >1000 mg/l	96 h	Pimephales promelas	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	96 h	Pseudokirchneriella subcapitata	Study report (1994)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	48 h	Daphnia magna	Study report (1993)	OECD Guideline 202
121158-58-5	phenol, dodecyl-, branched					
	Acute fish toxicity	LC50 40 mg/l	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	21 d	daphnia magna	ECHA Dossier	OECD 211

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	31%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts				
	EU Method C.6	< 5%	27	ECHA Dossier	
	Readily biodegradable (according to OECD criteria).				
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C (READ ACROSS)	13,4 %	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
121158-58-5	phenol, dodecyl-, branched				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	25%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				

12.3. Bioaccumulative potential

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 14 of 17

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	9,5
121158-58-5	phenol, dodecyl-, branched	7,1

BCF

CAS No	Chemical name	BCF	Species	Source
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	2,2	lipid triolein	ECHA Dossier
121158-58-5	phenol, dodecyl-, branched	2,9		

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 15 of 17

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**Marine transport (IMDG)****14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):
phenol, dodecyl-, branched

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 30, Entry 75

Directive 2010/75/EU on industrial emissions: No information available.

Directive 2004/42/EC on VOC in paints and varnishes: No information available.

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): not relevant

Observe in addition any national regulations!

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment
not applicable.**SECTION 16: Other information**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 16 of 17

Changes

This data sheet contains changes from the previous version in section(s): 2,12,16.

Rev.: 1,00 - 08.04.2015

Rev.: 1,01 - 28.04.2015

Rev.: 1,10 - 02.02.2016

Rev.: 2,00 - 28.03.2017

Rev.: 3,00 - 29.03.2018

Rev.: 4,00 - 27.03.2019

Rev.: 5,00 - 31.03.2020 Changes in chapter: 3.2, 8.1, 10.3, 15.1, 16

Rev.: 6.00 - 17.03.2021; Changes in chapter: 3.2, 6.1, 6.2, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.7, 15.1, 16

Rev.: 7,00 - 10.03.2022, Changes in chapter: 2.3, 3.2, 8.2, 11.2, 12.5, 12.6, 15.1, 16

Rev.: 8,00 - 02.03.2023, Changes in chapter: 2.3, 9.1, 12.5, 16

Rev.: 9.00 - 11.03.2024, Changes in chapter: 8.1, 11.2, 12.1, 12.7, 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NTP: National Toxicology Program

N/A: not applicable

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SVHC: substance of very high concern

TRGS Technische Regeln fuerGefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

WGK: Water Hazard Class (Germany)

Asp. Tox: Aspiration hazard

Skin Corr: Skin corrosion

Eye Dam: Eye damage

Skin Sens: Skin sensitisation

Repr: Reproductive toxicity

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS ViVA 1 topsynth 5W-40

Revision date: 11.03.2024

Page 17 of 17

H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)