

according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Wiolan CD 32

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Compressor Oil.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH208 Contains 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-7-oxo-8-oxa-3,5

-dithia-4-phosphatetradecanoate 4-oxide. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the

Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name							
	EC No	Index No	REACH No					
	Classification (Regulation (EC) No	Classification (Regulation (EC) No 1272/2008)						
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified							
	265-159-2	649-469-00-9	01-2119480132-48					
	Asp. Tox. 1; H304							
83547-95-9	2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio] -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide							
	280-479-2		01-2120768774-38					
	Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H317 H411							

Print date: 05.11.2024



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 2 of 15

68411-46-1	1-46-1 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene				
	270-128-1 01-2119491299-23				
	Repr. 2; H361f				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. I	Limits, M-factors and ATE				
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	35 - < 40 %			
		inhalation: LC50 = >5,53 mg/l (dusts or mists); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg				
83547-95-9	280-479-2	2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio] -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide	0.1 - < 0.2 %			
	dermal: LD50 = > 3000 mg/kg; oral: LD50 = 3313 mg/kg					
68411-46-1	270-128-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene				
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 5000 mg/kg				

Further Information

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 3 of 15

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 4 of 15

Wash contaminated clothing before reuse.

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; B.	aseoil - unspecified					
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³			
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³			
83547-95-9	2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]t -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide	hio]					
Worker DNEL,	long-term	inhalation	systemic	0,822 mg/m³			
Worker DNEL, long-term		dermal	systemic	0,233 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	systemic	0,145 mg/m³			
Consumer DN	EL, long-term	dermal	systemic	0,0833 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	0,0833 mg/kg bw/day			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trim	nethylpentene					
Consumer DN	EL, long-term	inhalation	systemic	0,31 mg/m³			
Consumer DNEL, long-term		dermal	systemic	0,44 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	0,05 mg/kg bw/day			



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 5 of 15

Worker DNEL, long-term	dermal	systemic	0,22 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	0,8 mg/m³

PNEC values

CAS No	Name of agent				
Environmenta	il compartment	Value			
64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified					
Secondary po	Secondary poisoning				
83547-95-9					
Freshwater		0,0031 mg/l			
Freshwater (i	0,031 mg/l				
Marine water		0,00031 mg/l			
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	·			
Freshwater		0,034 mg/l			
Marine water		0,003 mg/l			
Freshwater se	ediment	0,446 mg/kg			
Marine sedim	ent	0,045 mg/kg			
Secondary poisoning		0,8333 mg/kg			
Micro-organisms in sewage treatment plants (STP)		10 mg/l			
Soil	Soil				

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 6 of 15

mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

No information available. Melting point/freezing point: No information available. Boiling point or initial boiling point and

boiling range: Flammability:

No information available. Lower explosion limits: No information available. Upper explosion limits: No information available.

Flash point:

212 °C DIN ISO 2592

Auto-ignition temperature: No information available. Decomposition temperature: No information available. No information available. pH-Value:

Viscosity / kinematic:

31,7 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility:

Immiscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure: (at 20 °C)

Vapour pressure:

(at 50 °C)

Density (at 15 °C):

No information available.

No information available. No information available.

Bulk density:

0,872 g/cm3 DIN 51757

No information available. No information available. Relative vapour density: No information available. Particle characteristics:



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 7 of 15

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No information available.

Gas: No information available.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

Solvent separation test:

No information available.

Pour point: -12 °C ASTM D 5985

Viscosity / dynamic:

No information available.

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified						



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 8 of 15

	oral	LD50 mg/kg	>5000	Rat.	ECHA Dossier		
	dermal	LD50 mg/kg	>5000	Rabbit.	ECHA Dossier		
	inhalation (4 h) dust/mist	LC50 mg/l	>5,53	Rat.	ECHA Dossier		
83547-95-9	2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio] -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide						
	oral	LD50 mg/kg	3313	Rat	ECHA Dossier	EPA OPP 81-1	
	dermal	LD50 mg/kg	> 3000	Rat	ECHA Dossier	EPA OPP 81-2	
68411-46-1	Benzenamine, N-phenyl-,	reaction pro	ducts with 2	,4,4-trimethylpentene			
	oral	LD50 mg/kg	> 5000	Rat	ECHA Dossier	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 402	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]

-7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity:

Method:

-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative

Literature information: REACH Dossier

Chronic dermal toxicity: Exposure time: ~546 d

Species: Mouse.

Method: OECD Guideline 451 Result: Carcinogenicity = negative Literature information: REACH Dossier

Reproductive toxicity: Exposure route: oral.

Species: Rat.

Method: OECD Guideline 421 Result: NOAEL >1000 mg/kg

Literature information: REACH Dossier

Print date: 05.11.2024



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 9 of 15

Developmental toxicity/teratogenicity:

Exposure route: dermal.

Species: Rat.

Method: OECD Guideline 414 Result: NOAEL >2000 mg/kg

Literature information: REACH Dossier

2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio] -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide:

In-vitro mutagenicity:

Method: JAPAN: Guidelines for Screening Mutagenicity Testing Of Chemicals

Result: negative Literature information: REACH Dossier

2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio] -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide:

Reproductive toxicity:

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Species: Rat.

Results: NOAEL (P0) = 50 mg/kg; NOAEL (F1) >= 150 mg/kg;

Literature information: REACH Dossier

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative

Literature information: REACH Dossier

Reproductive toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the

Reproduction/Developmental Toxicity Screening Test)

Species: Rat

Exposure duration: male: 28 d, female: 53 d.

Results: NOAEL = 25 mg/kg

Literature information: REACH Dossier Developmental toxicity/teratogenicity: Method: other guideline: OECD 422

Species: Rat

Exposure duration: male: 28 d, female: 53 d.

Results: NOAEL = 25 mg/kg

Literature information: REACH Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

Subchronic oral toxicity: Exposure time: 90d

Species: Sprague-Dawley Rat. Method: OECD Guideline 408 Result: LOAEL = 125 mg/kg

Literature information: REACH Dossier

Subacute inhalative toxicity:



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 10 of 15

Exposure time: 28d

Species: Sprague-Dawley Rat. Result: NOAEC > 980 mg/m3

Literature information: REACH Dossier

Subacute dermal toxicity: Exposure time: 28d Species: Rabbit

Method: OECD Guideline 410 Result: NOAEL 1000 mg/kg

Literature information: REACH Dossier

2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio] -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide:

Subchronic oral toxicity:

Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)

Species: Rat

Results: NOEL = 100 mg/kg

Literature information: REACH Dossier

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Subacute oral toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the

Reproduction/Developmental Toxicity Screening Test)

Species: Rat

Exposure duration: male: 28 d, female: 53 d.

Results: NOAEL =25 mg/kg

Literature information: REACH Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name								
	Aquatic toxicity	Dose		[h] [d	Species	Source	Method			
64742-56- 9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified									
	Acute fish toxicity	LC50 mg/l	>100	96 h	Pimephales promelas	ECHA Dossier				
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchnerella subcapitata	ECHA Dossier				
	Acute crustacea toxicity	EC50 mg/l	>10000	48 h	Daphnia magna	ECHA Dossier				
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna	ECHA Dossier				



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 11 of 15

83547-95- 9	2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio] -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide							
	Acute fish toxicity	LC50 mg/l	4,05	96 h	Brachydanio rerio	ECHA Dossier	OECD Guideline 203	
	Acute algae toxicity	ErC50	3,1 mg/l	72 h	Scenedesmus subspicatus	ECHA Dossier	87/302/EEC	
68411-46- 1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene							
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	ECHA Dossier	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201	
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202	
	Crustacea toxicity	NOEC (EC10) m	1,69 g/I	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211	

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

1110011									
CAS No	Chemical name								
	Method	Value	d	Source					
	Evaluation	-	-						
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Ba	seoil - unspecified							
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier					
	Not easily bio-degradable (according to OECD-criteria).								
83547-95-9	2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio] -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide								
	OECD Guideline 301 F	82%	28	ECHA Dossier					
	Readily biodegradable (according to OECD criteria).	-	-	-					
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene								
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	0%	28	ECHA Dossier					
	Not readily biodegradable (according to OECD criteria)								

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio] -7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide	10,04
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	6,66

BCF

CAS No	Chemical name	BCF	Species	Source
83547-95-9	2-ethylhexyl 10-ethyl-4-[[2-	109		Model results (2018)
	[(2-ethylhexyl)oxy]-2-oxoethyl]thio]			
	-7-oxo-8-oxa-3,5-dithia-4-phosphat			
	etradecanoate 4-oxide			



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32					
Revision date	: 01.11.2024			Page 1	2 of 15
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	4176		ECHA Dossier	

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land	transport	t (ADR/RI	D)
------	-----------	-----------	----

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

· · · · · · · · · · · · · · · · · · ·	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

arine transport (IIMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 13 of 15

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial

No information available.

emissions:

Directive 2004/42/EC on VOC in

paints and varnishes:

No information available.

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): not relevant

Observe in addition any national regulations!

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and

import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment

not applicable.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12,15,16.

Rev.: 1,0 - 05.05.2015 Rev.: 1,1 - 17.05.2016 Rev.: 2,0 - 05.06.2017 Rev.: 3,0 - 27.06.2018 Rev.: 4,0 - 24.06.2019

Rev.: 5,0 - 25.06.2020; Changes in chapter: 1,1,15.1, 16

Rev.: 6,0 - 02.06.2021; Changes in chapter: 3.2, 6.1, 6.3, 11.1, 11.2, 12.1, 12.2, 12.3, 12.6, 12.7, 15.1,16

Rev.: 6,1 - 01.09.2021; Changes in chapter: 3.2, 11.1, 12.3, 16



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 14 of 15

Rev.: 7.0 - 14.11.2022, Changes in chapter: 2.3, 12.5, 12.6, 16

Rev.: 8.0 - 09.11.2023, Changes in chapter: 3.2, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.7, 15.1,16

Rev.: 9,0 - 01.11.2024, Changes in chapter: 12.1, 16

Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Skin Sens: Skin sensitisation Repr: Reproductive toxicity

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

d: day(s)

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h. hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

NTP: National Toxicology Program

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic PMT: Persistent, mobile and toxic

REACH: Registration, Evaluation, Authorisation of Chemicals

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

TSCA: Toxic Substances Control Act vPvM: very persistent and very mobile

vPvB: very persistent and very bioaccumulative

VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Key literature references and sources for data



according to Regulation (EC) No 1907/2006

SRS Wiolan CD 32

Revision date: 01.11.2024 Page 15 of 15

https://echa.europa.eu/

https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

https://cfpub.epa.gov/ecotox/search.cfm

http://www.inchem.org/#/search https://pubchem.ncbi.nlm.nih.gov/

http://ccinfoweb.ccohs.ca/rtecs/search.html

https://webrigoletto.uba.de/rigoletto/

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H361f Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-7-oxo-8-oxa-3,5

-dithia-4-phosphatetradecanoate 4-oxide. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)