

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **SRS Mihagrun LA 40**

Revision: 15.09.2025 Page 1 of 15

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

SRS Mihagrun LA 40

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

engine oil

## Uses advised against

none

# 1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

# Special labelling of certain mixtures

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium

salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

Endocrine disrupting properties: phenol, dodecyl-, branched.

phenol, dodecyl-, branched: This substance has been listed as SVHC (substance of very high concern) in

the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Chemical characterization

Mineral oil + Additive

# Relevant ingredients

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
68855-45-8	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalyc dewaxed, light or heavy paraffinic C15-C50			
	701-249-4		01-2119524018-47	
	Aquatic Chronic 4; H413			



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 2 of 15

125643-61-0	reaction mass of isomers of: C7-9-a	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate					
	406-040-9	607-530-00-7	01-0000015551-76				
	Aquatic Chronic 4; H413						
722503-68-6	Benzenesulfonic acid, methyl-, mor	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts					
	682-816-2						
	Skin Sens. 1B; H317						
121158-58-5	phenol, dodecyl-, branched			0.1 - < 0.2 %			
	310-154-3	604-092-00-9	01-2119513207-49				
Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410							

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
68855-45-8	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalyc dewaxed, light or heavy paraffinic C15-C50		1 - < 3 %			
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg					
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propionate	1 - < 3 %			
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg				
722503-68-6	682-816-2	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	0.5 - < 1 %			
	Skin Sens. 1B;	H317: >= 2 - 100				
121158-58-5	310-154-3	phenol, dodecyl-, branched	0.1 - < 0.2 %			
	dermal: LD50 = 15000 mg/kg; oral: LD50 = 2100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10					

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

# **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

# After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 3 of 15

## 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

### Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

# For non-emergency personnel

Wear personal protection equipment (refer to section 8).

# For emergency responders

No special precautionary measures are necessary.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

No information available.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Wear suitable protective clothing. ( See section 8. )

Avoid formation of oil dust.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 4 of 15

### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

### Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

### Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

#### Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances

## Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

# 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **DNEL/DMEL values**

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
68855-45-8	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalyc dewaxed, light or heavy paraffinic C15-C50						
Worker DNEL,	long-term	inhalation	systemic	3,5 mg/m³			
Worker DNEL,	acute	inhalation	systemic	133,6 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,5 mg/kg bw/day			
Worker DNEL,	acute	dermal	systemic	40 mg/kg bw/day			
Consumer DNE	EL, long-term	inhalation	systemic	0,87 mg/m³			
Consumer DNE	EL, acute	inhalation	systemic	66,8 mg/m³			
Consumer DNE	EL, long-term	dermal	systemic	0,25 mg/kg bw/day			
Consumer DNE	EL, acute	dermal	systemic	20 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day			
Consumer DNE	EL, acute	oral	systemic	50 mg/kg bw/day			
125643-61-0	125643-61-0 reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate						
Worker DNEL,	long-term	inhalation	systemic	6,6 mg/m³			



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 5 of 15

Worker DNEL,	long-term	dermal	systemic	1,67 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	1,62 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	0,83 mg/kg bw/day
Consumer DNI	EL, long-term	oral	systemic	0,93 mg/kg bw/day
121158-58-5	phenol, dodecyl-, branched			
Worker DNEL,	acute	inhalation	systemic	44,18 mg/m³
Worker DNEL,	acute	dermal	systemic	166 mg/kg bw/day
Consumer DNI	EL, acute	inhalation	systemic	13,26 mg/m³
Consumer DNI	EL, acute	dermal	systemic	50 mg/kg bw/day
Consumer DNI	EL, acute	oral	systemic	1,26 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	1.762 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	0,79 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	0,075 mg/kg bw/day
Consumer DNI	EL, long-term	oral	systemic	0,075 mg/kg bw/day

# PNEC values

CAS No	Name of agent	
Environmental	compartment	Value
68855-45-8	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from proper oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solves solvent-dewaxed, or catalyc dewaxed, light or heavy paraffinic C15-C50	
Freshwater		1 mg/l
Freshwater (in	termittent releases)	10 mg/l
Marine water		0,1 mg/l
Freshwater se	diment	87100 mg/kg
Marine sediment		
Secondary poisoning		20 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	100 mg/l
Soil		17500 mg/kg
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	
Freshwater		0,018 mg/l
Marine water		0,002 mg/kg
Freshwater se	diment	2 mg/kg
Marine sediment		0,2 mg/kg
Secondary poisoning		41,33 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	100 mg/l
Soil		10 mg/kg



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 6 of 15

121158-58-5 phenol, dodecyl-, branched					
Freshwater	0,000074 mg/l				
Freshwater (intermittent releases)	0,00037 mg/l				
Marine water	0,000007 mg/l				
Freshwater sediment	0,226 mg/kg				
Marine sediment	0,027 mg/kg				
Secondary poisoning	4 mg/kg				
Micro-organisms in sewage treatment plants (STP)	100 mg/l				
Soil	0,118 mg/kg				

#### Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA) = 5 mg/m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

#### 8.2. Exposure controls





### Appropriate engineering controls

Provide adequate ventilation.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

#### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations. In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Skin protection

Oil-resistant and hardly inflammable protective clothing.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 7 of 15

exceeded, self-contained breathing apparatus must be used.

#### Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

### **Environmental exposure controls**

No information available.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

Print date: 15.09.2025

Melting point/freezing point:

No information available.

Boiling point or initial boiling point and No information available.

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No information available.

No information available.

No information available.

Flash point: 276 °C DIN ISO 2592

Auto-ignition temperature:

Decomposition temperature:

PH-Value:

No information available.

No information available.

No information available.

Viscosity / kinematic: 149,9 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility: Immiscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No information available.

No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,8894 g/cm³ DIN 51757

Bulk density:

Relative vapour density:

No information available.

No information available.

No information available.

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

none

Sustained combustibility: No data available

Self-ignition temperature

Solid: No information available.
Gas: No information available.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

Solvent separation test:

No information available.

No information available.

No information available.

No information available.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **SRS Mihagrun LA 40**

Revision: 15.09.2025 Page 8 of 15

Solid content:

Sublimation point:

No information available.

No information available.

No information available.

No information available.

-21 °C ASTM D 5985

Viscosity / dynamic:

No information available.

No information available.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Pour point:

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

### 10.4. Conditions to avoid

No information available.

# 10.5. Incompatible materials

Oxidising agent, strong

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

No information available.

# **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
68855-45-8	Phenol, paraalkylation products with C10-15 branched olefins ( C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalyc dewaxed, light or heavy paraffinic C15-C50						
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401		
	dermal	LD50 > 2000 mg/kg	Rat	ECHA Dossier	OECD Guideline 402		
125643-61-0	reaction mass of isomers	of: C7-9-alkyl 3-(3,5-di-te	ert-butyl-4-hydroxyphenyl)	propionate			
	oral	LD50 > 2000 mg/kg	Rat	ECHA Dossier	OECD 401		
	dermal	LD50 > 2000 mg/kg	Rat	ECHA Dossier	OECD 402		
121158-58-5	phenol, dodecyl-, branche	ed					



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Ш			3113	iviillagi uli L	LA 70		
	Revision: 15.09.2025						Page 9 of 15
	oral	LD50	2100	Rat	ECHA Dossier	OECD 401	

CDC Miboarup I A 40

	oral	LD50 mg/kg	2100	Rat	ECHA Dossier	OECD 401
		LD50	15000	Rabbit	ECHA Dossier	OECD 402
Į		mg/kg				

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

phenol, dodecyl-, branched:

Subchronic oral toxicity: Exposure time: 90d. Method: OECD Guideline 408; Species: Rat; Results: NOAEL = 100 mg/kg. Subacute oral toxicity: Exposure time: 28d. Method: OECD Guideline 407; Species: Rat;

Results: NOAEL = 60 mg/kg. Literature information: ECHA Dossier

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: negative

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rabbit

Results: NOAEL = 40 mg/kg (Maternal toxicity)

Literature information: ECHA Dossier

#### Sensitising effects

Based on available data, the classification criteria are not met.

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate:

Subchronic oral toxicity:

Method: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))

Species: Rat

Exposure duration: 28 d

Result: NOEL = 15 mg/kg bw/day

phenol, dodecyl-, branched:

Subchronic oral toxicity: Exposure time: 90d. Method: OECD Guideline 408 ; Species: Rat; Results: NOAEL = 100 mg/kg. Subacute oral toxicity: Exposure time: 28d. Method: OECD Guideline 407 ; Species: Rat ;

Results: NOAEL = 60 mg/kg. Literature information: REACH Dossier

### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 10 of 15

## **Endocrine disrupting properties**

Endocrine disrupting properties: phenol, dodecyl-, branched.

### Other information

Frequent contact specially if dried out may cause skin and eye irritations.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment. Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment on the basis of test data, expert judgement or analogy assessments.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
68855-45-8	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalyc dewaxed, light or heavy paraffinic C15-C50						
	Acute algae toxicity	ErC50 mg/l	> 1000	96 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
125643-61-0	reaction mass of isomers	s of: C7-9-alk	xyl 3-(3,5-di-te	ert-butyl-	4-hydroxyphenyl)propion	ate	
	Acute fish toxicity	LC50 mg/l	>100	96 h	Brachydanio rerio	ECHA Dossier	OECD 203
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna	ECHA Dossier	OECD 202
121158-58-5	phenol, dodecyl-, branch	ied					
	Acute fish toxicity	LC50 40 mg/l	EL 50 =	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	(0,36)	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	0,0037	21 d	daphnia magna	ECHA Dossier	OECD 211

# 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 11 of 15

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
68855-45-8	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalyc dewaxed, light or heavy paraffinic C15-C50							
	EU Method C.4-C	4.7 - 10.8 %	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).	-						
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hyd	roxyphenyl)propionate						
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	4 %	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).			•				
121158-58-5	phenol, dodecyl-, branched							
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	25%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68855-45-8	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalyc dewaxed, light or heavy paraffinic C15-C50	10,1
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	9,2
121158-58-5	phenol, dodecyl-, branched	7,1

# **BCF**

CAS No	Chemical name	BCF	Species	Source
68855-45-8	Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, calcium salts, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalyc dewaxed, light or heavy paraffinic C15-C50	289	Oncorhynchus mykiss	ECHA Dossier
121158-58-5	phenol, dodecyl-, branched	2,9		

# 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

# 12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

### 12.7. Other adverse effects

No information available.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 12 of 15

#### **Further information**

Ozone depletion potential (ODP): No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances;

hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

# Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 13 of 15

## **EU** regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

phenol, dodecyl-, branched

Restrictions on use (REACH, annex XVII):

Entry 30, Entry 75

Directive 2010/75/EU on industrial No information available.

emissions:

Directive 2004/42/EC on VOC in

paints and varnishes:

No information available.

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

### **Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 75

Observe in addition any national regulations!

### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

#### Additional information

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment not applicable.

# **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 15,16.

Rev.: 1,00 - 05.05.2015 Rev.: 1,10 - 17.05.2016 Rev.: 2,00 - 05.06.2017 Rev.: 3,00 - 27.06.2018 Rev.: 4,00 - 24.06.2019

Rev.: 5,00 - 25.06.2020; Changes in chapter: 2.2, 3.2, 11.1, 16

Rev.: 6,00 - 09.10.2020; Changes in chapter: 2.2, 3.2, 8.1, 11.1, 12., 12.2, 12.3, 15.1, 16 Rev.: 7,00 - 14.10.2021, Changes in chapter: 2.2, 2.3, 3.2, 6.1, 6.3, 11.2, 12.6, 12.7, 15.1, 16 Rev.: 8,00 - 27.09.2022, Changes in chapter: 2.2, 2.3, 3.2, 8.1, 9.1, 11.1, 12.1, 12.2, 12.3, 12,5 12.6,

15.1, 16

Rev.: 9.00 - 08.09.2023, Changes in chapter: 2.3,, 9.1, 12.5, 12.7, 16

Rev.: 10.0 - 11.09.2024, Changes in chapter: 8.1,11.1, 16 Rev.: 11.0 - 15.09.2024, Changes in chapter: 15, 16



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 14 of 15

#### Abbreviations and acronyms

Skin Corr. 1C: Skin corrosion, sub-category 1C Eye Dam. 1: Serious eye damage, hazard category 1 Skin Sens. 1B: Skin sensitisation, hazard category 1B Repr. 1B: Reproductive toxicity, hazard category 1B

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

d: day(s)

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

NTP: National Toxicology Program

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

PMT: Persistent, mobile and toxic

REACH: Registration, Evaluation, Authorisation of Chemicals

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

**UN: United Nations** 

TSCA: Toxic Substances Control Act vPvM: very persistent and very mobile

vPvB: very persistent and very bioaccumulative

VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

### Key literature references and sources for data

https://echa.europa.eu/

https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

https://cfpub.epa.gov/ecotox/search.cfm



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS Mihagrun LA 40

Revision: 15.09.2025 Page 15 of 15

http://www.inchem.org/#/search https://pubchem.ncbi.nlm.nih.gov/

http://ccinfoweb.ccohs.ca/rtecs/search.html

https://webrigoletto.uba.de/rigoletto/

#### Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H360F May damage fertility. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium

salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)