

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 1 of 16

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SRS Wiolan HG 10

UFI: R0YR-FUNF-NE0M-82YP

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Hydraulic fluids

#### Uses advised against

none

### 1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

**1.4. Emergency telephone** Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

#### **Further Information**

Worldwide emergency information service: GBK GmbH +49 (0)6132-84463

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### Regulation (EC) No 1272/2008

#### Hazard components for labelling

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified

Signal word: Danger

Pictograms:



## **Hazard statements**

H304 May be fatal if swallowed and enters airways.

# **Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to local/regional/national/international regulations.

#### 2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 2 of 16

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mineral oil + Additive

# Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
64742-56-9	Distillates (petroleum), solvent-dew	axed light paraffinic; Baseoil - unspe	cified	90 - < 99 %	
	265-159-2	649-469-00-9	01-2119480132-48		
	Asp. Tox. 1; H304				
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)				
	931-384-6		01-2119493620-38		
	Acute Tox. 4, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H302 H319 H317 H411				
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-	1-yl)ethanol		< 0.1 %	
	202-414-9		01-2119777867-13		
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H373 H400 H410				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	90 - < 99 %
	inhalation: LC5 LD50 = >5000 i	0 = >5,53 mg/l (dusts or mists); dermal: LD50 = >5000 mg/kg; oral: ng/kg	
	931-384-6	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	0.1 - < 0.2 %
	oral: LD50 = > 9,39 - 100	2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100 Skin Sens. 1; H317: >=	
95-38-5	202-414-9	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	< 0.1 %
	oral: LD50 = ca	a. 1265 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=1	_

# **Further Information**

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 3 of 16

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

## Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

## 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

# For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special precautionary measures are necessary.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 4 of 16

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

No information available.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

## Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

## Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

When using do not eat, drink or smoke.

#### Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

# Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

#### Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

#### 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 5 of 16

# **DNEL/DMEL values**

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; B.	aseoil - unspecified		
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNI	EL, long-term	oral	systemic	0,74 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	local	1,19 mg/m³
	Reaction products of bis(4-methylpentan-2-yl)dithiophospl propylene oxide and amines, C12-14 alkyl (branched)	noric acid with phosphor	us oxide,	
Worker DNEL,	long-term	inhalation	systemic	4,28 mg/m³
Worker DNEL,	long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	1,09 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	6,25 mg/kg bw/day
Consumer DNI	EL, acute	dermal	local	0.024 mg/cm <sup>2</sup>
Consumer DNI	EL, long-term	oral	systemic	0,25 mg/kg bw/day
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol			
Worker DNEL,	long-term	inhalation	systemic	0,46 mg/m³
Worker DNEL,	acute	inhalation	systemic	14 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,06 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	2 mg/kg bw/day



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 6 of 16

#### **PNEC values**

CAS No	Name of agent	
Environment	al compartment	Value
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	
Secondary p	oisoning	9,33 mg/kg
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	
Freshwater		0,0024 mg/l
Freshwater (i	intermittent releases)	0,15 mg/l
Marine water		0,00024 mg/l
Freshwater s	ediment	0,0129 mg/kg
Marine sedim	nent	0,00129 mg/kg
Secondary p	oisoning	10 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	24,33 mg/l
Soil		0,00117 mg/kg
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	
Freshwater		0 mg/l
Freshwater (i	intermittent releases)	0 mg/l
Marine water		0 mg/l
Freshwater sediment		0,376 mg/kg
Marine sedim	nent	0,038 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,27 mg/l
Soil		0,075 mg/kg

# Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

## 8.2. Exposure controls







## Appropriate engineering controls

Provide adequate ventilation.

## Individual protection measures, such as personal protective equipment

# Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

# **Hand protection**

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 7 of 16

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations. In the case of wanting to use the gloves again, clean them before taking off and air them well.

# Skin protection

Oil-resistant and hardly inflammable protective clothing.

## Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

## **Environmental exposure controls**

No information available.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

Print date: 06.02.2025

Melting point/freezing point:

Boiling point or initial boiling point and

No information available.

No information available.

boiling range:

Flammability:

Lower explosion limits:

No information available.

No information available.

No information available.

No information available.

Flash point: 180 °C DIN ISO 2592

Auto-ignition temperature:

Decomposition temperature:

PH-Value:

No information available.

No information available.

Viscosity / kinematic: 9,94 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility: Immiscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No information available.

No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,856 g/cm³ DIN 51757

Bulk density:

Relative vapour density:

No information available.

No information available.

No information available.

## 9.2. Other information



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 8 of 16

## Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion: No data available

Self-ignition temperature

Solid: No information available.

Gas: No information available.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

Solvent separation test:

No information available.

Pour point: -30 °C ASTM D 5985

Viscosity / dynamic:

No information available.

No information available.

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

## 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Oxidising agent, strong

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No information available.

# **Acute toxicity**

Based on available data, the classification criteria are not met.

# **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 9 of 16

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-56-9	Distillates (petroleum), so	lvent-dewax	ed light para	ffinic; Baseoil - unspecifie	d	
	oral	LD50 mg/kg	>5000	Rat.	ECHA Dossier	
	dermal	LD50 mg/kg	>5000	Rabbit.	ECHA Dossier	
	inhalation (4 h) dust/mist	LC50 mg/l	>5,53	Rat.	ECHA Dossier	
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)					
	oral	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 401
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol					
	oral	LD50 mg/kg	ca. 1265	Rat	ECHA Dossier	OECD Guideline 401

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test), OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test), OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative Literature information: REACH Dossier; Chronic dermal toxicity: Exposure time: ~546 d; Species: Mouse.; Method: OECD Guideline 451; Result: Carcinogenicity = negative Literature information: REACH Dossier; Reproductive toxicity: Exposure route: oral. Species: Rat.; Method: OECD Guideline 421;Result: NOAEL >1000 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Exposure route: dermal. Species: Rat.; Method: OECD Guideline 414; Result: NOAEL >2000 mg/kg; Literature information: REACH Dossier

# 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

In vitro mutagenicity/genotoxicity: Method: OECD 471 (Ames test). Result / evaluation: negative; Reproductive toxicity: Method: OECD 422. . Species: Rat. Exposure time:51d. Result / evaluation: NOAEL > 20 mg/kg bw/day. Literature information: REACH Dossier

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Wistar);Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 150 mg/kg Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Wistar);Method: other guideline: Reproduction/developmental screening test. Result: NOAEL = 150 mg/kg; Literature information: REACH Dossier



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 10 of 16

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

Subchronic oral toxicity: Exposure time: 90d; Species: Sprague-Dawley Rat.; Method: OECD Guideline 408;

Result: LOAEL = 125 mg/kg; Literature information: REACH Dossier; Subacute inhalative toxicity:

Exposure time: 28d; Species: Sprague-Dawley Rat.; Result: NOAEC > 980 mg/m3; Literature information:

REACH Dossier; Subacute dermal toxicity: Exposure time: 28d; Species: Rabbit; Method: OECD Guideline

410; Result: NOAEL 1000 mg/kg; Literature information: REACH Dossier

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Subacute oral toxicity: Method: OECD 422.Species: Rat. Result / evaluation: NOAEL 20 mg/kg bw/day

Literature information: REACH Dossier

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines. C12-14 alkyl (branched):

Subacute oral toxicity: Method: -; Species: Rat;Results: NOAEL = 150 mg/kg; Literature information: REACH

Dossier

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

## 11.2. Information on other hazards

#### **Endocrine disrupting properties**

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Other information

Frequent contact specially if dried out may cause skin and eye irritations.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 11 of 16

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d	Species	Source	Method	
64742-56- 9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified							
	Acute fish toxicity	LC50 mg/l	>100	96 h	Pimephales promelas	ECHA Dossier		
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchnerella subcapitata	ECHA Dossier		
	Acute crustacea toxicity	EC50 mg/l	>10000	48 h	Daphnia magna	ECHA Dossier		
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna	ECHA Dossier		
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus ox propylene oxide and amines, C12-14 alkyl (branched)				us oxide,			
	Acute fish toxicity	LC50 mg/l	ca. 8,5	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203	
	Acute algae toxicity	ErC50	6,4 mg/l	96 h	Raphidocelis subcapitata	ECHA Dossier	OECD Guideline 201	
	Acute crustacea toxicity	EL50 mg/l	ca. 91,4	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202	
	Acute bacteria toxicity	EC50 2433 mg/	ca.	3 h	activated sludge, domestic	ECHA Dossier	OECD Guideline 209	
95-38-5	2-(2-heptadec-8-enyl-2-	-imidazolin-1-	yl)ethanol					
	Acute algae toxicity	ErC50 mg/l	0,03	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,163	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202	

# 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation	-	-				
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; B	aseoil - unspecified					
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier			
	Not easily bio-degradable (according to OECD-criteria).						
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)						
	ASTM D-5864-95	3,6%	28	ECHA Dossier			
	not readily degradable						
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol						
	OECD Guideline 301 B	1%	28	ECHA Dossier			
	Not easily bio-degradable (according to OECD-criteria).						

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.



according to Regulation (EC) No 1907/2006

#### SRS Wiolan HG 10

Revision date: 03.02.2025 Page 12 of 16

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with	< 0,3
	phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	8,4

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
	Reaction products of bis(4-methylpentan-2-yl)dithiophos phoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	436	Onchorhynchus mykiss	ECHA Dossier
95-38-5	2- (2-heptadec-8-enyl-2-imidazolin-1- yl)ethanol	1,65		calculation

#### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

## 12.7. Other adverse effects

No information available.

#### **Further information**

Ozone depletion potential (ODP): No information available.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances;

hazardous waste

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### SRS Wiolan HG 10

Revision date: 03.02.2025 Page 13 of 16

14.3. Transport hazard class(es):14.4. Packing group:No dangerous good in sense of this transport regulation.No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial No information available.

emissions:

Directive 2004/42/EC on VOC in

No information available.

paints and varnishes:

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3 Observe in addition any national regulations!

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the

'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**Additional information** 

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 14 of 16

15.2 Chemical Safety Assessment not applicable.

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,9,11,12,15,16.

Rev.: 1,0 - 08.05.2015 Rev.: 1,1 - 20.05.2016 Rev.: 2,0 - 08.06.2017 Rev.: 3,0 - 28.06.2018 Rev.: 4,0 - 27.06.2019

Rev.: 5,0 - 29.06.2020; Changes in chapter: 1,1, 16

Rev.: 6.0 - 02.07.2021; Changes in chapter: 3.2, 6.1, 6.3, 11.2, 12.6, 12.7, 15.1, 16

Rev.: 6,1 - 30.03.2022, Changes in chapter: 2.3, 8.2, 12.5, 12.6, 15.1, 16

Rev.: 6.2 - 29.07.2022, Changes in chapter: 2.2, 2.3, 3.2, 8.1, 8.2, 11.2, 12.1, 12.3, 12.5, 12.6, 16

Rev.: 7.0 - 01.07.2023, Changes in chapter: 8.1, 9.1, 10.1, 12.7, 16 Rev.: 7.1 - 01.02.2024, Changes in chapter: 1.4, 9.1, 12.1, 16

Rev.: 8,0 - 03.02.2025, Changes in chapter: 11.1, 16



according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 15 of 16

#### Abbreviations and acronyms

Acute Tox: Acute toxicity
Asp. Tox: Aspiration hazard
Skin Corr: Skin corrosion
Eye Dam: Eye damage
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

d: day(s)

**DNEL: Derived No Effect Level** 

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

NTP: National Toxicology Program

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic PMT: Persistent, mobile and toxic

REACH: Registration, Evaluation, Authorisation of Chemicals

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

**UN: United Nations** 

TSCA: Toxic Substances Control Act vPvM: very persistent and very mobile

vPvB: very persistent and very bioaccumulative

VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **SRS Wiolan HG 10**

Revision date: 03.02.2025 Page 16 of 16

### Key literature references and sources for data

https://echa.europa.eu/

https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

https://cfpub.epa.gov/ecotox/search.cfm

http://www.inchem.org/#/search

https://pubchem.ncbi.nlm.nih.gov/

http://ccinfoweb.ccohs.ca/rtecs/search.html

https://webrigoletto.uba.de/rigoletto/

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008

#### [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

# **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.; H304: On basis of test data

Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)