

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 1 of 20

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

SRS Violin ATF III

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

gear oil

**Uses advised against**

none

**1.3. Details of the supplier of the safety data sheet**

Company name: SRS Schmierstoff Vertrieb GmbH  
Street: Neuenkirchener Straße 8  
Place: D-48497 Salzbergen  
Telephone: 05976 - 945-0  
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de  
**1.4. Emergency telephone number:** Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P273 Avoid release to the environment.  
P501 Dispose of contents/container to local/regional/national/international regulations.

**2.3. Other hazards**

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified			50 - < 55 %
	265-159-2	649-469-00-9	01-2119480132-48	
	Asp. Tox. 1; H304			
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified			35 - < 40 %
	276-738-4	649-483-00-5	01-2119474889-13	



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## SRS Violin ATF III

Revision: 08.05.2026

Page 2 of 20

	Asp. Tox. 1; H304	
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	1 - < 3 %
	265-158-7	649-468-00-3
	01-2119487077-29	
	Asp. Tox. 1; H304	
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 3 %
	265-169-7	649-474-00-6
	01-2119471299-27	
	Asp. Tox. 1; H304	
	Reaction products of diphenylamine with nonene, branched	0.3 - < 0.5 %
	701-385-4	01-2119488911-28
	Repr. 2; H361f	
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0.3 - < 0.5 %
	620-540-6	01-2119510877-33
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410	
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	< 0.1 %
	939-485-7	01-2119974116-35
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410	

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	50 - < 55 %
		inhalation: LC50 = >5,53 mg/l (dusts or mists); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg	
72623-87-1	276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified	35 - < 40 %
		inhalation: LC50 = >5,53 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	1 - < 3 %
		inhalation: LC50 = > 5,53 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-65-0	265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	1 - < 3 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
	701-385-4	Reaction products of diphenylamine with nonene, branched	0.3 - < 0.5 %
		oral: LD50 = > 5000 mg/kg	
1218787-32-6	620-540-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0.3 - < 0.5 %
		oral: LD50 = 1200 mg/kg Aquatic Acute 1; H400: M=10	
218141-16-3	939-485-7	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	< 0.1 %
		oral: LD50 = 300 - 2000 mg/kg Aquatic Acute 1; H400: M=100	

## Further Information

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

\*Substance for which a community occupational exposure limit value applies in the European Union.

## SECTION 4: First aid measures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 3 of 20

**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After inhalation**

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**

If swallowed or in the event of vomiting, risk of entering the lungs.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>) Sulphur dioxide (SO<sub>2</sub>)

Nitrogen oxides (NO<sub>x</sub>)

**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

**For non-emergency personnel**

Wear personal protection equipment (refer to section 8).

**For emergency responders**

No special precautionary measures are necessary.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 4 of 20

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

**6.3. Methods and material for containment and cleaning up****For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**6.4. Reference to other sections**

No information available.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Wear suitable protective clothing. ( See section 8. )  
Avoid formation of oil dust.

**Advice on protection against fire and explosion**

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.  
Fire class B

**Advice on general occupational hygiene**

Clean skin thoroughly after working.  
Do not put any product-impregnated cleaning rags into your trouser pockets.

**Further information on handling**

Do not breathe vapour/aerosol.  
Avoid contact with eyes and skin.  
General protection and hygiene measures: See section 8.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

**Hints on joint storage**

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

**Further information on storage conditions**

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

**7.3. Specific end use(s)**

See section 1.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****DNEL/DMEL values**

CAS No	Name of agent	Exposure route	Effect	Value
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m <sup>3</sup>



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## SRS Violin ATF III

Revision: 08.05.2026

Page 5 of 20

Worker DNEL, long-term	inhalation	local	5,58 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Worker DNEL, long-term	inhalation	local	5,58 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Worker DNEL, long-term	inhalation	local	5,58 mg/m <sup>3</sup>
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Worker DNEL, long-term	inhalation	local	5,58 mg/m <sup>3</sup>
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
	Reaction products of diphenylamine with nonene, branched		
Worker DNEL, long-term	inhalation	systemic	1.41 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	4 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,35 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	2 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,2 mg/kg bw/day
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol		
Worker DNEL, long-term	dermal	systemic	0,42 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,522 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	0,15 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,15 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	2,96 mg/m <sup>3</sup>



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## SRS Violin ATF III

Revision: 08.05.2026

Page 6 of 20

218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine		
Worker DNEL, long-term	inhalation	systemic	4,9 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	systemic	0,74 mg/m <sup>3</sup>
Consumer DNEL, long-term	oral	systemic	0,25 mg/kg bw/day

## PNEC values

CAS No	Name of agent	Value
Environmental compartment		
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
Reaction products of diphenylamine with nonene, branched		
Freshwater		0.412 mg/l
Marine water		0.041 mg/l
Microorganisms in sewage treatment plants (STP)		1 mg/l
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	
Freshwater		0,000214 mg/l
Freshwater (intermittent releases)		0,00087 mg/l
Marine water		0,000021 mg/l
Freshwater sediment		1,692 mg/kg
Marine sediment		0,169 mg/kg
Secondary poisoning		2 mg/kg
Microorganisms in sewage treatment plants (STP)		1,5 mg/l
Soil		5 mg/kg
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	
Freshwater		0,00084 mg/l
Freshwater (intermittent releases)		0,000827 mg/l
Marine water		0,000084 mg/l
Freshwater sediment		3,19 mg/kg
Marine sediment		0,32 mg/kg
Microorganisms in sewage treatment plants (STP)		1,3 mg/l
Soil		1,59 mg/kg

## Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil )

Limit value (TLV-TWA ) = 5 mg/ m<sup>3</sup> - Source: ACGIHLimit value (TLV-STEL ) = 10 mg/ m<sup>3</sup> - Source: ACGIH

STEL: short-term exposure limits

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Violin ATF III

Revision: 08.05.2026

Page 7 of 20

TLV: Threshold Limiting Value  
 TWA: time weighted average  
 ACGIH: American Conference of Governmental Industrial Hygienists

#### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

##### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

##### Skin protection

Oil-resistant and hardly inflammable protective clothing.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- aerosol or mist formation
- Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

##### Environmental exposure controls

No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	red
Odour:	characteristic

#### Test method

Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range:	No information available.
Flammability:	No information available.
Lower explosion limits:	No information available.
Upper explosion limits:	No information available.
Flash point:	216 °C DIN EN ISO 2592

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 8 of 20

Auto-ignition temperature:	No information available.
Decomposition temperature:	No information available.
pH-Value:	No information available.
Viscosity / kinematic: (at 40 °C)	35,7 mm <sup>2</sup> /s DIN EN ISO 3104
Water solubility:	practically insoluble
Solubility in other solvents	
No information available.	
Partition coefficient n-octanol/water:	No information available.
Vapour pressure: (at 20 °C)	<0,1 hPa calculated.
Vapour pressure: (at 50 °C)	No information available.
Density (at 15 °C):	0,860 g/cm <sup>3</sup> DIN 51757
Bulk density:	No information available.
Relative vapour density:	No information available.
Particle characteristics:	No information available.

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

none

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

Oxidizing properties

none

**Other safety characteristics**

Evaporation rate:

No information available.

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

No information available.

Sublimation point:

No information available.

Softening point:

No information available.

Pour point:

&lt;-50 °C ASTM D 5985

Viscosity / dynamic:

No information available.

Flow time:

No information available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

**10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

Refer to chapter 10.5.

**10.4. Conditions to avoid**

No information available.

**10.5. Incompatible materials**

Oxidising agent, strong

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Violin ATF III

Revision: 08.05.2026

Page 9 of 20

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Toxicokinetics, metabolism and distribution

No information available.

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified				
	oral	LD50 >5000 mg/kg	Rat.	ECHA Dossier	
	dermal	LD50 >5000 mg/kg	Rabbit.	ECHA Dossier	
	inhalation (4 h) dust/mist	LC50 >5,53 mg/l	Rat.	ECHA Dossier	
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402
	inhalation (4 h) dust/mist	LC50 >5,53 mg/l	Rat	ECHA Dossier	OECD 403
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified				
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402
	inhalation (4 h) dust/mist	LC50 > 5,53 mg/l	Rat	ECHA Dossier	OECD Guideline 403
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402
	Reaction products of diphenylamine with nonene, branched				
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol				
	oral	LD50 1200 mg/kg	Rat	ECHA Dossier	OECD Guideline 425

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 10 of 20

218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine				
	oral	LD50 300 - 2000 mg/kg	Rat	ECHA Dossier	OECD Guideline 423

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test), OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test), OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative Literature information: REACH Dossier; Chronic dermal toxicity: Exposure time: ~546 d; Species: Mouse.; Method: OECD Guideline 451; Result: Carcinogenicity = negative Literature information: REACH Dossier; Reproductive toxicity: Exposure route: oral. Species: Rat.; Method: OECD Guideline 421; Result: NOAEL >1000 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Exposure route: dermal. Species: Rat.; Method: OECD Guideline 414; Result: NOAEL >2000 mg/kg; Literature information: REACH Dossier

Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative Literature information: REACH Dossier; Carcinogenicity: Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse; Result: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m.; Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL > 1000 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL >= 2000 mg/kg; Literature information: REACH Dossier

Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications

Results: negative / positive

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Results: negative

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Results: negative / positive

Literature information: REACH Dossier

In vivo mutagenicity/genotoxicity

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Results: negative ; Literature information: REACH Dossier

Reproductive toxicity

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Exposure time: 28d; Species: Rat

Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Exposure time: 28d; Species: Rat

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 11 of 20

Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity:

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: negative Literature information: REACH Dossier

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity:

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: negative Literature information: REACH Dossier

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine:

In-vitro mutagenicity:

Method:

-OECD Guideline 476 (In Vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

-OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test)

Result: negative

Literature information: REACH Dossier

Developmental toxicity/teratogenicity/Reproductive toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Species: Rat

Results: NOAEL >= 50 mg/kg bw/day

Literature information: REACH Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rat.

Result: NOAEL (fetus) = 75mg/kg

Result: NOAEL (Maternal toxicity) = 25 mg/kg

Literature information: REACH Dossier

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative (READ ACROSS)

Literature information: REACH Dossier

Reproductive toxicity/ Developmental toxicity/teratogenicity:

Method: - OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Species: Rat

Results: NOAEL (P0) = 75 mg/kg; NOAEL (F1) = 75 mg/kg

Reproductive toxicity:

Method: OECD Guideline 443 (Extended One-Generation Reproductive Toxicity Study)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 12 of 20

Species: Rat  
Result: NOAEL (P0) >= 150 mg/kg; NOAEL (F1) >= 150 mg/kg  
Literature information: REACH Dossier

Developmental toxicity/teratogenicity:  
Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)  
Species: Rat  
Results: NOEL (Maternal toxicity, fetus) > 150 mg/kg; Literature information: REACH Dossier

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)  
Species: Rabbit  
Results: NOAEL (Maternal toxicity, fetus) > 150 mg/kg; Literature information: REACH Dossier

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)  
Species: Rabbit  
Results: NOAEL (fetus) >= 60 mg/kg; Literature information: REACH Dossier

Reaction products of diphenylamine with nonene, branched:  
In-vitro mutagenicity:  
Method:  
-OECD Guideline 476 (In Vitro Mammalian Cell Gene Mutation Test)  
-OECD Guideline 471 (Bacterial Reverse Mutation Assay)  
-OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test)  
Result: negative  
Literature information: REACH Dossier

Reproductive toxicity:  
Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)  
Species: Rat  
Result: NOAEL (P0, F1) = 1500 ppm  
Literature information: REACH Dossier

Developmental toxicity/teratogenicity:  
Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)  
Species: Rat, Rabbit  
Result: NOAEL (fetus) >= 500 mg/kg (Rat); 30 mg/kg (Rabbit)  
Result: NOAEL (Maternal toxicity) = 150 mg/kg (Rat); 30 mg/kg (Rabbit)  
Literature information: REACH Dossier

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.  
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified:  
Subchronic oral toxicity: Exposure time: 90d; Species: Sprague-Dawley Rat.; Method: OECD Guideline 408;  
Result: LOAEL = 125 mg/kg; Literature information: REACH Dossier  
Subacute inhalative toxicity :  
Exposure time: 28d; Species: Sprague-Dawley Rat.; Result: NOAEC > 980 mg/m<sup>3</sup>; Literature information:  
REACH Dossier; Subacute dermal toxicity: Exposure time: 28d; Species: Rabbit; Method: OECD Guideline  
410; Result: NOAEL 1000 mg/kg; Literature information: REACH Dossier

Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:  
Subacute inhalative toxicity: Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL >980 mg/m<sup>3</sup>;  
Literature information: REACH Dossier; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated  
Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: 1000 mg/kg;

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 13 of 20

Literature information: REACH Dossier

Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified:  
Subacute inhalative toxicity : Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL > 980 mg/m<sup>3</sup>;  
Literature information: J Appl Toxicol, Vol 11(4), pp 297-302; Subacute dermal toxicity: Method: OECD  
Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit;  
Results: NOAEL 1000 mg/kg(bw)/day; Literature information: REACH Dossier; Subchronic oral toxicity:  
Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents); Species: Rat; Results:  
NOAEL = 125 mg/kg; Literature information: REACH Dossier

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified:  
Subacute inhalative toxicity :  
Method: -  
Exposure time: 28d  
Species: Rat  
Results: > 980 mg/m<sup>3</sup>  
Literature information: J Appl Toxicol, Vol 11(4), pp 297-302

Subacute dermal toxicity :  
Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)  
Exposure time: 28d  
Species: Rabbit  
Results: 1000 mg/kg  
Literature information: REACH Dossier

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine:  
Subchronic oral toxicity:  
Exposure time: 90d  
Species: Wistar Rat.  
Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)  
Result: NOAEL >= 50 mg/kg bw/day  
Literature information: REACH Dossier

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol:  
Subchronic oral toxicity  
Exposure time: 90d  
Species: Wistar Rat.  
Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)  
Result: NOEL = 50 mg/kg bw/day  
Literature information: REACH Dossier  
Method: -  
Species: Rat.  
Result: NOEL = 35 mg/kg.  
Literature information: REACH Dossier

Reaction products of diphenylamine with nonene, branched:  
Subchronic oral toxicity: Exposure time: 90d; Species: Han Wistar Rat.; Method: OECD Guideline 408;  
Result: LOAEL = 100 mg/kg; Literature information: REACH Dossier

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Endocrine disrupting properties**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Violin ATF III

Revision: 08.05.2026

Page 14 of 20

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Other information

Frequently or prolonged contact with skin may cause dermal irritation.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 >10000 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Crustacea toxicity	NOEC 10 mg/l	21 d	Daphnia magna	ECHA Dossier	
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LC50 LL50 > 100 mg/l	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier	OECD Guideline 203
	Acute crustacea toxicity	EC50 EL50 >10000 mg/l	48 h	Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 202
	Algae toxicity	NOEC NOEL > 100 mg/l	3 d	Pseudokirchneriella subcapitata	ECHA Dossier	
	Crustacea toxicity	NOEC NOEL > 10 mg/l	21 d	Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 211
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Pimephales promelas	ECHA Dossier	OECD Guideline 203
	Fish toxicity	NOEC >= 1000 mg/l	14 d	Oncorhynchus mykiss	ECHA Dossier	The aquatic toxicity was estimated by a
	Reaction products of diphenylamine with nonene, branched					
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Fish toxicity	NOEC 10 mg/l	34 d	Danio rerio	ECHA Dossier	OECD Guideline 210
	Crustacea toxicity	NOEC >10 mg/l	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol					
	Acute fish toxicity	LC50 0,6 mg/l	96 h	Danio rerio	ECHA Dossier	READ ACROSS
	Acute algae toxicity	ErC50 0,0867 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	READ ACROSS

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Violin ATF III

Revision: 08.05.2026

Page 15 of 20

	Crustacea toxicity	NOEC mg/l	0,32	21 d	Daphnia magna	ECHA Dossier	READ ACROSS
	Acute bacteria toxicity	EC50 ( )	167 mg/l	3 h	activated sludge of a predominantly domestic sewage	ECHA Dossier	READ ACROSS

#### 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C		2-4%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C		2-4%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified				
	OECD Guideline 301 F		31%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				
	Reaction products of diphenylamine with nonene, branched				
	(Q)SAR CATALOGIC v5.13.1.		31%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				
	(Q)SAR CATALOGIC v5.13.1.		24%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol				
	OECD Guideline 301 D		52%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).				

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified	> 3,5
	Reaction products of diphenylamine with nonene, branched	11,87
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	3,6
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	ca. -0,34

#### BCF

CAS No	Chemical name	BCF	Species	Source
	Reaction products of diphenylamine with nonene, branched	411	Cyprinus carpio	ECHA Dossier
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	110,2		QSAR result (2010)

#### 12.4. Mobility in soil

No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 16 of 20

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.  
The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

**12.7. Other adverse effects**

No information available.

**Further information**

Ozone depletion potential (ODP): No information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

<b><u>14.1. UN number or ID number:</u></b>	UN 9006
<b><u>14.2. UN proper shipping name:</u></b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b><u>14.3. Transport hazard class(es):</u></b>	9
<b><u>14.4. Packing group:</u></b>	-
Hazard label:	-
Classification code:	M12

**Marine transport (IMDG)**

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 17 of 20

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: No information available.

Directive 2004/42/EC on VOC in paints and varnishes: No information available.

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3, 75

Observe in addition any national regulations!

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**Additional information**

Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment  
not applicable.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 11,15,16.

Rev.: 1,0 - 13.04.2015

Rev.: 1,01 - 28.04.2015

Rev.: 1,1 - 10.05.2016

Rev.: 2,0 - 02.06.2017

Rev.: 3,0 - 27.06.2018

Rev.: 4,0 - 26.06.2019

Rev.: 5,0 - 25.06.2020; Changes in chapter: 15.1, 16

Rev.: 6,0 - 08.02.2021; 2.2, 3.2, 8.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16

Rev.: 7,0 - 04.02.2022, Changes in chapter: 2.3, 3.2, 6.1, 6.3, 8.2, 11.2, 12.5, 12.6, 12.7, 15.1, 16

Rev.: 8,0 - 30.01.2023, Changes in chapter: 2.2, 3.2, 9.1, 8.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16

Rev.: 8,1 - 02.05.2023, Changes in chapter: 3.2, 12.1, 14, 16



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### SRS Violin ATF III

Revision: 08.05.2026

Page 18 of 20

Rev.: 9,0 - 02.05.2024, Changes in chapter:, 8.1, 11.1, 11.2, 12.1, 15.1, 16

Rev.: 10,0 - 05.05.2025, Changes in chapter:, 11.1, 15.1, 16

Rev.: 11,0 - 08.05.2026, Changes in chapter:, 3.2, 8.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 19 of 20

**Abbreviations and acronyms**

Acute Tox. 4: Acute toxicity, hazard category 4  
Asp. Tox. 1: Aspiration hazard, hazard category 1  
Skin Corr. 1B: Skin corrosion, sub-category 1B  
Skin Corr. 1C: Skin corrosion, sub-category 1C  
Eye Dam. 1: Serious eye damage, hazard category 1  
Repr. 2: Reproductive toxicity, hazard category 2  
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1  
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
CAS: Chemical Abstracts Service  
CLP: Classification, Labelling and Packaging of substances and mixtures  
d: day(s)  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
EINECS: European INventory of Existing Commercial chemical Substances  
ELINCS: European List of Notified Chemical Substances  
ECHA: European Chemicals Agency  
EWC: European Waste Catalogue  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
h: hour  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect concentration  
NLP: No-Longer Polymers  
NTP: National Toxicology Program  
N/A: not applicable  
OECD: Organisation for Economic Co-operation and Development  
PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
PMT: Persistent, mobile and toxic  
REACH: Registration, Evaluation, Authorisation of Chemicals  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
SVHC: substance of very high concern  
TRGS: Technische Regeln für Gefahrstoffe  
UN: United Nations  
TSCA: Toxic Substances Control Act  
vPvM: very persistent and very mobile  
vPvB: very persistent and very bioaccumulative  
VOC: Volatile Organic Compounds  
WGK: Water Hazard Class (Germany)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SRS Violin ATF III**

Revision: 08.05.2026

Page 20 of 20

**Key literature references and sources for data**

<https://echa.europa.eu/>  
<https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp>  
<https://cfpub.epa.gov/ecotox/search.cfm>  
<http://www.inchem.org/#/search>  
<https://pubchem.ncbi.nlm.nih.gov/>  
<http://ccinfoweb.ccohs.ca/rtecs/search.html>  
<https://webrigoletto.uba.de/rigoletto/>

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008****[CLP]**

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H361f Suspected of damaging fertility.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:  
Health hazards: Calculation method.  
Environmental hazards: Calculation method.  
Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*