

according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Revision: 02.07.2025

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Wiolin Mehrzweck-Getriebeöl 90

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

gear oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name:	SRS Schmierstoff Vertrieb GmbH
Street:	Neuenkirchener Straße 8
Place:	D-48497 Salzbergen
Telephone:	05976 - 945-0
Responsible Department:	Abt. Produktsicherheit: info.reach@srs-oil.de
1.4. Emergency telephone	Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH208	Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched). May produce
	an allergic reaction.
EUH210	Safety data sheet available on request.

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH. For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name					
	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)					
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)					
	931-384-6 01-2119493620-38					
	Acute Tox. 4, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H302 H319 H317 H411					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

Quantity



according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Revision: 02.07.2025

Page 2 of 12

Specific Conc. Limits, M-factors and ATE			
931-384-6 Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)			
oral: LD50 = > 100	2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100 Skin Sens. 1; H317: >= 9,39 -		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. Apply cortisone spray at early stage.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures



according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Revision: 02.07.2025

Page 3 of 12

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes. Avoid formation of oil dust. Ventilate affected area. Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid contact with skin, eyes and clothes. Avoid formation of oil dust. Do not breathe aerosol.

Do not breathe aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working. Do not put any product-impregnated cleaning rags into your trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.

Further information on handling

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances



according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Page 4 of 12

Revision: 02.07.2025

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)							
Worker DNE	L, long-term	inhalation	systemic	4,28 mg/m ³			
Worker DNE	L, long-term	dermal	systemic	12,5 mg/kg bw/day			
Consumer D	NEL, long-term	inhalation	systemic	1,09 mg/m³			
Consumer DNEL, long-term		dermal	systemic	6,25 mg/kg bw/day			
Consumer DNEL, acute		dermal	local	0.024 mg/cm ²			
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day			

PNEC values

CAS No	Name of agent							
Environmen	Environmental compartment Value							
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)							
Freshwater		0,0024 mg/l						
Freshwater (intermittent releases) 0,15 mg/l								
Marine water 0,00024								
Freshwater sediment 0,0129 m								
Marine sediment 0,00129								
Secondary poisoning 10 mg/kg								
Micro-organisms in sewage treatment plants (STP) 24,33 mg/l								
Soil 0,00117 mg/l								

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH:American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Page 5 of 12



Revision: 02.07.2025



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid clear		
Odour:	characteristic		
			Test met
Melting point/freezing point:		No information available.	
Boiling point or initial boiling point and		No information available.	
boiling range:			
Flammability:		No information available.	
Lower explosion limits:		No information available.	
Upper explosion limits:		No information available.	
Flash point:		220 °C	DIN ISO
Auto-ignition temperature:		No information available.	
Decomposition temperature:		No information available.	
pH-Value:		No information available.	



Revision: 02.07.2025

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Page 6 of 12

Viscosity / kinematic:	207 mm²/s	DIN EN ISO 3104
(at 40 °C)		
Water solubility:	No information available.	
Solubility in other solvents		
No information available.		
Partition coefficient n-octanol/water:	No information available.	
Vapour pressure:	No information available.	
(at 20 °C)		
Vapour pressure:	No information available.	
(at 50 °C)		
Density (at 15 °C):	0,896 g/cm³	DIN 51757
Bulk density:	No information available.	
Relative vapour density:	No information available.	
Particle characteristics:	No information available.	
9.2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
none		
Sustained combustibility:	No data available	
Self-ignition temperature		
Solid:	No information available.	
Gas:	No information available.	
Oxidizing properties		
none		
Other safety characteristics		
Evaporation rate:	No information available.	
Solvent separation test:	No information available.	
Solvent content:	No information available.	
Solid content:	No information available.	
Sublimation point:	No information available.	
Softening point:	No information available.	
Pour point:	_	ASTM D 5985
Viscosity / dynamic:	No information available.	
Flow time:	No information available.	

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable at ambient temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information



according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Revision: 02.07.2025

Page 7 of 12

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route Dose Species Source Method							
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)							
	oral	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 401		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

Risk of serious damage to eyes. Specific concentration limit (SCL) Eye Dam. 1: > 50%

Irritant effect on the eye: non-irritant. By analogy. Raw material classification

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide,

propylene oxide and amines, C12-14 alkyl (branched). May produce an allergic reaction.

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

Skin sensitisation: negative

Specific concentration limit (SCL) Skin Sens. 1 = 10%

Method: human repeat insult patch tests (HRIPT).

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Wistar);Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL = 150 mg/kg Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Wistar);Method: other guideline: Reproduction/developmental screening test. Result: NOAEL = 150 mg/kg; Literature information: REACH Dossier


STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched):



Page 8 of 12



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Revision: 02.07.2025

Dossier

Subacute oral toxicity: Method: -; Species: Rat;Results: NOAEL = 150 mg/kg; Literature information: REACH

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. Environmental properties: none (Analogous to a product of similar composition) Method: OECD 211 Species: Daphnia magna Test duration: 21d Result: EL 50 (Reproductive toxicity, Immobilisation) > 100 mg/l ; NOELR (Immobilisation) = 100 mg/l

CAS No	Chemical nar
0/10/110	Ononnou nui

nc

CASINO	Chemical hame						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)						
	Acute fish toxicity	LC50 mg/l	ca. 8,5		Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	6,4 mg/l		Raphidocelis subcapitata	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l	ca. 91,4	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l()	ca. 2433		activated sludge, domestic	ECHA Dossier	OECD Guideline 209

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name							
	Method Value d Source							
	Evaluation							
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)							
	ASTM D-5864-95 3,6% 28 ECHA Dossier							
	not readily degradable							

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	< 0,3

BCF



according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Page 9 of 12

CAS No	Chemical name	BCF	Species	Source	
	Reaction products of bis(4-methylpentan-2-yl)dithiophospho ric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	436	Onchorhynchus mykiss	ECHA Dossier	

12.4. Mobility in soil

Revision: 02.07.2025

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

S	RS Wiolin Mehrzweck-Getriebeöl 90	
Revision: 02.07.2025		Page 10 of 12
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
<u>14.4. Packing group:</u> 14.5. Environmental hazards	No dangerous good in sense of this transport regulation.	
ENVIRONMENTALLY HAZARDOUS:	Νο	
14.6. Special precautions for user		
Informations for safe handling see cha	pter 7.	
Informations for personal protective eq		
14.7. Maritime transport in bulk according to	o IMO instruments	
not relevant		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII): Entry 75		
Directive 2010/75/EU on industrial emissions:	No information available.	
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.	
Additional information		
	, ,	
National regulatory information		
Water hazard class (D): Additional information	1 - slightly hazardous to water	
*To follow: SECTION 12: Ecological inf	ormation	
Regulation (EU) No. 649/2012 of the E import of dangerous chemicals: not rel	uropean parliament and of the council concerning the export and evant	
15.2 Chemical Safety Assessment not applicable.		
SECTION 16: Other information		
Changes This data sheet contains changes from Rev.: 1,0 - 09.05.2015 Rev.: 1,1 - 26.05.2016	the previous version in section(s): 15,16.	

Rev.: 1,1 - 26.05.2016 Rev.: 2,0 - 15.06.2017 Rev.: 3,0 - 29.06.2018 Rev.: 4,0 - 25.06.2019



according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Revision: 02.07.2025

Page 11 of 12

Rev.: 5,0 - 29.06.2020; Changes in chapter: 2.2, 3.2, 11.1, 16 Rev.: 6.0 - 02.06.2021 Changes in chapter: 3.2, 6.1, 6.3, 9.1, 11.2, 12.6, 12.7, 15.1, 16 Rev.: 6,1 - 04.04.2022, Changes in chapter: 2.3, 3.2, 8.1, 11.1, 12.1, 12.2, 12.3, 12.5, 12.6, 15.1, 16 Rev.: 6.2 - 29.07.2022, Changes in chapter: 2.3, 3.2, 8.1, 8.2, 12.1, 12.3, 12.5, 12.6, 16 Rev.: 7.0 - 01.07.2023 Rev.: 8.0 - 10.07.2024, Changes in chapter: 9.1, 11.1, 11.7, 12.1,16 Rev.: 9.0 - 02.07.2025, Changes in chapter: 15.1, 16 Abbreviations and acronyms Acute Tox. 4: Acute toxicity, hazard category 4 Eve Irrit. 2: Eve irritation, hazard category 2 Skin Sens. 1: Skin sensitisation, hazard category 1 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures d: day(s) DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h: hour LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NLP: No-Longer Polymers NTP: National Toxicology Program N/A: not applicable OECD: Organisation for Economic Co-operation and Development PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic PMT: Persistent, mobile and toxic REACH: Registration, Evaluation, Authorisation of Chemicals RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SVHC: substance of very high concern **UN: United Nations** TSCA: Toxic Substances Control Act vPvM: very persistent and very mobile vPvB: very persistent and very bioaccumulative VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)



according to Regulation (EC) No 1907/2006

SRS Wiolin Mehrzweck-Getriebeöl 90

Revision: 02.07.2025

Page 12 of 12

Key literature references and sources for data

https://echa.europa.eu/

https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

https://cfpub.epa.gov/ecotox/search.cfm

http://www.inchem.org/#/search

https://pubchem.ncbi.nlm.nih.gov/

http://ccinfoweb.ccohs.ca/rtecs/search.html

https://webrigoletto.uba.de/rigoletto/

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with
	phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched). May produce
	an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method. Environmental hazards: By analogy. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)