

according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1. Product identifier SRS Bitaktol KX						
1.2. Relevant identified uses of the	substance or mixture and uses advised against					
Use of the substance/mixture engine oil						
Uses advised against none						
1.3. Details of the supplier of the sa	ifety data sheet					
Company name:	SRS Schmierstoff Vertrieb GmbH					
Street:	Neuenkirchener Straße 8					
Place:	D-48497 Salzbergen					
Telephone:	05976 - 945-0					
Responsible Department:	Abt. Produktsicherheit: info.reach@srs-oil.de					
1.4. Emergency telephone number:	Gift-Informationszentrum Nord (Göttingen) Telefon 0551-19240					
SECTION 2: Hazards identification						

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

opoolai laboliilig ol	
EUH208	Contains A mixture of: dicalcium (bis(2-hydroxy-5
	-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5
	-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5
	-tetra-propenylphenylmethyl)methylamine)tri-hydroxide. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Othor bazarde	

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)				
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)				
	920-360-0 01-2119448343-41				
	Asp. Tox. 1; H304 EUH066	•			
-	A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide			0.2 - < 0.3 %	



according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023

Page 2 of 12

	420-470-4	020-003-00-0	01-0000016710-77	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1; H315 H319 H317		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Cond	c. Limits, M-factors and ATE				
	920-360-0 Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)					
	inhalation: L0 4150 mg/kg	C50 = >5,28 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >				
-	420-470-4	A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide	0.2 - < 0.3 %			
	dermal: LD5	0 = >2000 mg/kg; oral: LD50 = >2200 mg/kg				

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters



according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working. Do not put any product-impregnated cleaning rags into your trouser pockets.

Further information on handling

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances

Page 3 of 12



according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023

Page 4 of 12

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

Name of agent							
	Exposure route	Effect	Value				
- A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide							
long-term	inhalation	systemic	8,7 mg/m³				
acute	inhalation	systemic	104 mg/m ³				
long-term	inhalation	local	52 mg/m³				
acute	inhalation	local	104 mg/m³				
long-term	dermal	systemic	3,3 mg/kg bw/day				
acute	dermal	systemic	40 mg/kg bw/day				
long-term	dermal	local	20 mg/cm ²				
acute	dermal	local	20 mg/cm ²				
EL, long-term	inhalation	systemic	4,3 mg/m ³				
EL, acute	inhalation	systemic	52 mg/m³				
EL, long-term	inhalation	local	2,6 mg/m ³				
EL, long-term	dermal	systemic	1,7 mg/kg bw/day				
EL, acute	dermal	systemic	20 mg/kg bw/day				
EL, long-term	dermal	local	0,5 mg/cm ²				
EL, acute	dermal	local	0,4 mg/cm ²				
EL, long-term	oral	systemic	1,7 mg/kg bw/day				
EL, acute	oral	systemic	20 mg/kg bw/day				
	A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylpher ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hy (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine) long-term acute long-term acute long-term acute El, long-term EL, acute EL, long-term EL, acute EL, long-term EL, acute EL, long-term EL, acute EL, long-term EL, acute EL, long-term EL, acute EL, long-term	Exposure route A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)hydroxide] Iong-term inhalation acute inhalation long-term inhalation acute inhalation long-term dermal acute dermal long-term dermal acute inhalation long-term dermal acute dermal L, long-term inhalation EL, acute dermal EL, long-term dermal EL, acute dermal EL, long-term dermal EL, acute dermal EL, long-term dermal	Exposure route Effect A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphydinydinylphenylmethylamine)hydroxide], tri-calcium (tri				

PNEC values

CAS No	Name of agent					
Environmental	Environmental compartment Value					
-	- A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide					
Freshwater 0.066 mg/						
Marine water 0.06						
Micro-organism	Micro-organisms in sewage treatment plants (STP) 0.02 mg/l					

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH



according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023

STEL: short-term exposure limits

TLV: Threshold Limiting Value

TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	clear
Odour:	characteristic

Melting point/freezing point:

No information available.

Test method



Page 5 of 12



1 1 04 00 0000

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023		Page 6 of 12
Boiling point or initial boiling point and boiling range:	No information available.	
Flammability:	No information available.	
Lower explosion limits:	No information available.	
Upper explosion limits:	No information available.	
Flash point:	141 °C	DIN EN ISO 2719
Auto-ignition temperature:	No information available.	
Decomposition temperature:	No information available.	
pH-Value:	No information available.	
Viscosity / kinematic:	63.6 mm²/s	DIN EN ISO 3104
(at 40 °C)	,	
Water solubility:	practically insoluble	
Solubility in other solvents		
No information available.		
Partition coefficient n-octanol/water:	No information available.	
Vapour pressure:	<0,1 hPa	calculated.
(at 20 °C)		
Vapour pressure:	No information available.	
(at 50 °C)		
Density (at 15 °C):	0,877 g/cm ³	DIN 51757
Bulk density:	No information available.	
Relative vapour density:	No information available.	
Particle characteristics:	No information available.	
9.2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
none		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No information available. No information available.	
Gas: Ovidizing proportion	no mornation available.	
Oxidizing properties none		
Other safety characteristics		
Evaporation rate:	No information available.	
Solvent separation test:	No information available.	
Solvent content:	No information available.	
Solid content:	No information available.	
Sublimation point:	No information available.	
Softening point:	No information available.	
Pour point:	-24 °C	ISO 3016
Viscosity / dynamic:	No information available.	
Flow time:	No information available.	

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.



according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023

Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No Chemical name						
	Exposure route	Dose		Species Source		Method
	Hydrocarbons, C14-C18					
	oral	LD50 mg/kg	> 4150	Rat	ECHA Dossier	
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier	
	inhalation (4 h) dust/mist	LC50 mg/l	>5,28	Rat	ECHA Dossier	
-	A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide					
oral LD50 >2200 Rat mg/kg					ECHA Dossier	EPA OPP 81-1
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier	EPA OPP 81-2

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide. May produce an allergic reaction. May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test);Result: negative. Literature information: ECHA Dossier; Carcinogenicity: Method: OECD Guideline 451 (Carcinogenicity Studies); Result: negative. Literature information: ECHA Dossier; Reproductive toxicity: Species: Rat; Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study); Result: NOAEL >300 mg/kg; Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Species: Rat; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL 1000 mg/kg; Literature information: ECHA Dossier

Page 7 of 12



according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023

Page 8 of 12

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met. Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %): Subchronic oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Species: Rat; Results: NOAEL 750 mg/kg; Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	AS No Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)						
	Acute fish toxicity LC50 1000 mg/l		LL50 >	96 h EC		ECHA Dossier	
	Acute crustacea toxicity	EC50 1000 mg/l	EL50 >	48 h	Daphnia magna	ECHA Dossier	
	Fish toxicity	NOEC 5000 mg/l	EL50 >	21 d		ECHA Dossier	
	Crustacea toxicity	NOEC 1400 mg/l	EL50 >	21 d	Daphnia magna	ECHA Dossier	
-	A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide						n
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)							
	OECD Guideline 301 F	60,7%	28	ECHA Dossier				
	Readily biodegradable (according to OECD criteria).							
	A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide							
	OECD Guideline 301 B	4%	28	ECHA Dossier				

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water



according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023

Page 9 of 12

CAS No	Chemical name	Log Pow
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	> 3,5
-	A mixture of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide	>1,69

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packing group:	

Inland waterways transport (ADN)

14.1. UN number or ID number:

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision date: 01.06.2023 Page 10 of 12 14.4. Packing group: No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)
14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.
14.5. Environmental hazards
ENVIRONMENTALLY HAZARDOUS: No
14.6. Special precautions for user
Informations for safe handling see chapter 7.
Informations for personal protective equipment see chapter 8.
14.7. Maritime transport in bulk according to IMO instruments not relevant
SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information
Restrictions on use (REACH, annex XVII):
2010/75/EU (VOC): No information available.
2004/42/EC (VOC): No information available. Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)
(SEVESO III):
Additional information
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)
This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].
REACH 1907/2006 Appendix XVII, No (mixture): not relevant Observe in addition any national regulations!
National regulatory information
Water hazard class (D): 1 - slightly hazardous to water
Additional information
Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import
of dangerous chemicals: not relevant
15.2 Chemical Safety Assessment
not applicable.
SECTION 16: Other information
Changes
Rev.: 1,00 - 15.04.2015
Rev.: 1,01 - 28.04.2015
Rev.: 1,10 - 02.05.2015
Rev.: 2,00 - 30.05.2017 Rev.: 3,00 - 27.06.2018
Rev.: 4,00 - 24.06.2019
Rev.: 5,00 - 25.06.2020, Changes in chapter: 16
Rev.: 6,00 - 14.06.2021, Changes in chapter: 3.2, 6.1, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.6, 12.7, 15.1,16 Rev.: 7.00 - 21.06.2022, Changes in chapter: 2.3, 8.2,12.1, 12.5, 12.6, 16

Rev.: 7.00 - 21.06.2022, Changes in chapter: 2.3, 8.2, 12.1, 12.5, 12.6, 16



according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Revision date: 01.06.2023

Page 11 of 12

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NTP: National Toxicology Program N/A: not applicable PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SVHC: substance of verv high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains A mixture of: dicalcium (bis(2-hydroxy-5
	-tetra-propenylphenylmethyl)methylamine)dihydroxide, poly[calcium ((2-hydroxy-5
	-tetra-propenyl-phenylmethyl)methylamine)hydroxide], tri-calcium (tris(2-hydroxy-5
	-tetra-propenylphenylmethyl)methylamine)tri-hydroxide. May produce an allergic reaction
EUH210	Safety data sheet available on request.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Revision date: 01.06.2023

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Bitaktol KX

Page 12 of 12

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)