

according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Cargolub TFG ultra

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricants

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone Gift-Informationszentrum Nord (Göttingen)

number: Telefon 0551-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	1272/2008)	•			
	Mineral Oil* (64742-54-7, 64742-6	5-0, 64742-55-8, 64742-56-9)		7 - < 10 %		
	Asp. Tox. 1; H304					
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic					
	265-158-7	649-468-00-3	01-2119487077-29			
	Asp. Tox. 1; H304					
36878-20-3	Bis(nonylphenyl)amine			3 - < 5 %		
	253-249-4		01-2119488911-28			
	Aquatic Chronic 4; H413					
84605-29-8	Phosphorodithionic acid, mixed O,	O-bis (1,3-dimethylbutyl and iso-Pr)e	sters, zinc salts	1 - < 3 %		



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 2 of 14

283-392-8	01-2119493626-26		
Skin Irrit. 2, Eye Dam. 1, Aquatic Ch	rronic 2; H315 H318 H411		
Reaction products of benzenesulfon salts	eaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium		
947-519-7	01-2120765489-36		
Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
64742-55-8	265-158-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	3 - < 5 %			
	inhalation: LC5 5000 mg/kg	0 = > 5,53 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = >				
36878-20-3	253-249-4	Bis(nonylphenyl)amine	3 - < 5 %			
	oral: LD50 = >	> 5000 mg/kg				
84605-29-8	283-392-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts	1 - < 3 %			
		= >2000 mg/kg; oral: LD50 = 3100 mg/kg				
	947-519-7	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	0.5 - < 1 %			
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 10000 - < 20000 mg/kg					

Further Information

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum. London).

The mineral oil contained can be described by one or more of the following numbers.

EC No.: 265-157-1, 265-169-7, 265-158-7, 265-159-2

REACH No.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 3 of 14

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

Other information

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 4 of 14

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent					
DNEL type		Exposure route	Effect	Value		
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic					
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³		
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³		
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³		
Consumer DNI	Consumer DNEL, long-term		systemic	0,74 mg/kg bw/day		
36878-20-3	Bis(nonylphenyl)amine					
Worker DNEL,	long-term	dermal	systemic	5 mg/kg bw/day		
Consumer DN	EL, long-term	dermal	systemic	2,5 mg/kg bw/day		
Consumer DNI	EL, long-term	oral	systemic	0,25 mg/kg bw/day		
Worker DNEL,	Worker DNEL, acute		systemic	5 mg/kg bw/day		
,						
84605-29-8	84605-29-8 Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts					
Worker DNEL,	long-term	inhalation	systemic	8,31 mg/m³		



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 5 of 14

Worker DNEL,	long-term	dermal	systemic	12,1 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	2,11 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	6,1 mg/kg bw/day
Consumer DNI	EL, long-term	oral	systemic	0,24 mg/kg bw/day
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs.	para-, calcium salts	
Worker DNEL,	long-term	inhalation	systemic	17,63 mg/m³
Worker DNEL,	long-term	dermal	systemic	25 mg/kg bw/day
Worker DNEL,	long-term	dermal	local	1,05 mg/cm ²
Consumer DNI	EL, long-term	inhalation	systemic	4,35 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DNI	EL, long-term	dermal	local	0,526 mg/cm ²
Consumer DNI	EL, long-term	oral	systemic	2,5 mg/kg bw/day

PNEC values

CAS No	Name of agent	
Environmental	compartment	Value
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	
Secondary pois	soning	9,33 mg/kg
36878-20-3	Bis(nonylphenyl)amine	
Freshwater		0,412 mg/l
Freshwater (int	ermittent releases)	1 mg/l
Marine water		0,041 mg/l
Marine water (i	ntermittent releases)	13200 mg/kg
Freshwater sed	diment	1 mg/kg
Marine sedime	nt	0,1 mg/kg
Micro-organism	ns in sewage treatment plants (STP)	1 mg/l
Soil		100 mg/kg
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts	
Freshwater		0,004 mg/l
Freshwater (int	rermittent releases)	0,045 mg/l
Marine water		0,0046
Freshwater sed	diment	0,022 mg/kg
Marine sedime	nt	0,002 mg/kg
Secondary pois	soning	10,67 mg/kg
Micro-organism	ns in sewage treatment plants (STP)	100 mg/l
Soil		0,002 mg/kg
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	
Freshwater		0,1 mg/l
Freshwater (int	rermittent releases)	1 mg/l
Marine water		0,1 mg/l
Freshwater sed	diment	166,32 mg/kg
Marine sedime	nt	166,32 mg/kg



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 6 of 14

Micro-organisms in sewage treatment plants (STP)	1000 mg/l
Soil	33,12 mg/kg

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum protective measures according to TRGS 500

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used

Thormal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

Environmental exposure controls

No information available.



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 7 of 14

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Colour: clear

Odour: characteristic

Test method
elting point/freezing point:

No information available.

Melting point/freezing point:

No information available.

Boiling point or initial boiling point and

No information available.

boiling range:

Flammability:

Lower explosion limits:

No information available.

No information available.

No information available.

No information available.

Flash point: 236 °C COC

Auto-ignition temperature:

Decomposition temperature:

No information available.

PH-Value:

No information available.

No information available.

Viscosity / kinematic: 97,42 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility: practically insoluble

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No information available.

No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,8654 g/cm³ DIN 51757

Bulk density:

Relative vapour density:

No information available.

No information available.

No information available.

No information available.

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion: No data available

Self-ignition temperature

Solid: No information available.

Gas: No information available.

Oxidizing properties

none

Flow time:

Other safety characteristics

Evaporation rate: No information available. Solvent separation test: No information available. Solvent content: No information available. No information available. Solid content: Sublimation point: No information available. Softening point: No information available. -45 °C Pour point: Viscosity / dynamic: No information available.

Revision No: 8.0 M - en Print date: 17.08.2023

No information available.



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 8 of 14

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose	Species	Source	Method				
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic								
	oral	LD50 > 5000 mg/kg) Rat	ECHA Dossier	OECD Guideline 401				
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402				
	inhalation (4 h) dust/mist	LC50 > 5,53 mg/l	Rat	ECHA Dossier	OECD Guideline 403				
36878-20-3	Bis(nonylphenyl)amine								
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401				
84605-29-8	Phosphorodithionic acid,	mixed O,O-bis (1,3-	dimethylbutyl and iso-f	Pr)esters, zinc salts					
	oral	LD50 3100 mg/kg	Rat	ECHA Dossier	OECD 401				
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402				
	Reaction products of ber	zenesulfonic acid, m	ono-C20-24 (even)-se	c-alkyl derivs. para-, calcium s	alts				
	oral	LD50 > 1000 < 20000 mg/kg	00 - Rat	ECHA Dossier					
	dermal	LD50 > 2000 mg/kg) Rat	ECHA Dossier	OECD Guideline 402				



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 9 of 14

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts

Specific concentration limit (SCL):

>=6,25% (Skin Irrit. 2)

> 12,5 % (Eye Dam. 1)

> 10% (Eye Irrit. 2)

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts:

Specific concentration limit (SCL): 10% (Skin Sens. 1B)

May cause sensitisation especially in sensitive humans.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts:

In vitro mutagenicity/genotoxicity: Ames test negative.

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications

Results: negative. / positive.

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Results: negative.

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Results: negative. / positive.

Literature information: ECHA Dossier In vivo mutagenicity/genotoxicity

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Results: negative.; Literature information: ECHA Dossier

Reproductive toxicity

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Exposure time: 28d; Species: Rat

Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: ECHA Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Exposure time: 28d; Species: Rat

Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: ECHA Dossier

Bis(nonylphenyl)amine:

Developmental toxicity/teratogenicity: Species: Rat (Wistar); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL >= 500 mg/kg; Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic:

Subacute inhalative toxicity:

Method: -

Exposure time: 28d Species: Rat

Results: NOAEL > 980 mg/m3

Literature information: J Appl Toxicol, Vol 11(4), pp 297-302



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 10 of 14

Subacute dermal toxicity:

Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Exposure time: 28d Species: Rabbit

Results: NOAEL 1000 mg/kg(bw)/day Literature information: ECHA Dossier

Subchronic oral toxicity:

Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents); Species: Rat

Results: NOAEL = 125 mg/kg Literature information: ECHA Dossier

Bis(nonylphenyl)amine:

Subchronic oral toxicity: Exposure time: 90d; Species: Han Wistar Rat.; Method: OECD Guideline 408; Result:

LOAEL = 100 mg/kg; Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment. Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment on the basis of test data, expert judgement or analogy assessments.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic								
	Acute fish toxicity	LC50 100 mg/l	LL50 >	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier	OECD Guideline 203		
	Acute crustacea toxicity	EC50 >10000 mg	EL50 g/l	48 h	Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 202		
	Algae toxicity	NOEC 100 mg/l	NOEL >	3 d	Pseudokirchneriella subcapitata	ECHA Dossier			
	Crustacea toxicity	NOEC 10 mg/l	NOEL >		Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 211		
36878-20-3	Bis(nonylphenyl)amine								
	Acute fish toxicity	LC50 mg/l	>100	96 h	Brachydanio rerio (new name: Danio rerio) (OECD 20	ECHA Dossier			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202		
	Fish toxicity	NOEC	10 mg/l	34 d	Danio rerio	ECHA Dossier	OECD Guideline 210		
	Crustacea toxicity	NOEC mg/l	4,45	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211		



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 11 of 14

84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts							
	Acute fish toxicity	LC50 4,5 mg/l	LL50:	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD 203	
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts							
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Oncorhynchus mykiss	REACh Registration Dossier	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201	
	Acute crustacea toxicity	EL50 mg/l	> 100	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202	
	Acute bacteria toxicity	(EC50 mg/l)	> 10000		activated sludge of a predominantly domestic sewage	ECHA Dossier	OECD Guideline 209	

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic						
	OECD Guideline 301 F	31%	28	ECHA Dossier			
	Not easily bio-degradable (according to OECD-criteria).						
36878-20-3	Bis(nonylphenyl)amine						
	(Q)SAR CATALOGIC v5.13.1. 31% 28 ECHA Dossier						
	Not easily bio-degradable (according to OECD-criteria).						
	(Q)SAR CATALOGIC v5.13.1.	24%	28	ECHA Dossier			
	Not easily bio-degradable (according to OECD-criteria).						
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl a	nd iso-Pr)esters, zinc salts					
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1,5 %	28	ECHA Dossier			
	Not easily bio-degradable (according to OECD-criteria).						
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts						
	OECD Guideline 301 D	8%	28	ECHA Dossier			
	Not easily bio-degradable (according to OECD-criteria).						

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	> 3,5
36878-20-3	Bis(nonylphenyl)amine	11,87
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts	0,56
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	>= 5,38

BCF

CAS No	Chemical name	BCF	Species	Source
36878-20-3	Bis(nonylphenyl)amine	411	Cyprinus carpio	ECHA Dossier
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	27600	Fish	ECHA Dossier



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 12 of 14

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

Land transport (ADR/RID)				
14.1. UN number or ID number:	Not restricted			
14.2. UN proper shipping name:	Not restricted			
14.3. Transport hazard class(es):	Not restricted			
14.4. Packing group:	Not restricted			
Inland waterways transport (ADN)				
14.1. UN number or ID number:	Not restricted			
14.2. UN proper shipping name:	Not restricted			
14.3. Transport hazard class(es):	Not restricted			
14.4. Packing group:	Not restricted			
Marine transport (IMDG)				
14.1. UN number or ID number:	Not restricted			
14.2. UN proper shipping name:	Not restricted			
14.3. Transport hazard class(es):	Not restricted			
14.4. Packing group:	Not restricted			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	Not restricted			

Not restricted

Not restricted



according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 13 of 14

14.4. Packing group: Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): not relevant

Observe in addition any national regulations!

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import

of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment

not applicable.

SECTION 16: Other information

Changes

Rev.: 1,00 - 23.03.2015 Rev.: 1,01 - 28.04.2015 Rev.: 1,10 - 09.05.2016 Rev.: 1,20 - 29.07.2016 Rev.: 1,30 - 28.10.2016 Rev.: 2,00 - 13.10.2017 Rev. 3,00 - 15.10.2018 Rev. 4,00 - 16.10.2019


Rev. 5,00 - 27.08.2020; Changes in chapter: 2.2, 3.2, 8.1, 9.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16

Rev.: 6.00 - 17.08.2021; Changes in chapter: 2.2, 3.2, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.7, 15.1, 16

Rev.: 7.00 - 10.08.2022, Changes in chapter: 2.3, 8.2, 12.5, 12.6, 16 Rev.: 8.00 - 15.08.2023, Changes in chapter: 8.1, 8.2, 9.1, 11.2, 15.1, 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement





according to Regulation (EC) No 1907/2006

SRS Cargolub TFG ultra

Revision date: 15.08.2023 Page 14 of 14

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NTP: National Toxicology Program

N/A: not applicable

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eve damage.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

EUH210 Safety data sheet available on request.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)