

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Cargolub TLS top

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

engine oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH
 Street: Neuenkirchener Straße 8
 Place: D-48497 Salzbergen
 Telephone: 05976 - 945-0
 Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen)
 Telefon 0551-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

2,5-Furandione, polymer with 1-hexadecene, 2-methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4- (phenylamino)phenylimide
 Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol
 Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts
 Alkyl- (C18-C28)
 Toluenesulfonic acid,
 Calcium salts, borated

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing Aerosol.
 P280 Wear protective gloves.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P501 Dispose of contents/container to local/regional/national/international regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 2 of 14

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.
For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	20 - < 25 %
	276-738-4	649-483-00-5
	01-2119474889-13	
	Asp. Tox. 1; H304	
873694-48-5	2,5-Furandione, polymer with 1-hexadecene, 2-methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4- (phenylamino)phenylimide	3 - < 5 %
	Skin Sens. 1; H317	
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	3 - < 5 %
	406-040-9	607-530-00-7
	01-0000015551-76	
	Aquatic Chronic 4; H413	
1428353-74-5	Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol	1 - < 3 %
	806-731-9	01-2120067755-46
	Eye Irrit. 2, Skin Sens. 1B, Aquatic Chronic 2; H319 H317 H411	
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	1 - < 3 %
	272-238-5	01-2119657973-23
	Eye Dam. 1, Aquatic Chronic 2; H318 H411	
722503-68-6	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	0.2 - < 0.3 %
	682-816-2	
	Skin Sens. 1B; H317	
	Alkyl- (C18-C28) Toluenesulfonic acid, Calcium salts, borated	0.2 - < 0.3 %
	953-650-0	
	Repr. 2, Skin Sens. 1B; H361d H317	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
72623-87-1	276-738-4	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	20 - < 25 %
		inhalation: LC50 = >5,53 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
873694-48-5		2,5-Furandione, polymer with 1-hexadecene, 2-methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4- (phenylamino)phenylimide	3 - < 5 %
		Skin Sens. 1; H317: >= 2,51 - 100	
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	3 - < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 3 of 14

1428353-74-5	806-731-9	Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol	1 - < 3 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
68784-31-6	272-238-5	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	1 - < 3 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = >2000 mg/kg	
	953-650-0	Alkyl- (C18-C28) Toluenesulfonic acid, Calcium salts, borated	0.2 - < 0.3 %
		Repr. 2; H361d: >= 17,15 - 100	

Further Information

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. Apply cortisone spray at early stage.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 4 of 14

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes.

Avoid formation of oil dust.

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid contact with skin, eyes and clothes.

Avoid formation of oil dust.

Do not breathe aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

When using do not eat, drink or smoke.

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 5 of 14

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances.. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate			
Worker DNEL, long-term		inhalation	systemic	3,0 mg/m ³
Worker DNEL, long-term		dermal	systemic	8,6 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,76 mg/m ³
Consumer DNEL, long-term		dermal	systemic	4,3 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,43 mg/kg bw/day
1428353-74-5	Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol			
Worker DNEL, long-term		inhalation	systemic	0.8 mg/m ³
Worker DNEL, long-term		dermal	systemic	1.1 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0.2 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0.6 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0.1 mg/kg bw/day
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts			
Worker DNEL, long-term		inhalation	systemic	2.93 mg/m ³
Worker DNEL, acute		inhalation	systemic	496.4 mg/m ³
Worker DNEL, long-term		dermal	systemic	10.42 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	100 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	11.75 mg/m ³
Consumer DNEL, acute		inhalation	systemic	198.6 mg/m ³
Consumer DNEL, long-term		dermal	systemic	2.1 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 6 of 14

Consumer DNEL, acute	dermal	systemic	50 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0.21 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	29 mg/kg bw/day

PNEC values

CAS No	Name of agent	
Environmental compartment		Value
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	
Secondary poisoning		9,33 mg/kg
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	
Freshwater sediment		0,37 mg/kg
Marine sediment		0,037 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,632 mg/kg
1428353-74-5	Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol	
Freshwater		0.007 mg/l
Marine water		0.001 mg/l
Freshwater sediment		16.74 mg/kg
Marine sediment		1.67 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		13.59 mg/kg
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	
Freshwater		0,04 mg/l
Marine water		0,0046 mg/l
Freshwater sediment		0,07 mg/kg
Marine sediment		0,007 mg/kg
Secondary poisoning		8,33 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,8 mg/l
Soil		0,055 mg/kg

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil)

Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH

Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits

TLV: Threshold Limiting Value

TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 7 of 14

Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	clear
Odour:	characteristic

Test method**Changes in the physical state**

Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range:	No information available.
Sublimation point:	No information available.
Softening point:	No information available.
Pour point:	-45 °C
Flash point:	231 °C COC

Flammability

Solid/liquid:	No information available.
Gas:	No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 8 of 14

Explosive properties

none

Lower explosion limits:

No information available.

Upper explosion limits:

No information available.

Auto-ignition temperature:

No information available.

Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

Decomposition temperature:

No information available.

pH-Value:

No information available.

Viscosity / dynamic:

No information available.

Viscosity / kinematic:
(at 40 °C)72,54 mm²/s DIN EN ISO 3104

Flow time:

No information available.

Water solubility:

Immiscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

No information available.

Vapour pressure:
(at 20 °C)

No information available.

Vapour pressure:
(at 50 °C)

No information available.

Density (at 15 °C):

0,8566 g/cm³ DIN 51757

Bulk density:

No information available.

Relative vapour density:

No information available.

Particle characteristics:

No information available.

9.2. Other information**Information with regard to physical hazard classes**

Sustaining combustion:

No data available

Oxidizing properties
none**Other safety characteristics**

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

No information available.

Evaporation rate:

No information available.

Further Information**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 9 of 14

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402
	inhalation (4 h) dust/mist	LC50 >5,53 mg/l	Rat	ECHA Dossier	OECD 403
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate				
	oral	LD50 > 2000 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 > 2000 mg/kg	Rat	ECHA Dossier	OECD 402
1428353-74-5	Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol				
	oral	LD50 >2000 mg/kg	Rat		OECD Guideline 423
	dermal	LD50 >2000 mg/kg	Rat		OECD Guideline 402
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts				
	oral	LD50 >2000 mg/kg	Rat.	ECHA Dossier	OECD Guideline 401
	dermal	LD50 >5000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Irritant effect on the eye: Not an irritant. By analogy. Raw material classification

Sensitising effects

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 10 of 14

May cause an allergic skin reaction. (2,5-Furandione, polymer with 1-hexadecene, 2-methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4- (phenylamino)phenylimide; Coconut oil, reaction products with boric acid (H₃BO₃), diethanolamine and glycerol; Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts; Alkyl- (C18-C28)

Toluenesulfonic acid,
Calcium salts, borated)

May cause sensitisation by skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test);

Result: negative. Literature information: ECHA Dossier; Carcinogenicity: Method: OECD Guideline 453

(Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse; Result: Non-carcinogenic if DMSO

extract as measured by IP346 is less than 3% m/m.; Literature information: ECHA Dossier; Reproductive

toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity

Screening Test); Result: NOAEL > 1000 mg/kg; Literature information: ECHA Dossier; Developmental

toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental

Toxicity Study); Result: NOAEL >= 2000 mg/kg; Literature information: ECHA Dossier

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

Subacute oral toxicity: Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents);

Species: Rat; Exposure duration: 28 d; Results: NOAEL = 125 mg/kg; Literature information: ECHA Dossier

Coconut oil, reaction products with boric acid (H₃BO₃), diethanolamine and glycerol:

In-vitro mutagenicity: Method: in vitro gene mutation study in bacteria, OECD Guideline 476 (In vitro

Mammalian Cell Gene Mutation Test), OECD Guideline 473 (In vitro Mammalian Chromosome Aberration

Test); Result: negative. ; Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

Subacute inhalative toxicity: Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL >980 mg/m³;

Literature information: ECHA Dossier; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated

Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: 1000 mg/kg; Literature

information: ECHA Dossier

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts:

In-vitro mutagenicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative. ;

Literature information: ECHA Dossier

Coconut oil, reaction products with boric acid (H₃BO₃), diethanolamine and glycerol:

Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study);

Species: Rat; Results: NOAEL = 1000 mg/kg; Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 11 of 14

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Brachydanio rerio	ECHA Dossier	OECD 203
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD 202
1428353-74-5	Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol					
	Acute fish toxicity	LC50 LL50 = 10,2 mg/l	96 h	Oncorhynchus mykiss		OECD Guideline 203
	Acute algae toxicity	ErC50 7,4 mg/l	72 h	Desmodesmus subspicatus		OECD Guideline 201
	Acute crustacea toxicity	EC50 EL50 = 4 mg/l	48 h	Daphnia magna		OECD Guideline 202
	Fish toxicity	NOEC 0,32 mg/l	28 d	Oncorhynchus mykiss		OECD Guideline 204
	Crustacea toxicity	NOEC 0,07 mg/l	21 d	Daphnia magna		OECD Guideline 211
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts					
	Acute fish toxicity	LC50 LL50 = 4,4 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 EL50 = 410 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 EL50 = 75 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC 0,4 mg/l	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based			
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate			
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	4 %	28	ECHA Dossier
1428353-74-5	Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol			
	OECD Guideline 301 F	87%	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts			
	EU Method C.6	< 5%	27	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 12 of 14

125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	9,2
-------------	---	-----

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 13 of 14

14.4. Packing group: No dangerous good in sense of this transport regulation.**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

REACH 1907/2006 Appendix XVII, No (mixture): 3

Observe in addition any national regulations!

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment
not applicable.**SECTION 16: Other information****Changes**

Rev. : 1,0 - 31.05.2019

Rev. : 2,0 - 30.06.2020, ; Changes in chapter: 3.2, 8.1, 10.3, 12.1, 15.1, 16

Rev. : 2,1 - 30.10.2020, ; Changes in chapter: 9.1

Rev.: 3,0 - 14.10.2021, Changes in chapter: 2.2, 6.1, 6.3, 11.2, 12.5, 12.6, 12.7, 15.1, 16

Rev.: 3,1 - 31.01.2022, Changes in chapter: 2.2, 2.3, 3.2, 8.1, 8.2, 11.1, 12.1, 12.2, 12.3, 15.1, 16

Rev.: 4,0 - 27.01.2023, Changes in chapter: 2.3, 8.1, 9.1, 12.5, 15.1, 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Cargolub TLS top

Revision date: 27.01.2023

Page 14 of 14

ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect concentration
NTP: National Toxicology Program
N/A: not applicable
OSHA: Occupational Safety and Health Administration
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SARA: Superfund Amendments and Reauthorization Act
SVHC: substance of very high concern
TRGS Technische Regeln fuerGefahrstoffe
TSCA: Toxic Substances Control Act
VOC: Volatile Organic Compounds

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:
Health hazards: Calculation method.
Environmental hazards: Calculation method.
Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)