

according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SRS Ersolan 460

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

gear oil

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone Gift-Informationszentrum Nord (Göttingen)

number: Telefon 0551-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to local/regional/national/international regulations.

Special labelling of certain mixtures

EUH208 Contains Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

2.3. Other hazards

For information or further instructions, see also section 11 or 12.

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
68425-15-0	Polysulfides, di-tert-dodecyl				
	270-335-7		01-2119540516-41		
	Skin Sens. 1B; H317				



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 2 of 14

128-37-0	2,6-di-tert-butyl-p-cresol				
	204-881-4 01-2119565113-46				
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410				
67-56-1	methanol*				
	200-659-6	603-001-00-X			
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc. Limits, M-factors and ATE						
68425-15-0	270-335-7	Polysulfides, di-tert-dodecyl	0.5 - < 1 %				
	inhalation: LC50 = > 15,5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = > 2000 mg/kg						
128-37-0	204-881-4	2,6-di-tert-butyl-p-cresol	0.2 - < 0.3 %				
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 6000 mg/kg					
67-56-1	200-659-6	00-659-6 methanol*					
	inhalation: LC50 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: LD50 = > 1187 - 2769 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10						

Further Information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

^{*}Substance for which a community occupational exposure limit value applies in the European Union.



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 3 of 14

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 4 of 14

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
67-56-1	Methanol	200	260		TWA (8 h)	

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
128-37-0	2,6-di-tert-butyl-p-cresol			
Worker DNEL,	, long-term	inhalation	systemic	1,76 mg/m³
Worker DNEL,	, long-term	dermal	systemic	0,5 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,435 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,25 mg/kg bw/day
67-56-1	methanol*			
Worker DNEL,	, acute	inhalation	local	130 mg/m³
Worker DNEL,	, long-term	inhalation	local	130 mg/m³
Worker DNEL,	, acute	inhalation	systemic	130 mg/m³
Consumer DN	EL, long-term	inhalation	systemic	26 mg/m³
Consumer DN	EL, acute	inhalation	systemic	26 mg/m³
Worker DNEL,	, acute	dermal	systemic	20 mg/kg bw/day
Worker DNEL,	, long-term	dermal	systemic	20 mg/kg bw/day
Consumer DN	EL, acute	inhalation	local	26 mg/m³
Consumer DN	EL, long-term	dermal	systemic	4 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	26 mg/m³
Consumer DNEL, acute		dermal	systemic	4 mg/kg bw/day



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 5 of 14

Consumer DNEL, long-term	oral	systemic	4 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	4 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	130 mg/m³

PNEC values

CAS No	Name of agent						
Environmental	compartment	Value					
68425-15-0	8425-15-0 Polysulfides, di-tert-dodecyl						
Freshwater se	Freshwater sediment						
Marine sedime	nt	0,385 mg/kg					
Secondary poi	soning	66,7 mg/kg					
Micro-organisr	ns in sewage treatment plants (STP)	1000 mg/l					
128-37-0	2,6-di-tert-butyl-p-cresol						
Freshwater		0,000199 mg/l					
Freshwater (in	termittent releases)	0,00199 mg/l					
Marine water		0,00002 mg/l					
Freshwater se	diment	0,458 mg/kg					
Marine sedime	nt	0,046 mg/kg					
Secondary poi	soning	8,33 mg/kg					
Micro-organisr	ns in sewage treatment plants (STP)	0,017 mg/l					
Soil		0,054 mg/kg					
67-56-1	methanol*						
Freshwater		20,8 mg/l					
Freshwater (in	termittent releases)	1540 mg/l					
Marine water		2,08 mg/l					
Freshwater se	77 mg/kg						
Marine sedime	Marine sediment						
Micro-organisr	ns in sewage treatment plants (STP)	100 mg/l					
Soil		100 mg/kg					

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH:American Conference of Governmental Industrial Hygienists

8.2. Exposure controls







Appropriate engineering controls

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 6 of 14

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -aerosol or mist formation
- -Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

No information available.

No information available.

boiling range:

Flammability: No information available.
Lower explosion limits: No information available.
Upper explosion limits: No information available.

Flash point: 295 °C DIN ISO 2592

Auto-ignition temperature:

Decomposition temperature:

No information available.

No information available.

No information available.

Viscosity / kinematic: 465,8 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility: No information available.

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No information available.

No information available.

(at 20 °C)





according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 7 of 14

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,8971 g/cm³ DIN 51757

Bulk density:

Relative vapour density:

No information available.

No information available.

No information available.

No information available.

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No information available.
Gas: No information available.

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

Solvent separation test:

No information available.

Solvent content:

No information available.

Softening point:

No information available.

No information available.

Pour point: -15 °C ASTM D 5985

Viscosity / dynamic:

No information available.

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 8 of 14

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
68425-15-0	Polysulfides, di-tert-dode	ecyl							
	oral	LD50 mg/kg	> 2000	Rat.	ECHA Dossier				
	dermal	LD50 mg/kg	>2000	Rabbit.	ECHA Dossier				
	inhalation (4 h) dust/mist	LC50 mg/l	> 15,5	Rat.	ECHA Dossier				
128-37-0	2,6-di-tert-butyl-p-cresol								
	oral	LD50 mg/kg	> 6000	Rat	Study report (1989)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1988)	OECD Guideline 402			
67-56-1	methanol*								
	oral	LD50 2769 mg/kg	> 1187 -	Rat	ECHA Dossier				
	dermal	ATE mg/kg	300						
	inhalation (4 h) vapour	LC50 mg/l	128,2	Rat	ECHA Dossier				
	inhalation dust/mist	ATE	0,5 mg/l						

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

In-vitro mutagenicity: Method: -; Result: negative. Literature information: REACH Dossier; Carcinogenicity: Species: Rat.; Method: -; Length of test: 28 d. Result: NOAEL = 25 mg/kg; Literature information: REACH Dossier; Reproductive toxicity: Species: Rat; Method: - (two generation carcinogenicity study with emphasis on hepatocellular changes in F1 generation); Result: NOAEL =500 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat; Method: -; Result: NOAEL = 100 mg/kg; Literature information: REACH Dossier

Polysulfides, di-tert-dodecyl:

In vitro mutagenicity/genotoxicity: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) = positive., OECD Guideline 471 (Bacterial Reverse Mutation Assay) = negative. OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) = negative. Literature information: REACH Dossier Developmental toxicity/teratogenicity: Species: Rat; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL 1000 mg/kg; Literature information: REACH Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 9 of 14

STOT-repeated exposure

Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

Chronic oral toxicity: Method: -; Species: Rat; Results: NOAEL = 25 mg/kg; Literature information: REACH

Dossier

Polysulfides. di-tert-dodecvl:

Subacute oral toxicity: Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents);

Species: Rat; Results: NOAEL 1000 mg/kg; Literature information: REACH Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
68425-15-0	Polysulfides, di-tert-dodecyl								
	Acute fish toxicity	LC50 mg/l	>100	96 h	Danio rerio	ECHA Dossier			
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201		
128-37-0	2,6-di-tert-butyl-p-cresol								
	Acute fish toxicity	LC50 mg/l	0,199	96 h	Oryzias latipes	ECHA Dossier	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	0,758	96 h	Raphidocelis subcapitata	ECHA Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	0,48	48 h	Daphnia magna	ECHA Dossier			
	Fish toxicity	NOEC mg/l	0,053	42 d	Oryzias latipes	ECHA Dossier			
	Crustacea toxicity	NOEC mg/l	0,023	21 d	Daphnia magna	ECHA Dossier			
	Acute bacteria toxicity	EC50 mg/l ()	> 10000	3 h	Activated sludge	ECHA Dossier	OECD Guideline 209		
67-56-1	methanol*								
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	ECHA Dossier	EPA-660/3-75-00 9, 1975		
	Acute algae toxicity	ErC50 mg/l	22000	96 h	Pseudokirchnerella subca	ECHA Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	18260	48 h	Daphnia magna	ECHA Dossier			
	Fish toxicity	NOEC mg/l	446,7	28 d	Pimephales promelas	SAR and QSAR in Environmental Research,	ECOSAR		



according to Regulation (EC) No 1907/2006

SRS Ersolan 460									
Revision date: 13.11.2023 Page 10 of 14								age 10 of 14	
Crus	stacea toxicity	NOEC	208 mg/l	21 d	Daphnia magna	OECD QSAR Toolbox Report (2013)			

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation	-	-	7				
68425-15-0	Polysulfides, di-tert-dodecyl							
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D 0% 28 ECHA Dossier							
	Not easily bio-degradable (according to OECD-criteria).							
128-37-0	2,6-di-tert-butyl-p-cresol							
	OECD 301C / ISO 9408 / EEC 92/69 annex V, C.4-F	4,5%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
67-56-1	methanol*							
·	other guideline	76%	20	ECHA Dossier				
	Readily biodegradable (according to OECD criteria).							

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68425-15-0	Polysulfides, di-tert-dodecyl	> 6,2
128-37-0	2,6-di-tert-butyl-p-cresol	5,1
67-56-1	methanol*	-0,77

BCF

CAS No	Chemical name	BCF	Species	Source
68425-15-0	Polysulfides, di-tert-dodecyl	< 0,01	Cyprinus carpio	ECHA Dossier
128-37-0	2,6-di-tert-butyl-p-cresol	465	Fish	Chemosphere, 73(11),
67-56-1	methanol*	< 10	Leuciscus idus melanotus	Chemosphere 14(10):

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

Further information

Ozone depletion potential (ODP): No information available.

SECTION 13: Disposal considerations



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 11 of 14

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 9006

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:-Hazard label:-Classification code:M12

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 12 of 14

Directive 2010/75/EU on industrial

emissions:

No information available.

Directive 2004/42/EC on VOC in

Directive 2004/42/EC on voc ii

No information available.

paints and varnishes:

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3 Observe in addition any national regulations!

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment not applicable.

SECTION 16: Other information

Changes

Rev.: 1,0 - 04.05.2015 Rev.: 1,1 -17.05.2016 Rev.: 2,0 - 06.06.2017 Rev.: 3,0 - 28.06.2018 Rev.: 3,1 - 27.11.2018

Rev.: 4,0 - 29.11.2019; Changes in chapter: 8.1, 10.3, 15.1, 16

Rev.: 5,0 - 19.11.2020, Changes in chapter: 15.1, 16

Rev.: 6.0 - 30.11.2021, Changes in chapter: 3.2, 6.1, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.6, 12.7, 15.1, 16 Rev.: 7.0 - 17.11.2022, Changes in chapter: 2.2, 3.2, 8.1, 9.1, 11.1, 12.1, 12.2, 12.3, 12.5, 12.6, 15.1, 16

Rev.: 8.0 - 13.11.2023, Changes in chapter: 9.1, 11.2, 12.1, 12.7, 16



according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 13 of 14

Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service **DNEL: Derived No Effect Level**

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NTP: National Toxicology Program

N/A: not applicable

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Highly flammable liquid and vapour.

quatic Chronic 3; H412	Calculation method			
Relevant H and EUH statements (number and full text)				

H317 May cause an allergic skin reaction. H331 Toxic if inhaled.

Toxic if swallowed.

Toxic in contact with skin.

H370 Causes damage to organs. Very toxic to aquatic life. H400

Very toxic to aquatic life with long lasting effects. H410 Harmful to aquatic life with long lasting effects. H412

EUH208 Contains Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

Further Information

H225

H301 H311

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.





according to Regulation (EC) No 1907/2006

SRS Ersolan 460

Revision date: 13.11.2023 Page 14 of 14

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)