



according to Regulation (EC) No 1907/2006

## SRS Leichtlauf Motorenöl O-1180

Page 1 of 11

Revision date: 01.06.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

SRS Leichtlauf Motorenöl O-1180

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

engine oil

#### Uses advised against

none

## 1.3. Details of the supplier of the safety data sheet

Company name:	SRS Schmierstoff Vertrieb GmbH
Street:	Neuenkirchener Straße 8
Place:	D-48497 Salzbergen
Telephone:	05976 - 945-0
Responsible Department:	Abt. Produktsicherheit: info.reach@srs-oil.de
1.4. Emergency telephone	Gift-Informationszentrum Nord (Göttingen)
number:	Telefon 0551-19240

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### Hazardous components

CAS No	Chemical name			Quantity		
	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)					
	Mineral Oil* (64742-54-7, 64742-65-0, 64742-55-8, 64742-56-9)			7 - < 10 %		
	Asp. Tox. 1; H304					
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			3 - < 5 %		
	265-158-7 649-468-00-3 01-2119487077-29					
	Asp. Tox. 1; H304					

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

## SRS Leichtlauf Motorenöl O-1180

Page 2 of 11

Revision date: 01.06.2023

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name		Quantity
	Specific Conc. I	imits, M-factors and ATE	
64742-55-8	265-158-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	3 - < 5 %
inhalation: LC50 = > 5,53 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			

#### **Further Information**

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

\*The mineral oil can be described by one or more EINECS numbers. 265-157-1, 265-169-7, 265-158-7, 265-159-2, (REACH-no.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

#### Unsuitable extinguishing media


High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

### 5.3. Advice for firefighters





according to Regulation (EC) No 1907/2006

SRS Leichtlauf Motorenöl O-1180

Page 3 of 11

Revision date: 01.06.2023

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

#### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special measures are necessary.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

No information available.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid formation of oil dust.

### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class B

## Advice on general occupational hygiene

Clean skin thoroughly after working. Do not put any product-impregnated cleaning rags into your trouser pockets.

### Further information on handling

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. General protection and hygiene measures: See section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

#### Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances



Page 4 of 11

according to Regulation (EC) No 1907/2006

## SRS Leichtlauf Motorenöl O-1180

Revision date: 01.06.2023

### Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

## 7.3. Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## DNEL/DMEL values

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic				
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³	
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³	
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	local	1,19 mg/m <sup>3</sup>	
Consumer DNI	EL, long-term	oral	systemic	0,74 mg/kg bw/day	

## **PNEC** values

CAS No	Name of agent		
Environmental	compartment	Value	
64742-55-8	64742-55-8 Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic		
Secondary poisoning 9,33 mg/kg		9,33 mg/kg	

### Additional advice on limit values

Air limit values: Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average ACGIH:American Conference of Governmental Industrial Hygienists

#### 8.2. Exposure controls



## Appropriate engineering controls

Provide adequate ventilation.

#### Individual protection measures, such as personal protective equipment


#### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

#### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working



Page 5 of 11



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## SRS Leichtlauf Motorenöl O-1180

Revision date: 01.06.2023

place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Oil-resistant and hardly inflammable protective clothing.

### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

## **Environmental exposure controls**

No information available.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:			
Colour:	clear		
Odour:	characteristic		
			Test method
Melting point/freezing point:		No information available.	
Boiling point or initial boiling point and		No information available.	
boiling range:			
Flammability:		No information available.	
Lower explosion limits:		No information available.	
Upper explosion limits:		No information available.	
Flash point:		242 °C	
Auto-ignition temperature:		No information available.	
Decomposition temperature:		No information available.	
pH-Value:		No information available.	
Viscosity / kinematic:		102,2 mm²/s	DIN EN ISO 3104
(at 40 °C)			
Water solubility:		Immiscible	
Solubility in other solvents			
No information available.			
Partition coefficient n-octanol/water:		No information available.	
Vapour pressure:		No information available.	
(at 20 °C)			
Vapour pressure:		No information available.	
(at 50 °C)		0.050	
Density (at 15 °C):		0,859 g/cm <sup>3</sup>	DIN 51/5/
Bulk density:		No information available.	
Relative vapour density:		No information available.	



according to Regulation (EC) No 1907/2006

... .

\_ \_ \_ \_

SRS Leichtlauf	f Motorenöl O-1180		
evision date: 01.06.2023			Page 6 of 11
Particle characteristics:	No information available.		
2. Other information			
Information with regard to physical hazard classes			
Explosive properties			
none			
Sustaining combustion:	No data available		
Self-ignition temperature			
Solid:	No information available.		
Gas:	No information available.		
Oxidizing properties			
none			
Other safety characteristics			
Evaporation rate:	No information available.		
Solvent separation test:	No information available.		
Solvent content:	No information available.		
Solid content:	No information available.		
Sublimation point:	No information available.		
Softening point:	No information available.		
Pour point:		ASTM D 5985	
Viscosity / dynamic: (at -25 °C)	6500 - 7000 mPa·s		
Flow time:	No information available.		

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No hazardous reactions known. Refer to chapter 10.5.

### 10.4. Conditions to avoid

No information available.

## 10.5. Incompatible materials

Oxidising agent, strong

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

No information available.

# Acute toxicity

Based on available data, the classification criteria are not met.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# SRS Leichtlauf Motorenöl O-1180

Revision date: 01.06.2023

Page 7 of 11

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic					
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401	
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402	
	inhalation (4 h) dust/mist	LC50 > 5,53 mg/l	Rat	ECHA Dossier	OECD Guideline 403	

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications

Results: negative / positive

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Results: negative

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Results: negative / positive

Literature information: REACH Dossier

In vivo mutagenicity/genotoxicity

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Results: negative ; Literature information: REACH Dossier

Reproductive toxicity

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Exposure time: 28d; Species: Rat

Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Exposure time: 28d; Species: Rat

Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: REACH Dossier

### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met. Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic: Subacute inhalative toxicity : Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL > 980 mg/m3; Literature information: J Appl Toxicol, Vol 11(4), pp 297-302; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: NOAEL 1000 mg/kg(bw)/day; Literature information: REACH Dossier; Subchronic oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents); Species: Rat; Results: NOAEL = 125 mg/kg; Literature information: REACH Dossier

## Aspiration hazard

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

## Endocrine disrupting properties



according to Regulation (EC) No 1907/2006

SRS Leichtlauf Motorenöl O-1180

Revision date: 01.06.2023

Page 8 of 11

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### Other information

Frequent contact specially if dried out may cause skin and eye irritations.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment. Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment on the basis of test data, expert judgement or analogy assessments.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-55-8	Baseoil - unspecified, Dis	illates (petro	oleum), hydro	otreated	light paraffinic		
	Acute fish toxicity	LC50 100 mg/l	LL50 >		Pimephales promelas (fathead minnow)	ECHA Dossier	OECD Guideline 203
	Acute crustacea toxicity	EC50 >10000 mg	EL50 g/l		Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 202
	Algae toxicity	NOEC 100 mg/l	NOEL >		Pseudokirchneriella subcapitata	ECHA Dossier	
	Crustacea toxicity	NOEC 10 mg/l	NOEL >		Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 211

### 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light p	paraffinic			
	OECD Guideline 301 F 31% 28 ECHA Dossier				
	OECD Guideline 301 F	31%	28	ECHA Dossier	

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	> 3,5

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

### 12.7. Other adverse effects

No information available.



according to Regulation (EC) No 1907/2006

## SRS Leichtlauf Motorenöl O-1180

Revision date: 01.06.2023

Page 9 of 11

#### **Further information**

Ozone depletion potential (ODP): No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

> No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

> No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

> No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Marine transport (IMDG) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

#### 14.6. Special precautions for user

Informations for safe handling see chapter 7. Informations for personal protective equipment see chapter 8.

# 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No



according to Regulation (EC) No 1907/2006

## SRS Leichtlauf Motorenöl O-1180

Revision date: 01.06.2023

Page 10 of 11

# EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75	
2010/75/EU (VOC):	No information available.
2004/42/EC (VOC):	No information available.
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

## Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878) This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII, No (mixture): not relevant Observe in addition any national regulations!

### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

## Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment not applicable.

## **SECTION 16: Other information**

### Changes

Rev.: 1,0 - 04.05.2015 Rev.: 1,1 - 27.05.2015 Rev.: 2,0 - 15.06.2017 Rev.: 3,0 - 29.06.2018 Rev.: 4,0 - 28.06.2019 Rev.: 5,0 - 29.06.2020; Changes in chapter: 3.2, 8.1, 11.1, 12.2, 12.2, 15.1, 16 Rev.: 6.0 - 17.06.2021; Changes in chapter: 3.2, 6.1, 6.3, 11.1, 11.2, 12.1, 12.2, 12.6, 12.7, 15.1, 16 Rev.: 7.0 - 23.06.2022, Changes in chapter: 2.2, 2.3, 8.2, 11.1, 12.1, 12.2, 12.3, 12.5, 12.6, 16 Rev.: 8.0 - 01.06.2023, Changes in chapter: 8.1, 9.1, 12.7, 16



according to Regulation (EC) No 1907/2006

# SRS Leichtlauf Motorenöl O-1180

Revision date: 01.06.2023

Page 11 of 11

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAFI : No observed adverse effect level NOAEC: No observed adverse effect concentration NTP: National Toxicology Program N/A: not applicable PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail ) SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany) Asp. Tox: Aspiration hazard Relevant H and EUH statements (number and full text) H304 May be fatal if swallowed and enters airways. EUH210 Safety data sheet available on request.

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)