

according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

Page 1 of 13

# SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier SRS Primalub Alpha 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture engine oil Uses advised against none 1.3. Details of the supplier of the safety data sheet Company name: SRS Schmierstoff Vertrieb GmbH Street:

Company name:	SRS Schmierstoff Vertrieb GmbH
Street:	Neuenkirchener Straße 8
Place:	D-48497 Salzbergen
Telephone:	05976 - 945-0
Responsible Department:	Abt. Produktsicherheit: info.reach@srs-oil.de
1.4. Emergency telephone	Gift-Informationszentrum Nord (Göttingen)
number:	Telefon 0551-19240

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

# 2.2. Label elements

Regulation (EC) No 1272/2008

# Special labelling of certain mixtures

EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium
	salts. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### 2.3. Other hazards

Endocrine disrupting properties: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

For information or further instructions, see also section 11 or 12.

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched: This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name	Quantity			
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based				
	276-738-4	649-483-00-5	01-2119474889-13		



# according to Regulation (EC) No 1907/2006

# SRS Primalub Alpha

Revision date: 10.11.2023

Page 2 of 13

	Asp. Tox. 1; H304	Asp. Tox. 1; H304			
64741-88-4	Highly refined mineral oil (C15-C50)	)*		12 - < 15 %	
	Asp. Tox. 1; H304				
722503-68-6	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts				
	682-816-2				
	Skin Sens. 1B; H317				
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched				
	310-154-3	604-092-00-9	01-2119513207-49		
	Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410				

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	ecific Conc. Limits, M-factors and ATE				
72623-87-1	2623-87-1 276-738-4 Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based					
	inhalation: LC5 >5000 mg/kg	nhalation: LC50 = >5,53 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg				
722503-68-6	682-816-2	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	0.3 - < 0.5 %			
	Skin Sens. 1B; H317: >= 2 - 100					
121158-58-5	310-154-3	310-154-3 phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched				
	dermal: LD50 = 15000 mg/kg; oral: LD50 = 2100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10					

#### **Further Information**

The mineral oil contained can be described by one or more of the following numbers. 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-166-0, 265-169-7, 265-176-5, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

01-2119484627-25, 01-2119487077-29, 01-2119471299-27

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

Page 3 of 13

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

#### Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

#### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special precautionary measures are necessary.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up


Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

No information available.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling





according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid formation of oil dust.

## Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class B

#### Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

# Further information on handling

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

# Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances

#### Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

# 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **DNEL/DMEL** values

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50	, hydrotreated neutral o	il-based		
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>	
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³	
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>	
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day	
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched branched	; phenol, 3-dodecyl-, bra	anched; phenol, 4-dode	ecyl-,	
Worker DNEL,	acute	inhalation	systemic	44,18 mg/m <sup>3</sup>	
Worker DNEL,	acute	dermal	systemic	166 mg/kg bw/day	
Consumer DNEL, acute		inhalation	systemic	13,26 mg/m <sup>3</sup>	
Consumer DNEL, acute		dermal	systemic	50 mg/kg bw/day	
·		oral	systemic	1,26 mg/kg bw/day	

Page 4 of 13



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

Page 5 of 13

Worker DNEL, long-term	inhalation	systemic	1.762 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,79 mg/m³
Consumer DNEL, long-term	dermal	systemic	0,075 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,075 mg/kg bw/day

#### **PNEC** values

CAS No	Name of agent					
Environmental	Environmental compartment Value					
72623-87-1	72623-87-1 Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based					
Secondary poi	soning	9,33 mg/kg				
121158-58-5 phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched						
Freshwater 0,000074 mg/l						
Freshwater (intermittent releases) 0,00037 mg/l						
Marine water 0,000007 mg/						
Freshwater sediment 0,226 mg/kg						
Marine sediment						
Secondary poisoning 4 mg/kg						
Micro-organisms in sewage treatment plants (STP) 100 mg/l						
Soil 0,118 mg						

# Additional advice on limit values

Air limit values: Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average ACGIH:American Conference of Governmental Industrial Hygienists

# 8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

## Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

#### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Page 6 of 13



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

# Skin protection

Oil-resistant and hardly inflammable protective clothing.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

# **Thermal hazards**

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

# **Environmental exposure controls**

No information available.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	clear		
Odour:	characteristic		
			Test method
Melting point/freezing point:		No information available.	
Boiling point or initial boiling point and		No information available.	
boiling range:			
Flammability:		No information available.	
Lower explosion limits:		No information available.	
Upper explosion limits:		No information available.	
Flash point:		238 °C	
Auto-ignition temperature:		No information available.	
Decomposition temperature:		No information available.	
pH-Value:		No information available.	
Viscosity / kinematic:		99,01 mm²/s	DIN EN ISO 3104
(at 40 °C)			
Water solubility:		Immiscible	
Solubility in other solvents			
No information available.			
Partition coefficient n-octanol/water:		No information available.	
Vapour pressure:		No information available.	
(at 20 °C)			
Vapour pressure:		No information available.	
(at 50 °C)		$0.970  a/am^3$	
Density (at 15 °C): Bulk density:		0,872 g/cm <sup>3</sup> No information available.	1/5/ IC MILE
Bulk density:		No information available.	
Relative vapour density: Particle characteristics:			
Particle characteristics:		No information available.	



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

Page 7 of 13

9.2. Other information	
Information with regard to physical hazard classes	
Explosive properties	
none	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No information available.
Gas:	No information available.
Oxidizing properties	
none	
Other safety characteristics	
Evaporation rate:	No information available.
Solvent separation test:	No information available.
Solvent content:	No information available.
Solid content:	No information available.
Sublimation point:	No information available.
Softening point:	No information available.
Pour point:	-39 °C ISO 3016
Viscosity / dynamic:	No information available.
Flow time:	No information available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known. Refer to chapter 10.5.

#### 10.4. Conditions to avoid

No information available.

# 10.5. Incompatible materials

Oxidising agent, strong

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No information available.

# Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CA	No No	Chemical name					
		Exposure route	Dose	Species	Source	Method	
72	623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based					



according to Regulation (EC) No 1907/2006

# SRS Primalub Alpha

Revision date: 10.11.2023

Page 8 of 13

	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier	OECD 401	
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier	OECD 402	
	inhalation (4 h) dust/mist	LC50 mg/l	>5,53	Rat	ECHA Dossier	OECD 403	
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched						
	oral	LD50 mg/kg	2100	Rat	ECHA Dossier	OECD 401	
	dermal	LD50 mg/kg	15000	Rabbit	ECHA Dossier	OECD 402	

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative. Literature information: REACH Dossier; Carcinogenicity: Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse; Result: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m.; Literature information: REACH Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL > 1000 mg/kg; Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL >= 2000 mg/kg; Literature information: REACH Dossier

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched:

In vitro mutagenicity/genotoxicity: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test), OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative. Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat ; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL 100 mg/kg; Literature information: REACH Dossier; Reproductive toxicity: Species: Sprague-Dawley Rat; Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study); Result: NOAEL 15 mg/kg; Literature information: REACH Dossier

#### STOT-single exposure

Based on available data, the classification criteria are not met.


#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based: Subacute inhalative toxicity: Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL >980 mg/m3; Literature information: REACH Dossier; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: 1000 mg/kg; Literature information: REACH Dossier

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched:

Subchronic oral toxicity: Exposure time: 90d. Method: OECD Guideline 408 ; Species: Rat; Results: NOAEL = 100 mg/kg. Subacute oral toxicity: Exposure time: 28d. Method: OECD Guideline 407 ; Species: Rat ; Results:





according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

Page 9 of 13

NOAEL = 60 mg/kg. Literature information: REACH Dossier

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

#### Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

# Other information

Frequent contact specially if dried out may cause skin and eye irritations.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment. Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment on the basis of test data, expert judgement or analogy assessments.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched					
	Acute fish toxicity	LC50 EL 50 = 40 mg/l	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 (0,36) mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Crustacea toxicity	NOEC 0,0037 mg/l	21 c	daphnia magna	ECHA Dossier	OECD 211

# 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	25%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched;	7,1
	phenol, 4-dodecyl-, branched	

# BCF



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

Page 10 of 13

CAS No	Chemical name	BCF	Species	Source
	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched	2,9		

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### 12.7. Other adverse effects

No information available.

# Further information

Ozone depletion potential (ODP): No information available.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.




# Safety Data Sheet

# according to Regulation (EC) No 1907/2006

# SRS Primalub Alpha

	SRS Primalub Alpha	
Revision date: 10.11.2023		Page 11 of 13
<u>14.4. Packing group:</u> Air transport (ICAO-TI/IATA-DGR)	No dangerous good in sense of this transport regulation.	
14.1. UN number or ID number: <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user Informations for safe handling see cha Informations for personal protective ec 14.7. Maritime transport in bulk according t not relevant	uipment see chapter 8.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched; phenol, 2- branched	IC (REACH, article 59): -dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-,	
Restrictions on use (REACH, annex XVII): Entry 28, Entry 30, Entry 75		
Directive 2010/75/EU on industrial emissions:	No information available.	
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.	
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Water hazard class (D): Additional information Regulation (EC) No 649/2012 of the E of dangerous chemicals: not relevant	2 - obviously hazardous to water uropean Parliament and of the Council concerning the export and import	
15.2 Chemical Safety Assessment not applicable.		
SECTION 16: Other information		
Changes Rev.: 1,0 - 12.04.2015 Rev.: 1,01 - 28.04.2015 Rev.: 1,1 - 24.05.2016		

Rev.: 2,0 - 15.06.2017





according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

Page 12 of 13

Rev.: 3.0 - 29.06.2018 Rev.: 4,0 - 29.06.2019 Rev.: 5,0 - 29.06.2020; Changes in chapter: 2.2, 11.1, 16 Rev.: 6,0 - 09.10.2020; Changes in chapter: 2.2, 3.2, 16 Rev.: 7,0 - 14.10.2021, Changes in chapter: 2.2, 2.3, 3.2, 6.1, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.6, 12.7, 15.1.16 Rev.: 8.0 - 21.11.2022, Changes in chapter: 2.3, 12.5, 12.6, 16 Rev.: 9,0 - 10.11.2023, Changes in chapter: 2.3, 8.1, 9.1, 11.2, 12.1, 12.5, 12.7, 16 Abbreviations and acronyms Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Eye Dam: Eye damage Skin Sens: Skin sensitisation Repr: Reproductive toxicity Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NTP: National Toxicology Program N/A: not applicable PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail ) SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany) Relevant H and EUH statements (number and full text) H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H360F May damage fertility. Very toxic to aquatic life. H400 Very toxic to aquatic life with long lasting effects. H410 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium EUH208 salts. May produce an allergic reaction.



according to Regulation (EC) No 1907/2006

# **SRS Primalub Alpha**

Revision date: 10.11.2023

Page 13 of 13

EUH210

Safety data sheet available on request.

# **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

Physical hazards: On basis of lest data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)