

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

SRS Turbo-Rekord NG

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

engine oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH
Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone number:

Gift-Informationszentrum Nord (Göttingen)
Telefon 0551-19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008****Special labelling of certain mixtures**

EUH208 Contains maleic anhydride. May produce an allergic reaction.
EUH210 Safety data sheet available on request.

2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	Mineral Oil* (64742-54-7, 64742-65-0, 64742-55-8, 64742-56-9)			5 - < 7 %
	Asp. Tox. 1; H304			
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			3 - < 5 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts			1 - < 3 %
	283-392-8		01-2119493626-26	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411			

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 2 of 14

	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	0.5 - < 1 %
	947-519-7	01-2120765489-36
	Skin Sens. 1B; H317	
108-31-6	maleic anhydride	< 0.1 %
	203-571-6	607-096-00-9
		01-2119472428-31
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1A, STOT RE 1; H302 H314 H318 H334 H317 H372 EUH071	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-55-8	265-158-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	3 - < 5 %
		inhalation: LC50 = > 5,53 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
84605-29-8	283-392-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts	1 - < 3 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = 3100 mg/kg Skin Irrit. 2; H315: >= 6,25 - 100 Eye Dam. 1; H318: >= 12,5 - 100 Eye Irrit. 2; H319: >= 10 - < 12,5	
	947-519-7	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	0.5 - < 1 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 10000 - < 20000 mg/kg Skin Sens. 1B; H317: >= 10 - 100	
108-31-6	203-571-6	maleic anhydride	< 0.1 %
		dermal: LD50 = 2620 mg/kg; oral: LD50 = 1090 mg/kg Skin Sens. 1A; H317: >= 0,001 - 100	

Further Information

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

*The mineral oil can be described by one or more EINECS numbers. 265-157-1, 265-169-7, 265-158-7, 265-159-2, (REACH-no.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 3 of 14

symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO₂) Sulphur dioxide (SO₂) Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Avoid formation of oil dust.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 4 of 14

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances.. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts			
Worker DNEL, long-term		inhalation	systemic	8,31 mg/m ³
Worker DNEL, long-term		dermal	systemic	12,1 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,11 mg/m ³
Consumer DNEL, long-term		dermal	systemic	6,1 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,24 mg/kg bw/day
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts			
Worker DNEL, long-term		inhalation	systemic	17,63 mg/m ³
Worker DNEL, long-term		dermal	systemic	25 mg/kg bw/day
Worker DNEL, long-term		dermal	local	1,05 mg/cm ²
Consumer DNEL, long-term		inhalation	systemic	4,35 mg/m ³
Consumer DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	0,526 mg/cm ²
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
108-31-6	maleic anhydride			
Worker DNEL, long-term		inhalation	systemic	0,081 mg/m ³

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 5 of 14

Worker DNEL, acute	inhalation	systemic	0,2 mg/m ³
Worker DNEL, long-term	inhalation	local	0,081 mg/m ³
Worker DNEL, acute	inhalation	local	0,2 mg/m ³

PNEC values

CAS No	Name of agent	Value
Environmental compartment		
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	
Secondary poisoning		9.33 mg/kg
Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts		
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts	
Freshwater		0,004 mg/l
Freshwater (intermittent releases)		0,045 mg/l
Marine water		0,0046
Freshwater sediment		0,022 mg/kg
Marine sediment		0,002 mg/kg
Secondary poisoning		10,67 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		0,002 mg/kg
Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts		
Freshwater		0,1 mg/l
Freshwater (intermittent releases)		1 mg/l
Marine water		0,1 mg/l
Freshwater sediment		166,32 mg/kg
Marine sediment		166,32 mg/kg
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
Soil		33,12 mg/kg
108-31-6	maleic anhydride	
Freshwater		0,038 mg/l
Freshwater (intermittent releases)		0,379 mg/l
Marine water		0,004 mg/l
Freshwater sediment		0,296 mg/kg
Marine sediment		0,03 mg/kg
Micro-organisms in sewage treatment plants (STP)		44,6 mg/l
Soil		0,037 mg/kg

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil)

Limit value (TLV-TWA) = 5 mg/ m³ - Source: ACGIHLimit value (TLV-STEL) = 10 mg/ m³ - Source: ACGIH

STEL: short-term exposure limits

TLV: Threshold Limiting Value

TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 6 of 14



Appropriate engineering controls

Provide adequate ventilation.



Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	clear
Odour:	characteristic

Test method

Changes in the physical state

Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range:	No information available.
Sublimation point:	No information available.
Softening point:	No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 7 of 14

Pour point:	-39 °C
Flash point:	236 °C COC
Flammability	
Solid/liquid:	No information available.
Gas:	No information available.
Explosive properties	
none	
Lower explosion limits:	No information available.
Upper explosion limits:	No information available.
Auto-ignition temperature:	No information available.
Self-ignition temperature	
Solid:	No information available.
Gas:	No information available.
Decomposition temperature:	No information available.
pH-Value:	No information available.
Viscosity / dynamic:	No information available.
Viscosity / kinematic: (at 40 °C)	109,8 mm ² /s DIN EN ISO 3104
Flow time:	No information available.
Water solubility:	Immiscible
Solubility in other solvents	
No information available.	
Partition coefficient n-octanol/water:	No information available.
Vapour pressure: (at 20 °C)	No information available.
Vapour pressure: (at 50 °C)	No information available.
Density (at 15 °C):	0,8834 g/cm ³ DIN 51757
Bulk density:	No information available.
Relative vapour density:	No information available.
Particle characteristics:	No information available.

9.2. Other information**Information with regard to physical hazard classes**

Sustaining combustion:	No data available
Oxidizing properties none	

Other safety characteristics

Solvent separation test:	No information available.
Solvent content:	No information available.
Solid content:	No information available.
Evaporation rate:	No information available.

Further Information**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 8 of 14

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.
Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic				
	oral	LD50 > 5000 mg/kg	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA Dossier	OECD Guideline 402
	inhalation (4 h) dust/mist	LC50 > 5,53 mg/l	Rat	ECHA Dossier	OECD Guideline 403
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts				
	oral	LD50 3100 mg/kg	Rat	ECHA Dossier	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	OECD 402
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts				
	oral	LD50 > 10000 - < 20000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 > 2000 mg/kg	Rat	ECHA Dossier	OECD Guideline 402
108-31-6	maleic anhydride				
	oral	LD50 1090 mg/kg	Rat	SIDS Initial Assessment Report for SIAM	OECD Guideline 401
	dermal	LD50 2620 mg/kg	Rabbit	Toxicol. Appl. Pharmacol. 42, 417-424 (1	Smyth et al.

Irritation and corrosivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 9 of 14

Based on available data, the classification criteria are not met.

Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts

Specific concentration limit (SCL):

>=6,25% (Skin Irrit. 2)

> 12,5 % (Eye Dam. 1)

> 10% (Eye Irrit. 2)

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts:

Specific concentration limit (SCL): 10% (Skin Sens. 1B)

May cause sensitisation especially in sensitive humans.

Sensitising effects

Contains maleic anhydride. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts:

In vitro mutagenicity/genotoxicity: Ames test negative.

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications

Results: negative. / positive.

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Results: negative.

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Results: negative. / positive.

Literature information: ECHA Dossier

In vivo mutagenicity/genotoxicity

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Results: negative. ; Literature information: ECHA Dossier

Reproductive toxicity

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Exposure time: 28d; Species: Rat

Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: ECHA Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Exposure time: 28d; Species: Rat

Results: NOAEL = > 2000 mg/kg(bw)/day; Literature information: ECHA Dossier

maleic anhydride:

In-vitro mutagenicity:

Method:

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

-OECD Guideline 476 (In Vitro Mammalian Cell Gene Mutation Test)

Result: negative.)

Literature information: ECHA Dossier

In-vitro mutagenicity:

Method: EU Method B.18

Result: negative.

Literature information: ECHA Dossier

Reproductive toxicity:

Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)

Species: Rat

Result: NOAEL (P0, P1) = 55 mg/kg; NOAEL (F1) = 55 mg/kg

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 10 of 14

Literature information: ECHA Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rat

Result: NOAEL (fetus) >= 140 mg/kg

Result: NOAEL (Maternal toxicity) >= 140 mg/kg

Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic:

Subacute inhalative toxicity : Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL > 980 mg/m3;

Literature information: J Appl Toxicol, Vol 11(4), pp 297-302; Subacute dermal toxicity: Method: OECD

Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit;

Results: NOAEL 1000 mg/kg(bw)/day; Literature information: ECHA Dossier; Subchronic oral toxicity: Method:

OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents); Species: Rat; Results: NOAEL = 125

mg/kg; Literature information: ECHA Dossier

maleic anhydride:

Subchronic oral toxicity:

Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents).

Species: Rat.

Result: LOAEL= 250 mg/kg.

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment. Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment on the basis of test data, expert judgement or analogy assessments.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic					
	Acute fish toxicity	LC50 100 mg/l	LL50 >	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier OECD Guideline 203
	Acute crustacea toxicity	EC50 >10000 mg/l	EL50	48 h	Daphnia magna (Big water flea)	ECHA Dossier OECD Guideline 202
	Algae toxicity	NOEC 100 mg/l	NOEL >	3 d	Pseudokirchneriella subcapitata	ECHA Dossier
	Crustacea toxicity	NOEC 10 mg/l	NOEL >	21 d	Daphnia magna (Big water flea)	ECHA Dossier OECD Guideline 211
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts					

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 11 of 14

	Acute fish toxicity	LC50 4,5 mg/l	LL50:	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD 203
Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts							
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Oncorhynchus mykiss	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l	> 100	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	activated sludge of a predominantly domestic sewage	ECHA Dossier	OECD Guideline 209
108-31-6	maleic anhydride						
	Acute algae toxicity	ErC50 mg/l	74,35	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	42,81	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			
	OECD Guideline 301 F	31%	28	ECHA Dossier
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts			
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1,5 %	28	ECHA Dossier
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts			
	OECD Guideline 301 D	8%	28	ECHA Dossier
108-31-6	maleic anhydride			
	OECD Guideline 301 B	>90%	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	> 3,5
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zinc salts	0,56
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	>= 5,38
108-31-6	maleic anhydride	-2,61

BCF

CAS No	Chemical name	BCF	Species	Source
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	27600	Fish	ECHA Dossier

12.4. Mobility in soil

No information available.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 12 of 14

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 13 of 14

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): not relevant

Observe in addition any national regulations!

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment
not applicable.**SECTION 16: Other information****Changes**

Rev. : 1,0 - 16.02.2018

Rev. : 2,0 - 22.02.2019

Rev. : 3,0 - 20.02.2020; Changes in chapter: 1.2, 3.2, 8.1, 10.3, 11.1, 12.1 12.2, 15.1, 16

Rev. : 4,0 - 08.02.2021; Changes in chapter: 2.1, 3.2, 8.1, 11.1, 12.1 12.2, 12,3, 16

Rev.: 5,0 - 04.02.2022, Changes in chapter: 2.3, 3.2, 6.1, 6.3, 8.1, 8.2, 11.1, 11.2, 12.2, 12.3, 12.5, 12.6, 12.7, 15.1, 16

Rev.: 6,0 - 30.01.2023, Changes in chapter: 2.2, 3.2, 8.1, 9.1, 11.1, 12.1, 12.2, 12.3, 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Turbo-Rekord NG

Revision date: 30.01.2023

Page 14 of 14

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NTP: National Toxicology Program

N/A: not applicable

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SVHC: substance of very high concern

TRGS Technische Regeln fuerGefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains maleic anhydride. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)