

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 1 of 14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

SRS ViVA 1 SLV top

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

engine oil

## Uses advised against

none

## 1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH

Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0

Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

**1.4. Emergency telephone** Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

## Regulation (EC) No 1272/2008

### Special labelling of certain mixtures

EUH208 Contains tris(branched-alkyl) borate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

## 2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the

Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# Relevant ingredients

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	265-157-1	649-467-00-8	01-2119484627-25			
	Asp. Tox. 1; H304					
	Mineral Oil* (64742-54-7, 64742-65	-0, 64742-55-8, 64742-56-9)		7 - < 10 %		
	Asp. Tox. 1; H304					
36878-20-3	Bis(nonylphenyl)amine			1 - < 3 %		



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 2 of 14

	253-249-4		01-2119488911-28				
	Aquatic Chronic 4; H413						
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate						
	406-040-9	607-530-00-7	01-0000015551-76				
	Aquatic Chronic 4; H413						
	tris(branched-alkyl) borate			0.1 - < 0.2 %			
			01-2120079516-48				
	Skin Sens. 1B; H317						

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity					
	Specific Conc.	specific Conc. Limits, M-factors and ATE						
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	30 - < 35 %					
	dermal: LD50 =	nal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg						
36878-20-3	253-249-4	Bis(nonylphenyl)amine	1 - < 3 %					
	oral: LD50 = >	5000 mg/kg						
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propionate	1 - < 3 %					
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg							

#### **Further Information**

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

The mineral oil contained can be described by one or more of the following numbers.

EC No.: 265-157-1, 265-169-7, 265-158-7, 265-159-2

REACH No.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 3 of 14

## 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities:

Water spray jet. Water mist.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2)

Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

#### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

### For emergency responders

No special precautionary measures are necessary.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

## 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

No information available.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 4 of 14

### Advice on safe handling

Wear suitable protective clothing. ( See section 8. )

Avoid formation of oil dust.

### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Fire class B

### Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

#### Further information on handling

Do not breathe vapour/aerosol.

Avoid contact with eyes and skin.

General protection and hygiene measures: See section 8.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

### Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances

### Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

## 7.3. Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **DNEL/DMEL values**

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Based	oil - unspecified					
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³			
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day			
Consumer DNI	EL, long-term	inhalation	local	1,19 mg/m³			
Consumer DNI	EL, long-term	oral	systemic	0,74 mg/kg bw/day			
36878-20-3	Bis(nonylphenyl)amine						
3							
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-	1-hydroxyphenyl)propio	nate				
Worker DNEL, long-term		inhalation	systemic	3,0 mg/m³			
Worker DNEL,	long-term	dermal	systemic	8,6 mg/kg bw/day			
Consumer DNI	EL, long-term	inhalation	systemic	0,74 mg/m³			



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **SRS ViVA 1 SLV top**

Revision date: 12.02.2024 Page 5 of 14

Consumer DNEL, long-term	dermal	systemic	4,3 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,43 mg/kg bw/day

#### **PNEC values**

CAS No	Name of agent					
Environmental	Environmental compartment					
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
Secondary poi	Secondary poisoning					
125643-61-0	25643-61-0 reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate					
Freshwater se	diment	0,37 mg/kg				
Marine sediment		0,037 mg/kg				
Micro-organisms in sewage treatment plants (STP)		10 mg/l				
Soil	0,632 mg/kg					

#### Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

#### 8.2. Exposure controls





## Appropriate engineering controls

Provide adequate ventilation.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

## **Hand protection**

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Oil-resistant and hardly inflammable protective clothing.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at:



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 6 of 14

- -aerosol or mist formation
- -Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

### **Environmental exposure controls**

No information available.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: clear

Odour: characteristic

Test method

Print date: 19.02.2024

Melting point/freezing point:

Boiling point or initial boiling point and

No information available.

No information available.

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No information available.

No information available.

No information available.

Flash point: 233 °C COC

Auto-ignition temperature:

Decomposition temperature:

PH-Value:

No information available.

No information available.

Viscosity / kinematic: 67,64 mm²/s DIN EN ISO 3104

(at 40 °C)

Water solubility: Immiscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No information available.

No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 15 °C): 0,8056 g/cm³ DIN 51757

Bulk density:

Relative vapour density:

No information available.

No information available.

No information available.

No information available.

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

none

Sustaining combustion: No data available



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **SRS ViVA 1 SLV top**

Revision date: 12.02.2024 Page 7 of 14

Self-ignition temperature

Solid: No information available.

Gas: No information available.

Oxidizing properties

none

Other safety characteristics

No information available. Evaporation rate: No information available. Solvent separation test: Solvent content: No information available. No information available. Solid content: No information available. Sublimation point: No information available. Softening point: -42 °C Pour point: No information available. Viscosity / dynamic: No information available. Flow time:

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

## 10.4. Conditions to avoid

No information available.

## 10.5. Incompatible materials

Oxidising agent, strong

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No information available.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route Dose		Species	Source	Method				
64742-54-7	Distillates (petroleum), hy	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified							
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	OECD 401				



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 8 of 14

	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier	OECD 402
36878-20-3	Bis(nonylphenyl)amine					
	oral	LD50 mg/kg	> 5000	Rat	ECHA Dossier	OECD Guideline 401
125643-61-0	reaction mass of isomers	of: C7-9-alky	/l 3-(3,5-di-te	ert-butyl-4-hydroxyphenyl)	propionate	
	oral	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD 402

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

Contains tris(branched-alkyl) borate. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity Method: OECD Guideline 473 (In vitro Mammalian Chromosome

Aberration Test); Result: negative Literature information: REACH Dossier; Carcinogenicity: Method: OECD

Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse.; Results:

Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m. Literature information:

REACH Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421

(Reproduction / Developmental Toxicity Screening Test); Results: NOAEL > 1000 mg/kg Literature

information: REACH Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley);

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Results: NOAEL >= 2000 mg/kg

Literature information: REACH Dossier

### Bis(nonylphenyl)amine:

Developmental toxicity/teratogenicity: Species: Rat (Wistar); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL >= 500 mg/kg; Literature information: REACH Dossier

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: negative

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rabbit

Results: NOAEL = 40 mg/kg (Maternal toxicity)

Literature information: ECHA Dossier

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 9 of 14

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

Subacute inhalative toxicity: Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL >980 mg/m3; Literature information: REACH Dossier; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: 1000

mg/kg; Literature information: REACH Dossier

Bis(nonylphenyl)amine:

Subchronic oral toxicity: Exposure time: 90d; Species: Han Wistar Rat.; Method: OECD Guideline 408;

Result: LOAEL = 100 mg/kg; Literature information: REACH Dossier

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate:

Subchronic oral toxicity:

Method: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))

Species: Rat

Exposure duration: 28 d

Result: NOEL = 15 mg/kg bw/day

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Other information

Frequent contact specially if dried out may cause skin and eye irritations.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hy	drotreated	heavy paraffin	ic; Base	oil - unspecified		
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna (OECD 211)	ECHA Dossier	
36878-20-3	Bis(nonylphenyl)amine						
	Acute fish toxicity	LC50	>100 mg/l	96 h	Brachydanio rerio (new name: Danio rerio) (OECD 20	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Fish toxicity	NOEC	10 mg/l	34 d	Danio rerio	ECHA Dossier	OECD Guideline 210
	Crustacea toxicity	NOEC	4,45 mg/l	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211
125643-61-0	reaction mass of isomers	of: C7-9-all	kyl 3-(3,5-di-te	rt-butyl-	4-hydroxyphenyl)propiona	ite	
	Acute fish toxicity	LC50	>100 mg/l	96 h	Brachydanio rerio	ECHA Dossier	OECD 203
	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD 202



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 10 of 14

	tris(branched-alkyl) borate						
	Acute algae toxicity	ErC50	21 mg/l	72 h			

# 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes,

e.g. mechanical separation.

CAS No	hemical name							
	Method	Value	d	Source				
	Evaluation	•	-	•				
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseo	I - unspecified						
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	31%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C 2-4% 28 ECHA Dossie							
	Not easily bio-degradable (according to OECD-criteria).							
36878-20-3	Bis(nonylphenyl)amine							
	(Q)SAR CATALOGIC v5.13.1.	31%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).	-	-					
	(Q)SAR CATALOGIC v5.13.1.	24%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-	hydroxyphenyl)prop	ionate					
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	4 %	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
	tris(branched-alkyl) borate							
	OECD TG 301 B	74 %	28					
	Readily biodegradable (according to OECD criteria).							

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	Bis(nonylphenyl)amine	11,87
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	9,2

### **BCF**

CAS No	Chemical name	BCF	Species	Source
36878-20-3	Bis(nonylphenyl)amine	411	Cyprinus carpio	ECHA Dossier

## 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

## 12.7. Other adverse effects



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 11 of 14

No information available.

#### **Further information**

Ozone depletion potential (ODP): No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## List of Wastes Code - contaminated packaging

150110

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.

## 14.5. Environmental hazards

ENVIRONMENTALLY	No
HAZARDOUS:	

## 14.6. Special precautions for user

Informations for safe handling see chapter 7.
Informations for personal protective equipment see chapter 8.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 12 of 14

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial

No information available.

emissions:

Directive 2004/42/EC on VOC in

No information available.

paints and varnishes:

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

#### **Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): not relevant

Observe in addition any national regulations!

### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

#### Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment not applicable.

### **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,11,12,16.

Rev.: 1,0 - 28.02.2020

Rev.: 2,0 - 08.02.2021, Changes in chapter: 3.2, 12.1, 12.2, 16

Rev.: 3,0 - 04.02.2022, Changes in chapter: 2.3, 3.2, 6.1, 6.3, 8.1, 8.2, 11.2, 12.1, 12.2, 12.5, 12.6, 12.7,

15.1, 16

Rev.: 4,0 - 27.01.2023, Changes in chapter: 9.1,12.1, 16

Rev.: 5.0 - 12.02.2024, Changes in chapter: 8.1, 11.1, 11.2, 12.1, 12.7, 16



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## SRS ViVA 1 SLV top

Revision date: 12.02.2024 Page 13 of 14

#### Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NTP: National Toxicology Program

N/A: not applicable

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

## Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains tris(branched-alkyl) borate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **SRS ViVA 1 SLV top**

Revision date: 12.02.2024 Page 14 of 14

case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)