

according to Regulation (EC) No 1907/2006

# **SRS Wiolan GT 32**

Revision date: 09.03.2024

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier SRS Wiolan GT 32 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Industrial uses Uses advised against none 1.3. Details of the supplier of the safety data sheet SRS Schmierstoff Vertrieb GmbH Company name: Street: Neuenkirchener Straße 8 Place: D-48497 Salzbergen 05976 - 945-0 Telephone: Abt. Produktsicherheit: info.reach@srs-oil.de **Responsible Department:** Gift-Informationszentrum Nord (Göttingen) - Telefon 0551-19240 1.4. Emergency telephone

# number:

**SECTION 2: Hazards identification** 

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

# 2.2. Label elements

#### Regulation (EC) No 1272/2008

# Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

## 2.3. Other hazards

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
8042-47-5	5 White mineral oil (petroleum)					
	232-455-8		01-2119487078-27			
	Asp. Tox. 1; H304					
68411-46-1	Benzenamine, N-phenyl-, reaction	products with 2,4,4-trimethylpentene		0.2 - < 0.3 %		
	270-128-1		01-2119491299-23			
	Repr. 2; H361f					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

according to Regulation (EC) No 1907/2006

# SRS Wiolan GT 32

Revision date: 09.03.2024

Page 2 of 12

CAS No	EC No	EC No Chemical name				
	Specific Con	Specific Conc. Limits, M-factors and ATE				
8042-47-5	232-455-8	232-455-8 White mineral oil (petroleum)				
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg					
68411-46-1	270-128-1 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene					
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg					

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

# After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

# Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2) Sulphur dioxide (SO2) Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

# **SRS Wiolan GT 32**

Revision date: 09.03.2024

Page 3 of 12

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

#### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special measures are necessary.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

No information available.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid formation of oil dust.

#### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class  ${\sf B}$ 

# Advice on general occupational hygiene

Clean skin thoroughly after working.

Do not put any product-impregnated cleaning rags into your trouser pockets.

#### Further information on handling

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. General protection and hygiene measures: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

#### Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances

# Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

# 7.3. Specific end use(s)



according to Regulation (EC) No 1907/2006

# **SRS Wiolan GT 32**

Revision date: 09.03.2024

Page 4 of 12

See section 1.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# DNEL/DMEL values

CAS No	Name of agent					
DNEL type	DNEL type		Effect	Value		
8042-47-5	White mineral oil (petroleum)					
Worker DNEL,	long-term	dermal	systemic	217,5 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	164,56 mg/m <sup>3</sup>		
Consumer DN	EL, long-term	inhalation	systemic	34,78 mg/m³		
Consumer DNEL, long-term		dermal	systemic	93,02 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	25 mg/kg bw/day		
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trim	ethylpentene				
Consumer DN	EL, long-term	inhalation	systemic	0,31 mg/m³		
Consumer DNEL, long-term		dermal	systemic	0,44 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,05 mg/kg bw/day		
Worker DNEL, long-term		dermal	systemic	0,22 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	0,8 mg/m³		

# **PNEC** values

CAS No	Name of agent				
Environmental	Environmental compartment				
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene				
Freshwater		0,034 mg/l			
Marine water		0,003 mg/l			
Freshwater sediment		0,446 mg/kg			
Marine sediment		0,045 mg/kg			
Secondary poisoning		0,8333 mg/kg			
Micro-organisms in sewage treatment plants (STP)		10 mg/l			
Soil		17,6 mg/kg			

# Additional advice on limit values

Air limit values: Possibility of exposure to Aerosol (Mineral oil ) Limit value (TLV-TWA ) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL ) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average ACGIH:American Conference of Governmental Industrial Hygienists



according to Regulation (EC) No 1907/2006

# **SRS Wiolan GT 32**

Revision date: 09.03.2024

# 8.2. Exposure controls



#### Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Oil-resistant and hardly inflammable protective clothing.

#### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

- Respiratory protection necessary at:
- -aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

#### **Environmental exposure controls**

No information available.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid clear characteristic		
			Test method
Melting point/freezing point:		No information available.	
Boiling point or initial boiling point and		No information available.	
boiling range:			
Flammability:		No information available.	
Lower explosion limits:		No information available.	
Upper explosion limits:		No information available.	





according to Regulation (EC) No 1907/2006

# SRS Wiolan GT 32

Revision date: 09.03.2024			Page 6 of 12
Flash point:	216 °C		
Auto-ignition temperature:	No information available.		
Decomposition temperature:	No information available.		
pH-Value:	No information available.		
Viscosity / kinematic:	32,21 mm²/s	DIN EN ISO 3104	
(at 40 °C)			
Water solubility:	immiscible		
Solubility in other solvents			
No information available.			
Partition coefficient n-octanol/water:	No information available.		
Vapour pressure:	No information available.		
(at 20 °C)			
Vapour pressure:	No information available.		
(at 50 °C)			
Density (at 15 °C):	0,865 g/cm <sup>3</sup>	DIN 51757	
Bulk density:	No information available.		
Relative vapour density:	No information available.		
Particle characteristics:	No information available.		
9.2. Other information			
Information with regard to physical hazard classes			
Explosive properties			
none			
Sustaining combustion:	No data available		
Self-ignition temperature			
Solid:	No information available.		
Gas:	No information available.		
Oxidizing properties			
none			
Other safety characteristics			
Evaporation rate:	No information available.		
Solvent separation test:	No information available.		
Solvent content:	No information available.		
Solid content:	No information available.		
Sublimation point:	No information available.		
Softening point:	No information available.		
Pour point:	-6 °C		
Viscosity / dynamic:	No information available.		
Flow time:	No information available.		

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

# 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

No hazardous reactions known. Refer to chapter 10.5.

# 10.4. Conditions to avoid

No information available.



according to Regulation (EC) No 1907/2006

# SRS Wiolan GT 32

Revision date: 09.03.2024

# 10.5. Incompatible materials

Oxidising agent, strong

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
8042-47-5	White mineral oil (petrole	um)					
	oral	LD50 > mg/kg	>5000	Rat	ECHA Dossier	READ ACROSS	
	dermal	LD50 > mg/kg	>2000	Rabbit.	ECHA Dossier	READ ACROSS	
	inhalation (4 h) dust/mist	LC50 >	>5 mg/l	Rat	ECHA Dossier	READ ACROSS	
68411-46-1	Benzenamine, N-phenyl-	, reaction prod	ucts with 2	,4,4-trimethylpentene			
	oral	LD50 > mg/kg	> 5000	Rat	ECHA Dossier	OECD Guideline 401	
	dermal	LD50 > mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 402	

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. White mineral oil (petroleum):

In-vitro mutagenicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative; Literature information: REACH Dossier; Carcinogenicity: Method: (oral.) OECD Guideline 453 (Combined Chronic Toxicity/Carcinogenicity Studies); Species: Rat; Length of test: 2 years; Result: NOAEL = 1200 mg/kg; Literature information: REACH Dossier ; Reproductive toxicity: Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Species: Rat ; Results: NOAEL >= 1000 mg/kg. Literature information: REACH Dossier; Developmental toxicity/teratogenicity: Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Species: Rat; Results: NOAEL >= 5000 mg/kg; Literature information: REACH Dossier

Page 7 of 12



according to Regulation (EC) No 1907/2006

# SRS Wiolan GT 32

Revision date: 09.03.2024

Page 8 of 12

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: In-vitro mutagenicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) Result: negative Literature information: REACH Dossier Reproductive toxicity: Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test) Species: Rat Exposure duration: male: 28 d, female: 53 d. Results: NOAEL = 25 mg/kg Literature information: REACH Dossier Developmental toxicity/teratogenicity: Method: other guideline: OECD 422 Species: Rat Exposure duration: male: 28 d, female: 53 d. Results: NOAEL = 25 mg/kg Literature information: REACH Dossier

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met. White mineral oil (petroleum):

Subchronic oral toxicity: Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) Species: Rat ; Results: NOAEL = 20000 ppm. Literature information: REACH Dossier; Subchronic dermal toxicity: Method: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-day Study); Species: Rat.; Results: NOAEL >2000 mg/kg; Literature information: REACH Dossier

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: In-vitro mutagenicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) Result: negative Literature information: REACH Dossier Reproductive toxicity: Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test) Species: Rat Exposure duration: male: 28 d, female: 53 d. Results: NOAEL = 25 mg/kg Literature information: REACH Dossier Developmental toxicity/teratogenicity: Method: other guideline: OECD 422 Species: Rat Exposure duration: male: 28 d, female: 53 d. Results: NOAEL = 25 mg/kg Literature information: REACH Dossier

# Aspiration hazard

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

# **SRS Wiolan GT 32**

Revision date: 09.03.2024

Endocrine disrupting properties

This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# Other information

Frequent contact specially if dried out may cause skin and eye irritations.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
8042-47-5	White mineral oil (petroleu	White mineral oil (petroleum)							
	Acute fish toxicity	LL50 mg/l	> 10000	96 h	Lepomis macrochirus	ECHA Dossier			
	Acute algae toxicity	ErC50 100 mg/l	NOEL >=	72 h	Pseudokirchneriella subcapitata	ECHA Dossier			
	Acute crustacea toxicity	EL50 mg/l	> 100	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202		
	Fish toxicity	NOEC 1000 mg/l	NOEL>=	28 d	QSAR	ECHA Dossier			
	Crustacea toxicity	NOEC 1000 mg/l	NOEL >=	21 d	Daphnia magna	ECHA Dossier			
68411-46-1	Benzenamine, N-phenyl-,	reaction pro	ducts with 2	,4,4-trim	ethylpentene				
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	ECHA Dossier	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202		

# 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
8042-47-5	White mineral oil (petroleum)						
	OECD Guideline 301 F (READ ACROSS)	31	28	ECHA Dossier			
	Not easily bio-degradable (according to OECD-criteria).						
68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene						
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	0%	28	ECHA Dossie			
	Not readily biodegradable (according to OECD criteria)						

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coeffic	Partition coefficient n-octanol/water			
CAS No	Chemical name	Log Pow		
8042-47-5	White mineral oil (petroleum)	>4		

Page 9 of 12



according to Regulation (EC) No 1907/2006

## SRS Wiolan GT 32

Page 10 of 12

68411-46-1 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene							
BCF	BCF						
CAS No Chemical name BCF Species Source							
68411-46-1	Benzenamine, N-phenyl-, reaction	4176		ECHA Doss	ECHA Dossier		

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

#### 12.7. Other adverse effects

No information available.

# Further information

Ozone depletion potential (ODP): No information available.

products with 2,4,4-trimethylpentene

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	



according to Regulation (EC) No 1907/2006

SRS Wiolan GT 32		
Revision date: 09.03.2024		Page 11 of 12
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Informations for safe handling see cha		
Informations for personal protective eq		
14.7. Maritime transport in bulk according to not relevant	o IMO instruments	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII): Entry 75		
Directive 2010/75/EU on industrial emissions:	No information available.	
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.	
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
This mixture is classified as not hazard REACH 1907/2006 Appendix XVII, No	, ,	
Observe in addition any national regula	ations!	
National regulatory information		
Water hazard class (D): Additional information	1 - slightly hazardous to water	
Regulation (EU) No. 649/2012 of the E dangerous chemicals: not relevant	uropean parliament and of the council concerning the export and import	t of
15.2 Chemical Safety Assessment not applicable.		
SECTION 16: Other information		
Changes		
	the previous version in section(s): 12,16.	
Rev. : 1,0 - 18.11.2019, Initial release		
Rev. : 2,0 - 16.11.2020, Changes in ch		
15.2,16	apter: 3.2, 6.1, 6.3, 8,1 8.2, 11.1, 11.2, 12.1, 12.2, 12.3, 12.6, 12.7, 15.1	Ι,
Davis 4.0 40 44 2022 Chamman in ah	anton 0.0 0.0 0.1 11.1 10.1 10.0 10.0 10.5 10.6 15.1 16	

Rev.: 4.0 - 16.11.2022, Changes in chapter: 2.3, 3.2, 8.1, 11.1, 12.1, 12.2, 12.3, 12.5, 12.6, 15.1, 16

Rev.: 4.1 - 16.01.2023, Changes in chapter: 2.2, 2.3, 3.2, 8.1, 9,1, 11.1, 12.1, 12.2, 12.3, 12.5, 15.1, 15.2, 16



according to Regulation (EC) No 1907/2006

# SRS Wiolan GT 32

Revision date: 09.03.2024

Page 12 of 12 Rev.: 4.2 - 01.03.2023, Changes in chapter: 3.2, 8.1, 9.1, 11.1, 12.1, 12.2, 12.3, 16 Rev.: 5.0 - 09.03.2024, Changes in chapter: 11.2, 12.1, 12.7, 16 Abbreviations and acronyms Asp. Tox: Aspiration hazard Repr: Reproductive toxicity ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NTP: National Toxicology Program N/A: not applicable PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail ) SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe **TSCA: Toxic Substances Control Act** VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany) Relevant H and EUH statements (number and full text) H304 May be fatal if swallowed and enters airways. H361f Suspected of damaging fertility. EUH210 Safety data sheet available on request. **Further Information** Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. (The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety

data sheet.)