

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

SRS Violin ATF VI

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

gear oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: SRS Schmierstoff Vertrieb GmbH
Street: Neuenkirchener Straße 8
Place: D-48497 Salzbergen
Telephone: 05976 - 945-0
Responsible Department: Abt. Produktsicherheit: info.reach@srs-oil.de

1.4. Emergency telephone number: Gift-Informationszentrum Nord (Göttingen)
Telefon 0551-19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
P501 Dispose of contents/container to local/regional/national/international regulations.

2.3. Other hazards

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol.

This mixture contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic			40 - < 45 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 2 of 17

72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based		1 - < 3 %
	276-737-9	649-482-00-X	01-2119474878-16
	Asp. Tox. 1; H304		
	Short-, medium- and long-chain alkyl methacrylates and short-chain alkyl methacrylamide copolymer (Confidentiality: ACC-QT664993-91)		1 - < 3 %
	Eye Irrit. 2; H319		
	Long-chain alkenyl succinimide (GB Confidentiality:ACN-AFT-12052021-BYH-01)		1 - < 3 %
	Aquatic Chronic 4; H413		
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich		1 - < 3 %
	800-172-4		01-2119969520-35
	Aquatic Chronic 2; H411		
124-28-7	N,N-Dimethyl-n-octadecylamine		0.1 - < 0.2 %
	204-694-8		01-2119486676-20
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410		
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol		0.1 - < 0.2 %
	620-540-6		01-2119510877-33
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410		
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine		< 0.1 %
	939-485-7		01-2119974116-35
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410		
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol		< 0.1 %
	202-414-9		01-2119777867-13
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H373 H400 H410		
91-20-3	naphthalene*		< 0.1 %
	202-049-5	601-052-00-2	
	Carc. 2, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H351 H302 H400 H410		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-55-8	265-158-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	40 - < 45 %
		inhalation: LC50 = > 5,53 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-86-0	276-737-9	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	1 - < 3 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
398141-87-2	800-172-4	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	1 - < 3 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
124-28-7	204-694-8	N,N-Dimethyl-n-octadecylamine	0.1 - < 0.2 %
		oral: LD50 = 1015 mg/kg Aquatic Acute 1; H400: M=10	
1218787-32-6	620-540-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0.1 - < 0.2 %
		oral: LD50 = 1200 mg/kg Aquatic Acute 1; H400: M=10	
218141-16-3	939-485-7	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	< 0.1 %
		oral: LD50 = 300 - 2000 mg/kg Aquatic Acute 1; H400: M=100	
95-38-5	202-414-9	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	< 0.1 %

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 3 of 17

	oral: LD50 = ca. 1265 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1		
91-20-3	202-049-5	naphthalene*	< 0.1 %
	oral: ATE = 500 mg/kg		

Further Information

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

*Substance for which a community occupational exposure limit value applies in the European Union.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO₂) Sulphur dioxide (SO₂) Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 4 of 17

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.
Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)
Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.
Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.
Do not put any product-impregnated cleaning rags into your trouser pockets.

Further information on handling

Do not breathe vapour/aerosol.
Avoid contact with eyes and skin.
General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances.. Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 5 of 17

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
91-20-3	Naphtalene	10	50		TWA (8 h)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich			
Worker DNEL, long-term		inhalation	systemic	24,7 mg/m ³
Worker DNEL, long-term		dermal	systemic	350 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	4,35 mg/m ³
Consumer DNEL, long-term		dermal	systemic	125 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
124-28-7	N,N-Dimethyl-n-octadecylamine			
Worker DNEL, long-term		inhalation	systemic	1 mg/m ³
Worker DNEL, acute		inhalation	systemic	1 mg/m ³
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Worker DNEL, acute		inhalation	local	1 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,5 mg/kg bw/day
Consumer DNEL,		oral		0,5 mg/kg bw/day
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol			
Worker DNEL, long-term		dermal	systemic	0,42 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,522 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,15 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,15 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	2,96 mg/m ³
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine			
Worker DNEL, long-term		inhalation	systemic	4,9 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,7 mg/kg bw/day



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 6 of 17

Consumer DNEL, long-term	inhalation	systemic	0,74 mg/m ³
Consumer DNEL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,25 mg/kg bw/day
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol		
Worker DNEL, long-term	inhalation	systemic	0,46 mg/m ³
Worker DNEL, acute	inhalation	systemic	14 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,06 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	2 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
Environmental compartment		
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	
Secondary poisoning		9,33 mg/kg
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	
Secondary poisoning		9,33 mg/kg
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	
Freshwater		0,0024 mg/l
Freshwater (intermittent releases)		0,024 mg/l
Marine water		0,00033 mg/l
Freshwater sediment		0,433 mg/kg
Marine sediment		0,0596 mg/kg
Secondary poisoning		111,11 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		0,0853 mg/kg
124-28-7	N,N-Dimethyl-n-octadecylamine	
Freshwater		0,00026 mg/l
Freshwater (intermittent releases)		0,00026 mg/l
Marine water		0,00003 mg/l
Freshwater sediment		1,25 mg/kg
Marine sediment		0,125 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,13 mg/l
Soil		1 mg/kg
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	
Freshwater		0,000214 mg/l
Freshwater (intermittent releases)		0,00087 mg/l
Marine water		0,000021 mg/l
Freshwater sediment		1,692 mg/kg
Marine sediment		0,169 mg/kg
Secondary poisoning		2 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,5 mg/l
Soil		5 mg/kg

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 7 of 17

218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	
Freshwater		0,00084 mg/l
Freshwater (intermittent releases)		0,000827 mg/l
Marine water		0,000084 mg/l
Freshwater sediment		3,19 mg/kg
Marine sediment		0,32 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,3 mg/l
Soil		1,59 mg/kg
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	
Freshwater		0 mg/l
Freshwater (intermittent releases)		0 mg/l
Marine water		0 mg/l
Freshwater sediment		0,376 mg/kg
Marine sediment		0,038 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,27 mg/l
Soil		0,075 mg/kg

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil)

Limit value (TLV-TWA) = 5 mg/ m³ - Source: ACGIH

Limit value (TLV-STEL) = 10 mg/ m³ - Source: ACGIH

STEL: short-term exposure limits

TLV: Threshold Limiting Value

TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 8 of 17

500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	red, clear
Odour:	characteristic

Test method**Changes in the physical state**

Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range:	No information available.
Sublimation point:	No information available.
Softening point:	No information available.
Pour point:	-51 °C ISO 3016
Flash point:	208 °C COC

Flammability

Solid/liquid:	No information available.
Gas:	No information available.

Explosive properties

none

Lower explosion limits:	No information available.
Upper explosion limits:	No information available.
Auto-ignition temperature:	No information available.

Self-ignition temperature

Solid:	No information available.
Gas:	No information available.

Decomposition temperature: No information available.

pH-Value: No information available.

Viscosity / dynamic: No information available.

Viscosity / kinematic: 27,62 mm²/s DIN EN ISO 3104
(at 40 °C)

Flow time: No information available.

Water solubility: No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 9 of 17

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

No information available.

Vapour pressure:

No information available.

(at 20 °C)

Vapour pressure:

No information available.

(at 50 °C)

Density (at 15 °C):

0,8454 g/cm³ DIN 51757

Bulk density:

No information available.

Relative vapour density:

No information available.

Particle characteristics:

No information available.

9.2. Other information**Information with regard to physical hazard classes**

Sustaining combustion:

No data available

Oxidizing properties

none

Other safety characteristics

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

No information available.

Evaporation rate:

No information available.

Further Information**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Exposure route	Dose	Species	Source	Method

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 10 of 17

64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic				
	oral	LD50 mg/kg	> 5000	Rat	ECHA Dossier OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit	ECHA Dossier OECD Guideline 402
	inhalation (4 h) dust/mist	LC50 mg/l	> 5,53	Rat	ECHA Dossier OECD Guideline 403
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based				
	oral	LD50 mg/kg	> 5000	Rat	ECHA Dossier OECD Guideline 401
	dermal	LD50 mg/kg	> 5000	Rabbit	ECHA Dossier OECD Guideline 402
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich				
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier
	dermal	LD50 mg/kg	>2000	Rabbit.	ECHA Dossier
124-28-7	N,N-Dimethyl-n-octadecylamine				
	oral	LD50 mg/kg	1015	Rat	ECHA Dossier OECD Guideline 401
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol				
	oral	LD50 mg/kg	1200	Rat	ECHA Dossier OECD Guideline 425
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine				
	oral	LD50 mg/kg	300 - 2000	Rat	ECHA Dossier OECD Guideline 423
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol				
	oral	LD50 mg/kg	ca. 1265	Rat	ECHA Dossier OECD Guideline 401
91-20-3	naphthalene*				
	oral	ATE mg/kg	500		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) with modifications

Results: negative. / positive.; Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration

Test); Results: negative. Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Results:

negative. / positive.; Literature information: ECHA Dossier; In vitro mutagenicity/genotoxicity In vivo

mutagenicity/genotoxicity; Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test); Results:

negative. ; Literature information: ECHA Dossier; Reproductive toxicity: Method: OECD Guideline 421

(Reproduction / Developmental Toxicity Screening Test); Exposure time: 28d; Species: Rat ; Results: NOAEL =

> 2000 mg/kg(bw)/day; Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Method:

OECD Guideline 414 (Prenatal Developmental Toxicity Study); Exposure time: 28d; Species: Rat; Results:

NOAEL = > 2000 mg/kg(bw)/day; Literature information: ECHA Dossier

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 11 of 17

Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:
In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test);
Result: negative. Literature information: ECHA Dossier; Carcinogenicity: Method: OECD Guideline 453
(Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse.; Result: Non-carcinogenic if DMSO
extract as measured by IP346 is less than 3% m/m. Literature information: ECHA Dossier; Reproductive
toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity
Screening Test); Result: NOAEL > 1000 mg/kg; Literature information: ECHA Dossier; Developmental
toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental
Toxicity Study); Result: NOAEL >= 2000 mg/kg; Literature information: ECHA Dossier

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich
In-vitro mutagenicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test);
Result: negative.; Literature information: ECHA Dossier; Reproductive toxicity: Method: OECD Guideline 421
(Reproduction / Developmental Toxicity Screening Test); Species: Rat; Results: NOAEL = 175 (systemic) /600
mg/kg; Literature information: ECHA Dossier

naphthalene:

In-vitro mutagenicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

In vivo mutagenicity/genotoxicity

Method: OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

Species: Rat

Result: negative.

Literature information: ECHA Dossier

Carcinogenicity:

Method: -

Species: Rat

Exposure duration: 2 years

Result: positive.

Literature information: ECHA Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rat

Exposure duration: 20 d.

Results: LOAEL = 50 mg/kg

Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic:

Subacute inhalative toxicity : Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL > 980 mg/m³;

Literature information: J Appl Toxicol, Vol 11(4), pp 297-302; Subacute dermal toxicity: Method: OECD

Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit;

Results: NOAEL 1000 mg/kg(bw)/day; Literature information: ECHA Dossier; Subchronic oral toxicity: Method:

OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents); Species: Rat; Results: NOAEL = 125

mg/kg; Literature information: ECHA Dossier

Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Subacute inhalative toxicity: Method: -; Exposure time: 28d. Species: Rat. Results: NOAEL >980 mg/m³.

Literature information: ECHA Dossier

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich:

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 12 of 17

Subacute oral toxicity: Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents);
Species: Rat; Results: NOAEL = 500 mg/kg; Literature information: ECHA Dossier

naphthalene:

Subchronic oral toxicity:

Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Species: Rat

Exposure duration: 90 d.

Result: NOAEL = 200 mg/kg

Literature information: ECHA Dossier

1101.B111237:

Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Species: Rat

Exposure duration: 90 d.

Result: NOEL = 300 mg/kg

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Other information

Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic					
	Acute fish toxicity	LC50 LL50 > 100 mg/l	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier	OECD Guideline 203
	Acute crustacea toxicity	EC50 EL50 >10000 mg/l	48 h	Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 202
	Algae toxicity	NOEC NOEL > 100 mg/l	3 d	Pseudokirchneriella subcapitata	ECHA Dossier	
	Crustacea toxicity	NOEC NOEL > 10 mg/l	21 d	Daphnia magna (Big water flea)	ECHA Dossier	OECD Guideline 211
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based					
	Fish toxicity	NOEC >= 1000 mg/l	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich					
	Acute fish toxicity	LL50 2,4 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 EbL50: 3,5 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50 4,6 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Acute bacteria toxicity	(EC50 > 10000 mg/l)	3 h	activated sludge of a predominantly domestic sewage	ECHA Dossier	OECD Guideline 209
124-28-7	N,N-Dimethyl-n-octadecylamine					

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 13 of 17

	Acute fish toxicity	LC50 mg/l	0,256	96 h	Danio rerio	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,0141	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Crustacea toxicity	NOEC mg/l	0,036	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	32,6	3 h	Activated sludge	ECHA Dossier	OECD Guideline 209
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol						
	Acute fish toxicity	LC50	0,6 mg/l	96 h	Danio rerio	ECHA Dossier	READ ACROSS
	Acute algae toxicity	ErC50 mg/l	0,0867	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	READ ACROSS
	Crustacea toxicity	NOEC mg/l	0,32	21 d	Daphnia magna	ECHA Dossier	READ ACROSS
	Acute bacteria toxicity	(EC50 mg/l)	167	3 h	activated sludge of a predominantly domestic sewage	ECHA Dossier	READ ACROSS
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol						
	Acute algae toxicity	ErC50 mg/l	0,03	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,163	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic				
	OECD Guideline 301 F		31%	28	ECHA Dossier
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C		2-4 %	28	ECHA Dossier
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich				
	OECD 301C / ISO 9408 / EEC 92/69 annex V, C.4-F		9,6%	28	ECHA Dossier
124-28-7	N,N-Dimethyl-n-octadecylamine				
	OECD 301D		68	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).				
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol				
	OECD Guideline 301 D		52%	28	ECHA Dossier
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol				
	OECD Guideline 301 B		1%	28	ECHA Dossier

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	> 3,5
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	4,11
124-28-7	N,N-Dimethyl-n-octadecylamine	88

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 14 of 17

1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	3,6
218141-16-3	3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	ca. -0,34
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	8,4

BCF

CAS No	Chemical name	BCF	Species	Source
398141-87-2	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	31	Cyprinus carpio	ECHA Dossier
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	110,2		QSAR result (2010)
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	1,65		Catalogic calculatio

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 15 of 17

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

Observe in addition any national regulations!

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment
not applicable.

SECTION 16: Other information**Changes**

Rev.: 1,0 - 04.10.2016

Rev.: 2,0 - 04.10.2017

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 16 of 17

Rev.: 3,0 - 15.10.2018

Rev.: 4,0 - 16.10.2019

Rev. 5,0 - 31.07.2020, Changes in chapter: 2.2, 3.2, 8.1, 8.2, 11.1, 12.1, 12.2, 12.3, 15.1, 16

Rev. 6,0 - 08.02.2021, Changes in chapter: 3.2, 16

Rev.: 7,0 - 04.02.2022, Changes in chapter:, 2.3, 3.2, 6.1, 6.3, 8.1, 8.2, 11.1, 11.2, 12.5, 12.6, 12.7, 15.1, 16

Rev.: 8,0 - 30.01.2023, Changes in chapter:, 2.2, 3.2, 9.1, 8.1, 11.1, 12.1, 12.2, 12.3, 15.1, 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

SRS Violin ATF VI

Revision date: 30.01.2023

Page 17 of 17

H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)